

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre <u>West Siang, Basar - 791 101</u>



(Changlang)

No: -79/2012-13/Fri

Weather during the last four days

Dated: 1st February, 2013

• Rainfall: -

- Changlang –NA
- Miao- NA

Weather Forecast

- Rainfall Partly cloudy weather is forecasted for next two/three days.
- **Temperature** The temperature is likely to be in the range of 10-27°C.
- **Relative Humidity** The RH is likely to be in the range of 38-62%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		V	EGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
		•	FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ mosses	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches,
			LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Cold Coccidiosis	 Day old chick-Maintain warmth by lighting, Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, Add multivitamin feeds (More of Vit C) Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)

 Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department

Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre West Siang, Basar – 791 101



(Lower Dibang Valley)

<u>No: -79/2012-13/Fri</u> <u>Dated: 1st February, 2013</u>

Weather during the last four days

- Rainfall: -
 - Roing NA

or call at 03795222247 (KVK, West Siang)

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		V	EGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
			FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ mosses	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches,
		1	LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Cold Coccidiosis	 Day old chick-Maintain warmth by lighting, Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, Add multivitamin feeds (More of Vit C) Add Amprolium to the ration,
Pigs	New born	Cold	 Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals) taff or KVK staff for measures against adverse conditions

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - <u>IAAS.BASAR@gmail.com</u>, Phone Number: - 03795-226247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar - 791 101



(East Kameng)

No: -79/2012-13/Fri Dated: 1st February, 2013

Weather during the last four days

Rainfall: -

Seppa – NA

Weather Forecast

- Rainfall Clear weather is forecasted for the next three to four days.
- **Temperature** The temperature is likely to be in the range of 11-26°C
- **Relative Humidity** The RH is likely to be in the range of 51-73%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
_	<u>.</u>		VEGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
11.			FIELD CROPS
		tain fire line at 1	0 metres all around the Jhum field to avoid forest fire.
Pea	Flowering Pod formation		Light irrigation may be done,
Potato	Maturity/		Light irrigation may be given to late crop,
	Harvest		Properly dry and sort before storing
Rapeseed/	Flowering	Aphid	Light irrigation is very essential,
Mustard	/Siliqua formation		 Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
		1	FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches, Apply Bordeaux paste to the trunk portion, Clean the trunk portion of the tree to discourage egg laying by adults,
Pineapple	Planting		Treat the plantlets with DithaneM45 @ 2 grams per litre of
/Strawberry			water for half an hour before planting,
		,	LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)
			Add Amprolium to the ration,
Pigs	New born	Cold	 Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD	Vaccination – of healthy animals
		Respiratory	 Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)
Goat/Sheep	All stages	Goat pox	Vaccinate with PPX,Provide standard feeds,

 Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)





ICAR Research Complex for NEH Region, Arunachal Pradesh Centre West Siang, Basar - 791 101

(East-Siang)

No: -79/2012-13/Fri Dated: 1st February, 2013

Weather during the last four days

Maximum temperature: NAMinimum Temperature: NA

• Rainfall:

<u>Passighat</u> – NA

• Relative humidity (%):NA

Weather Forecast

- Rainfall Clear weather is forecasted for the next three to four days.
- <u>Temperature</u> The temperature is likely to be in the range of 11-25°C.
- Relative Humidity The RH is likely to be in the range of 48-67%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		V	EGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Jhu	<i>mming</i> – Maint	ain fire line at 10	metres all around the Jhum field to avoid forest fire.
Pea	Flowering Pod formation		Light irrigation may be done,
Potato	Maturity/		 Light irrigation may be given to late crop,
	Harvest		 Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
			FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches, Apply Bordeaux paste to the trunk portion, Clean the trunk portion of the tree to discourage egg laying by adults,
Pineapple /Strawberry	Planting		• Treat the plantlets with DithaneM45 @ 2 grams per litre of water for half an hour before planting,
			LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)Add Amprolium to the ration,
Pigs	New born	Cold	• Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)
Goat/Sheep	All stages	Goat pox	 Vaccinate with PPX, Provide standard feeds,

or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre <u>West Siang, Basar - 791 101</u>



(Lohit)

No: -79/2012-13/Fri

Weather during the last four days

Dated: 1st February, 2013

• Rainfall: -

- Tezu –NA
- Namsai –NA

Weather Forecast

- Rainfall Clear/partly cloudy weather is forecasted for the next three to four days.
- <u>Temperature</u> The temperature is likely to be in the range of 10-26°C.
- Relative Humidity The RH is likely to be in the range of 45-68%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		V	EGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
			FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ mosses	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches,
			LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Cold Coccidiosis	 Day old chick-Maintain warmth by lighting, Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, Add multivitamin feeds (More of Vit C) Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)

 Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar - 791 101



(Lower Subansiri)

<u>No: -79/2012-13/Fri</u> <u>Dated: 1st February, 2013</u>

Weather during the last four days

- Rainfall: -
 - 1. Ziro NA

Weather Forecast

- <u>Rainfall-</u> Weather will be partial cloudy during the next two/three days. Light rain may occur at one or two places,
- <u>Temperature</u> The temperature is likely to be in the range of 5-20°C.
- Relative Humidity The RH is likely to be in the range of 55-86%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		,	VEGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Jhu	<i>ımming</i> – Main	tain fire line at 1	0 metres all around the Jhum field to avoid forest fire.
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
		1	FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches, Apply Bordeaux paste to the trunk portion, Clean the trunk portion of the tree to discourage egg laying by adults,
Pineapple /Strawberry	Planting		 Treat the plantlets with DithaneM45 @ 2 grams per litre of water for half an hour before planting,
,			LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)
Goat/Sheep	All stages	Goat pox	Vaccinate with PPX,Provide standard feeds,

• Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department. Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-222247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre West Siang, Basar – 791 101



(Papum Pare)

No: -79/2012-13/Fri Dated: 1st February, 2013

Weather during the last four days

Maximum temperature: NAMinimum Temperature: NARelative Humidity (%):NA

Rainfall: -

Itanagar – NA
 Naharlagun – NA

Weather Forecast

- Rainfall- Clear and dry weather is forecasted for the next three to four days.
- **Temperature** The temperature is likely to be in the range of 13-28°C
- **Relative Humidity** The RH is likely to be in the range of 46-67%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
			VEGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
Ihı	ummina – Main	tain fire line at 1	FIELD CROPS 0 metres all around the Jhum field to avoid forest fire.
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
		1	FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	dream the training per trem or the tree to ansecurage egg raying
Pineapple /Strawberry	Planting	Dorei	 by adults, Treat the plantlets with DithaneM45 @ 2 grams per litre of water for half an hour before planting,
		1	LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)
Goat/Sheep	All stages	Goat pox	 Vaccinate with PPX, Provide standard feeds, Staff or KVK staff for measures against adverse conditions or

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

call at 03795222247 (KVK, West Siang)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre <u>West Siang, Basar - 791 101</u>



(Tawang)

<u>No: -79/2012-13/Fri</u> <u>Dated: 1st February, 2013</u>

Weather during the last four days

• Rainfall: -

Crop

Apple

Department

1. Tawang -NA

Stage

Lean

Weather Forecast

- Rainfall Partly cloudy weather is forecasted for the next three to four days
- **Temperature** The temperature is likely to be in the range of -4°C to 13°C.
- **Relative Humidity** The RH is likely to be in the range of 53-91%.

Pest/Disease

Weather Based Agro-meteorological Advisories Bulletin

	Period		and apply Bordeaux paste/Chaubatia paste on cut portions,
Kiwi	Lean Period		Training and pruning is advised,
			LIVESTOCKS
Livestock	Stage	Pest/Disease	Precautionary Practices to be followed
Poultry	All stages	Cold	 Day old chick-Maintain warmth by lighting, Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, In present weather conditions frequently turn the litters/avoid hardening of litters, Provide limited ventilation, Add multivitamin feeds (More of Vit C) Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)

call at 03795222247 (KVK, West Siang)
Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological

Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Integrated Agromet Advisory Services Basar, Arunachal Pradesh

Precautionary Practices to be followed

Train the plant and remove dead branches and stem cankers



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre <u>West Siang, Basar - 791 101</u>



(Tirap)

No: -79/2012-13/Fri

Weather during the last four days

Dated: 1st February, 2013

• Rainfall: -

- Khonsa -NA
- Deomali –NA

Weather Forecast

- Rainfall: Clear weather is forecasted for the next three to four days.
- <u>Temperature</u> The temperature is likely to be in the range of 10-23°C.
- Relative Humidity The RH is likely to be in the range of 44-61%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		V	EGETABLE CROPS
Cauliflower	Harvest		Mulching of the fallow land with locally available weeds,
/Cabbage			crop waste etc,
/Knolkhol			Light irrigation may be given to the late crop,
/Broccoli			
			FIELD CROPS
Potato	Maturity/		Light irrigation may be given to late crop,
	Harvest		Properly dry and sort before storing
Rapeseed/	Flowering	Aphid	Light irrigation is very essential,
Mustard	/Siliqua		Moisture conservation using locally available mulch,
	formation		If aphid infestation is severe, spraying of DithaneM45 @
			2.5 grams per litre of water is advised
			FRUIT CROPS
Khasi Mandarin	Harvest	Lichens/	In present weather conditions remove lichens/mosses
	Post harvest	mosses	from the affected trees using gunny bags smoothly,
			Prune the diseased and dried branches,
			LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Cold	Day old chick-Maintain warmth by lighting,
			Provide heat by lighting 100W filament bulb @ 1 bulb per
		Coccidiosis	20 newly born chicks,
			Add multivitamin feeds (More of Vit C)
			Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD	Vaccination – of healthy animals
			Treatment – sick animals,
		Respiratory	Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg
			body weight animal (Avoid injecting to Pregnant
			animals)

 Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department

Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)





ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar - 791 101

(Upper-Siang)

<u>No: -79/2012-13/Fri</u> <u>Dated: 1st February, 2013</u>

Weather during the last four days

- Rainfall:
 - o Tuting NA

Weather Forecast

- Rainfall Clear/partly cloudy weather is forecasted for the next three to four days.
- **Temperature** The temperature is likely to be in the range of 6-20°C.
- **Relative Humidity** The RH is likely to be in the range of 46-78%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
			VEGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Jhu	<i>ımming</i> – Main	tain fire line at 1	0 metres all around the Jhum field to avoid forest fire.
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
			FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches, Apply Bordeaux paste to the trunk portion, Clean the trunk portion of the tree to discourage egg laying by adults,
			LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)Add Amprolium to the ration,
Pigs	New born	Cold	 Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)

 Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre <u>West Siang, Basar - 791 101</u>



(Upper-Subansiri)

<u>No: -79/2012-13/Fri</u> <u>Dated: 1st February, 2013</u>

Weather during the last four days

- Rainfall: -
 - 1. Daporijo-NA

Weather Forecast

- Rainfall Clear weather/partly cloudy weather is forecasted for the next three to four days
- <u>Temperature</u> The temperature is likely to be in the range of 7-22°C.
- Relative Humidity The RH is likely to be in the range of 54-86%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
			VEGETABLE CROPS
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop,
			FIELD CROPS
Jhu	<i>ımming</i> – Main	tain fire line at 1	0 metres all around the Jhum field to avoid forest fire.
Pea	Flowering Pod formation		Light irrigation may be done,
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised
			FRUIT CROPS
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches, Apply Bordeaux paste to the trunk portion, Clean the trunk portion of the tree to discourage egg laying by adults,
		1	LIVESTOCKS
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals)
Goat/Sheep	All stages	Goat pox	Vaccinate with PPX,Provide standard feeds,

call at 0379522247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre West Siang, Basar - 791 101



(West Kameng)

No: -79/2012-13/Fri Dated: 1st February, 2013

Weather during the last three days

 Rainfall: - Bomdila – NA Bhalokpung –NA

Weather Forecast

- Rainfall Clear/partly cloudy weather is forecasted for the next three to four days,
- **Temperature** The temperature is likely to be in the range of 10-26°C.
- **Relative Humidity** The RH is likely to be in the range of 53-80%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Apple	Lean		Train the plant and remove dead branches and stem cankers
	Period		and apply Bordeaux paste/Chaubatia paste on cut portions,
Kiwi	Lean		Training and pruning is advised,
	Period		
			LIVESTOCKS
Livestock	Stage	Pest/Disease	Precautionary Practices to be followed
Poultry	All stages	Cold	Day old chick-Maintain warmth by lighting,
			• Provide heat by lighting 100W filament bulb @ 1 bulb per 20
		Coccidiosis	newly born chicks,
			• In present weather conditions frequently turn the litters/avoid
			hardening of litters,
			Provide limited ventilation,
			Add multivitamin feeds (More of Vit C)
			Add Amprolium to the ration,
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,
Cattle	All stages	FMD	Vaccination – of healthy animals
			Treatment – sick animals,
		Respiratory	• Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg
			body weight animal (Avoid injecting to Pregnant animals)

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795222247 (KVK, West Siang)

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department' Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-222247/37, -96 (Fax)



ICAR Research Complex for NEH Region, Arunachal Pradesh Centre West Siang, Basar – 791 101



(West Siang)

<u>No: -79/2012-13/Fri</u> <u>Dated: 1st February, 2013</u>

Weather during the period

- During the last two days weather was clear/partly cloudy on some occasion and fog was recorded during the morning hours.
- Maximum temperature:20.8°C
- Minimum Temperature: 4.6 °C
- Rainfall: 0.0 mm
- Evapotranspiration: NA
- Relative Humidity (%):-56-87
- Soil moisture (m²/ m²):-NA
- Prominent Wind Direction: Morning-South & Evening-North West
- Average Wind Speed: 0.1 kmph

(Source-Agromet Observatory, Research Farm, Gori, ICAR, AP Centre, Basar)

Weather Forecast

- <u>Rainfall:-</u>Clear weather is forecasted for the next three to four days. Partially cloudy weather may occur on some day.
- <u>Temperature</u> The temperature is likely to be in the range of 10-23°C.
- Relative Humidity The RH is likely to be in the range of 56-74%.

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed				
VEGETABLE CROPS							
Cauliflower /Cabbage /Knolkhol /Broccoli	Harvest		 Mulching of the fallow land with locally available weeds, crop waste etc, Light irrigation may be given to the late crop, 				
FIELD CROPS							
Jhumming – Maintain fire line at 10 metres all around the Jhum field to avoid forest fire.							
Pea	Flowering Pod formation		Light irrigation may be done,				
Potato	Maturity/ Harvest		Light irrigation may be given to late crop,Properly dry and sort before storing				
Rapeseed/ Mustard	Flowering /Siliqua formation	Aphid	 Light irrigation is very essential, Moisture conservation using locally available mulch, If aphid infestation is severe, spraying of DithaneM45 @ 2.5 grams per litre of water is advised 				
			FRUIT CROPS				
Khasi Mandarin	Harvest Post harvest	Lichens/ Mosses Shoot/Trunk Borer	 In present weather conditions remove lichens/mosses from the affected trees using gunny bags smoothly, Prune the diseased and dried branches, Apply Bordeaux paste to the trunk portion, Clean the trunk portion of the tree to discourage egg laying by adults, 				
Pineapple /Strawberry	Planting		Treat the plantlets with DithaneM45 @ 2 grams per litre of water for half an hour before planting,				
			LIVESTOCKS				
Livestock	Stage	Disease	Precautionary Practices to be followed				
Poultry	All stages	Coccidiosis	Add multivitamin feeds (More of Vit C)Add Amprolium to the ration,				
Pigs	New born	Cold	Warming of pig sheds using gunny bags, straw, enclosure,				
Cattle	All stages	FMD Respiratory	 Vaccination – of healthy animals Treatment – sick animals, Intra muscular injection of Oxi-tetracycline @ 20ml/400 kg body weight animal (Avoid injecting to Pregnant animals) 				
Rabbits	All stages	Snuffles	Use broad spectrum antibiotic treatment like Gentamycin, anrofloxcin under proper supervision of veterinary officials				
Goat/Sheep	All stages	Goat pox	Vaccinate with PPX,				

				•	Provide standard feeds,
•	Contact Sc	ientists (ICAR	or State Agril S	Sta	ff or KVK staff for measures against adverse conditions or
	call at 037	95222247 (K	VK, West Siang)		

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Integrated Agromet Advisory Services
Basar, Arunachal Pradesh