



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Lower Dibang Valley, District
(Period:26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Partial cloud cover with no possibility of rain. Max Temp=13°C and Min Temp=3°C, RH=18-59%, Wind Speed=6-7 kmph, Wind Direction= E

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Pea/Cauliflo wer/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea & other vegetables is advocated
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Regular deworming of animals
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive measureRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **Lower Subansiri, District** (Period:26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Partial cloud with no possibility of rain. Max Temp=10°C and Min Temp = (-)1°C, RH=25-85%, Wind Speed=6-9 kmph, Wind Direction= WSW

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Mustard	Vegetative		<ul style="list-style-type: none">Cover the crop during night to protect against frost.
Pea/Cauliflowe r/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower,/pea & other vegetables is advocated
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworming at regular interval
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Papum Pare, District
(Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.3 mm. Max Temp:25.0°C and Min. Temp:10.6°C, RH: 61-80%	Moderately cloudy weather no possibility of rain. Max Temp=25°C and Min Temp=10°C, RH=28-78%, Wind Speed=4-6 kmph, Wind Direction= E

Weather Based Agro-meteorological Advisories Bulletin

- Obtain seeds from reputed/certified/reliable source,

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea & other vegetables is advocated
FRUIT CROPS			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mould in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworming at regular interval
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Tawang, District (Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 1.0 mm.	Partial cloud cover with possibility of no rain. Max Temp=11°C and Min Temp=2°C, RH=36-88 %, Wind Speed=4-8 kmph, Wind Direction= SW

Weather Based Agro-meteorological Advisories Bulletin

• Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none">Spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower,/pea & other vegetables
FRUIT CROPS			
Temperate fruits (Apple, peach,pear,plum,kiwi etc.)	Dormant stage		<ul style="list-style-type: none">Training & pruning to be followed at the dormant stage to maintain proper framework of the plant & to removed the unnecessary branches & diseased plant parts,
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampness and cover weak and sick animals with sack cloth
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **Tirap, District** (Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 17.6 mm.	Cloudy weather with possibility of very light rain. Max Temp=24°C and Min Temp=10°C, RH=29-94%, Wind Speed=2 kmph, Wind Direction= S

Weather Based Agro-meteorological Advisories Bulletin

• Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Mustard	Vegetative		<ul style="list-style-type: none">Cover the crop during night to protect against frostNeed-based foliar spray of Metalaxyl+Dithane M-45 @ 2.5g/lit at 15 days interval for management of White rust/Downy mildew in mustard
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampness and cover weak and sick animals with sack cloth
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Fishery			<ul style="list-style-type: none">Check acidity of water at 15 days interval to know the quality of water in the culture tank.
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit,ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Upper Siang, District
(Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 2.0 mm.	Cloudy weather with possibility of light rainfall is forecasted. Max Temp=11°C and Min Temp=0°C, RH=20-94%, Wind Speed=6-8 kmph, Wind Direction= SSE

Weather Based Agro-meteorological Advisories Bulletin

- Obtain seeds from reputed/certified/reliable source,

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea & other vegetables is advocated
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mould in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampness and cover weak and sick animals with sack cloth
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventiveRemove wet litter

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Upper Subansiri, District
(Period:26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 6.4 mm.	Moderately cloudy sky with possibility of no rain. Max Temp=11°C and Min Temp=1°C, RH=29-82%, Wind Speed=4-8 kmph, Wind Direction= WNW

Weather Based Agro-meteorological Advisories Bulletin

- Obtain seeds from reputed/certified/reliable source,

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea & other vegetables is advocated
FRUIT CROPS			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mould in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Right time to dewormAvoid dampness and cover weak and sick animals with sack cloth
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugsRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **West Kameng, District** (Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Partially cloudy sky with no rain. Max Temp=14°C and Min Temp=1°C, RH=32-90%, Wind Speed=5-9 kmph, Wind Direction= S

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none">During clear weather spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea & other vegetables
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health recommendedPrune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
Banana	Vegetative/ma turity		<ul style="list-style-type: none">Mulching in the root zone is advocated against frost inquiry
Temperate fruits (Apple, peach,pear,pl um,kiwi etc.)	Dormant stage		<ul style="list-style-type: none">Training & pruning to be followed at the dormant stage to maintain proper framework of the plant & to removed the unnecessary branches & diseased plant parts,
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampness and cover weak and sick animals with sack cloth
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugsRemove wet litter
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **West Siang, District** (Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm. T. Max: 20.0°C, T. Min: 8.0°C, RH: 51-98 %, Wind Speed: 2.4 kmph, Wind Direction: NE	Partially cloudy sky with possibility of no rain. Max Temp=24°C and Min Temp=10°C, RH=28-76%, Wind Speed= 5-7 kmph, Wind Direction= WNW

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
Pea/Cauliflo wer/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea & other vegetables is advocated
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
Apple/Kiwi			<ul style="list-style-type: none">Training and pruning is must to remove all diseased and crisscross branches to maintain the shape and health of the plant
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampness and cover weak and sick animals with sack cloth
Poultry	All stages		<ul style="list-style-type: none">Provide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Anjaw District
(Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Partly cloudy sky with possibility of no rain. Max Temp=8°C and Min Temp=(-)2°C, RH=19-73%, Wind Speed=8-9 kmph, Wind direction: E

Weather Based Agro-meteorological Advisories Bulletin

- Obtain seeds from reputed/certified/reliable source,

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldVaccination as per the schedule with proper consultation with vet.Deworm at regular intervalDuring scarcity of fodder provide hay/silage/feedblocks.
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugsRemove wet litter/provide artificial heating and light
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226237/226247

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Changlang, District
(Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Cloudy sky with no rain is forecasted. Max Temp=15°C and Min Temp=5°C, RH=19-75%, Wind Speed= 4-5 kmph, Wind Direction= ESE

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloth during night to avoid frost.Place 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldVaccination as per the schedule with proper consultation with vet.Deworm at regular intervalAvoid dampness
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs/Remove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: Dibang Valley (U), District
(Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 2.0 mm.	Moderately cloudy sky with possibility of light rain. Max Temp=12°C and Min Temp=3°C, RH=21-72 %, Wind Speed=6-8 kmph, Wind Direction= ENE

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Mustard	Vegetative		<ul style="list-style-type: none">Cover the crop during night to protect against frostPlace 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampnessDuring scarcity of fodder provide hay/silage/feedblocks.
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugsRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 7/2015-16/Fri

Dated: 22nd January, 2016

Agro Advisory Bulletin: **East Kameng, District**
(Period: **22nd to 26th January, 2016**)

Weather summery of the previous week	Weather forecast valid up to 26 th January, 2016
Rainfall = 0.0mm. Extremely/Severely wet condition is experienced as per SPI map of IMD.	Partial cloudy sky with no possibility of rain. Max Temp=10°C and Min Temp=1°C, RH=26-92%, Wind Speed=5-8 kmph, Wind Direction= SE

Weather Based Agro-meteorological Advisories Bulletin

• Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Mustard	Vegetative		<ul style="list-style-type: none">Mulching with crop residue is advocated for conservation of soil moistureMake provision for life-saving irrigations in some places
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none">Spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea & other vegetables
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworming at regular intervalAvoid dampness
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive dosesRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **East Siang, District**
(Period: 26th to 29th January, 2016)

Weather summary of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.7 mm; RH: 63-71, T. Max: 24.8°C and T. Min:13.0°C	Partially cloudy sky with possibility of no rain. Max Temp=24°C and Min Temp=12°C, RH=24-73%, Wind Speed=5-6 kmph, Wind Direction= W

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Mustard	Vegetative		<ul style="list-style-type: none">Cover the crop during night to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Right time to dewormAvoid dampnessDuring scarcity of fodder provide hay/silage/feedblocks.
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **Kurung Kumey, District** (Period: 26th to 29th January, 2016)

Weather summery of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Moderately cloudy sky with no possibility of rain. Max Temp=10°C and Min Temp=(-)2°C, RH=23-86 %, Wind Speed=2-10 kmph, Wind Direction= W

Weather Based Agro-meteorological Advisories Bulletin

<ul style="list-style-type: none">Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Mustard	Vegetative		<ul style="list-style-type: none">Place 2-3 inch crop residue mulch around the base of the plant and cover the crop during night to protect from frost
Pea/Cauliflo wer/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower,/pea & other vegetables is advocated
FRUIT CROPS			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mauld in Khasi mandarin when the harvesting is over
Apple/Kiwi			<ul style="list-style-type: none">Training & pruning to be followed at the dormant stage to maintain proper framework of the plant & to removed the unnecessary branches & diseased plant parts,
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldDeworming at regular intervalVaccination as per the schedule with proper consultation with vet.Right time to deworm and continue at regular interval
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litter
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment

Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR



GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



ICAR Research Complex for NEH Region
Arunachal Pradesh Centre, Basar-791101

No: 8/2015-16/Tue

Dated: 26th January, 2016

Agro Advisory Bulletin: **Lohit, District**
(Period: 26th to 29th January, 2016)

Weather summary of the previous week	Weather forecast valid up to 29 th January, 2016
Rainfall = 0.0 mm.	Moderately cloudy sky with possibility no rain. Max Temp=15°C and Min Temp=4°C, RH=17-73%, Wind Speed=5-7 kmph, Wind Direction= E

Weather Based Agro-meteorological Advisories Bulletin

• Obtain seeds from reputed/certified/reliable source,			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
VEGETABLE CROPS			
Tomato	Vegetative		<ul style="list-style-type: none">Cover the crop with polyethene/cloths to protect from frostPlace 2-3 inch crop residue mulch around the base of the plant
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none">On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea & other vegetables is advocated
FRUIT CROPS			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none">Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plantGo for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is overSpray Imagalil 34WP @ 1g/lit against blue & green mould in Khasi mandarin when the harvesting is over
LIVESTOCKS			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none">Provide proper bedding materials for newly born piglets to protect them from coldAll animals should be tethered in a covered shelterCheck for the broken parts in the pig houses and close them properly to avoid coldVaccination as per the schedule with proper consultation with vet.Deworm at regular interval
Poultry	All stages		<ul style="list-style-type: none">Provide sufficient bedding materials to keep them warmProvide adequate clean drinking water+electrolyteVaccination as per the schedule with proper consultation with vet.Provide anti-coccidial drugs as preventive doseRemove wet litterArtificial heating
Fishery			<ul style="list-style-type: none">Use soil-water probiotics in fish pond for making disease free environment
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR