



# INTEGRATED AGROMET ADVISORY SERVICE

**ICAR Research Complex for NEH Region**  
**Umroi Road, Umiam – 793 103 Meghalaya**



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213 /Email: [iaasbarapani@yahoo.in](mailto:iaasbarapani@yahoo.in)

RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summery of the previous week

Max Temp: 26.0-27.0°C, Min Temp: 12.0-13.0°C, Wind Speed: 5-9Kmph, Wind Direction: 88-226Degree, Rainfall: 30.0mm.

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

The possibility of Rainfall is 64.0mm for the next five days. Max Temp: 26.0-27.0°C, Min Temp: 14.0°C, Cloud Cover: sky will be partly cloudy i.e. 2-5Okta, Max RH: 53-84%, Min RH: 28-51%, Wind Speed: 6-9Kmph, Wind Direction: 168-255Degree.


**Weekly cumulative rainfall : 64.0mm**

## Agro-advisories of East Garo hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Tillering	Blast	<ul style="list-style-type: none"> <li>Apply Urea 2<sup>nd</sup> split dose at 40 DAT.</li> <li>Spray Mencozeb 0.2% @2gm/lit water against blast.</li> </ul>
Direct seeded ahu	Land preparation		<ul style="list-style-type: none"> <li>Prepare land for early direct seeded ahu cultivation</li> </ul>
Maize	Land preparation & sowing		<ul style="list-style-type: none"> <li>Prepare land for maize</li> <li>Sow seeds of high yielding cultivars like DA-61, RCM-76.</li> </ul>
Khasi mandarin			<ul style="list-style-type: none"> <li>Prune the trees. Apply fertilizer this month following ring method.</li> </ul>
Cucurbits & Bhindi	Seed sowing		<ul style="list-style-type: none"> <li>Sowing should be done in this month.</li> </ul>
Poultry		Ranikhet disease	<ul style="list-style-type: none"> <li>Provide clean and fresh water. All waterers should be cleaned daily.</li> <li>Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.</li> <li>Vaccination to control the ranikhet disease of poultry may be done during this period.</li> </ul>

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.





RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summery of the previous week

Max Temp: 18.0-19.0<sup>0</sup>C, Min Temp: 8.0-9.0<sup>0</sup>C, Cloud Cover: sky will be mainly clear i.e. 0-2 Okta, Max RH: 59-77%, Min RH: 28-33%, Wind Speed: 3-6Kmph, Wind Direction: 80-122Degree and Rainfall is 0.0mm.

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 20.0<sup>0</sup>C, Min Temp: 8.0-9.0<sup>0</sup>C, Cloud Cover: sky will be partly cloudy i.e. 0-3Okta, Max RH: 59-73%, Min RH: 24-32%, Wind Speed: 2-5Kmph, Wind Direction: 76-106Degree.

*Weekly cumulative Rainfall: 0.0mm*

## Agro-advisories of East Khasi hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
---------------------------------	-------	-------------------	-------------------------

Boro paddy

Tillering

Blast

- Apply Urea 2<sup>nd</sup> split dose at 40 DAT.
- Spray Mencozeb 0.2% @2gm/lit water against blast.

Direct seeded ahu

Land preparation

- Prepare land for early direct seeded ahu cultivation

Maize

Land preparation & sowing

- Prepare land for maize
- Sow seeds of high yielding cultivars like DA-61, RCM-76.

Khasi mandarin

- Prune the trees. Apply fertilizer this month following ring method.

Cucurbits & Bhindi

Seed sowing

- Sowing should be done in this month.


Poultry

Ranikhet disease

- Provide clean and fresh water. All waterers should be cleaned daily.
- Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.
- Vaccination to control the ranikhet disease of poultry may be done during this period.

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.





# INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: [iaasbarapani@yahoo.in](mailto:iaasbarapani@yahoo.in)

RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summary of the previous week

Max Temp: 19.0<sup>0</sup>C, Min Temp: 9.0<sup>0</sup>C, Wind Speed: 3-6kmph, Wind Direction: 49-69 Degree and Rainfall: 0.0mm

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 21.0<sup>0</sup>C, Min Temp: 9.0<sup>0</sup>C, Cloud Cover: sky will be partly clear i.e. 0-2 Okta, Max RH: 56-78%, Min RH: 23-29%, Wind Speed: 3-6Kmph, Wind Direction: 54-70Degree.

*Weekly cumulative rainfall : 0.0mm*

## Agro-advisories of Jaintia hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Tillering	Blast	<ul style="list-style-type: none"> <li>Apply Urea 2<sup>nd</sup> split dose at 40 DAT.</li> <li>Spray Mencozeb 0.2% @2gm/lit water against blast.</li> </ul>
Direct seeded ahu	Land preparation		<ul style="list-style-type: none"> <li>Prepare land for early direct seeded ahu cultivation</li> </ul>
Maize	Land preparation & sowing		<ul style="list-style-type: none"> <li>Prepare land for maize</li> <li>Sow seeds of high yielding cultivars like DA-61, RCM-76.</li> </ul>
Khasi mandarin			<ul style="list-style-type: none"> <li>Prune the trees. Apply fertilizer this month following ring method.</li> </ul>
Cucurbits & Bhindi	Seed sowing		<ul style="list-style-type: none"> <li>Sowing should be done in this month.</li> </ul>
Poultry		Ranikhet disease	<ul style="list-style-type: none"> <li>Provide clean and fresh water. All waterers should be cleaned daily.</li> <li>Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.</li> <li>Vaccination to control the ranikhet disease of poultry may be done during this period.</li> </ul>

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



# INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: [iaasbarapani@yahoo.in](mailto:iaasbarapani@yahoo.in)

RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summery of the previous week

Rainfall: 0.0mm, Max and min temp varied between 26.0-27.0°C and 11.0-12.0°C respectively. The sky will be mainly clear *i.e.* 0-2 Okta; The wind speed: 2-6kmph, Wind direction: 110-152degree, Max RH: 68-86% and Min RH: 32-37%.

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

The possibility of Rainfall is 0.0mm for next five days. Max and min temp will be varied between 27.0°C and 12.0°C respectively. The sky will be partly cloudy *i.e.* 0-3 Okta; Relative humidity will be varied between 68-80% and 28-33% in the morning and afternoon respectively. The wind will be 2-4kmph. The wind will blow from variable direction at 105-125degree.

C & RD BLOCK MA Weekly cumulative rainfall: 0.0mm

## Agro-advisories of Ri-Bhoi for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Tillering	Blast	<ul style="list-style-type: none"> <li>Apply Urea 2<sup>nd</sup> split dose at 40 DAT.</li> <li>Spray Mencozeb 0.2% @2gm/lit water against blast.</li> </ul>
Direct seeded ahu	Land preparation		<ul style="list-style-type: none"> <li>Prepare land for early direct seeded ahu cultivation</li> </ul>
Maize	Land preparation & sowing		<ul style="list-style-type: none"> <li>Prepare land for maize</li> <li>Sow seeds of high yielding cultivars like DA-61, RCM-76.</li> </ul>
Khasi mandarin			<ul style="list-style-type: none"> <li>Prune the trees. Apply fertilizer this month following ring method.</li> </ul>
Cucurbits & Bhindi	Seed sowing		<ul style="list-style-type: none"> <li>Sowing should be done in this month.</li> </ul>
Poultry		Ranikhet disease	<ul style="list-style-type: none"> <li>Provide clean and fresh water. All waterers should be cleaned daily.</li> <li>Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.</li> <li>Vaccination to control the ranikhet disease of poultry may be done during this period.</li> </ul>

N.B. Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



# INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: [iaasbarapani@yahoo.in](mailto:iaasbarapani@yahoo.in)

RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summary of the previous week

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

Max Temp: 28.0-29.0°C, Min Temp: 14.0°C, The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 28.0-29.0°C, Min Temp: 14.0°C, Cloud cover: sky will be partly cloudy i.e. 0-4 Okta, Max RH: 52-75%, Min RH: 24-38%, Wind Direction: 92-301Degree. Wind Speed: 4-6Kmph and Wind Direction: 82-310Degree.

*Weekly cumulative rainfall : 0.0mm*

## Agro-advisories of South Garo Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Tillering	Blast	<ul style="list-style-type: none"> <li>Apply Urea 2<sup>nd</sup> split dose at 40 DAT.</li> <li>Spray Mencozeb 0.2% @2gm/lit water against blast.</li> </ul>
Direct seeded ahu	Land preparation		<ul style="list-style-type: none"> <li>Prepare land for early direct seeded ahu cultivation</li> </ul>
Maize	Land preparation & sowing		<ul style="list-style-type: none"> <li>Prepare land for maize</li> <li>Sow seeds of high yielding cultivars like DA-61, RCM-76.</li> </ul>
Khasi mandarin			<ul style="list-style-type: none"> <li>Prune the trees. Apply fertilizer this month following ring method.</li> </ul>
Cucurbits & Bhindi	Seed sowing		<ul style="list-style-type: none"> <li>Sowing should be done in this month.</li> </ul>
Poultry		Ranikhet disease	<ul style="list-style-type: none"> <li>Provide clean and fresh water. All waterers should be cleaned daily.</li> <li>Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.</li> <li>Vaccination to control the ranikhet disease of poultry may be done during this period.</li> </ul>

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.





# INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213 /Email: [iaasbarapani@yahoo.in](mailto:iaasbarapani@yahoo.in)

RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summary of the previous week

Max Temp: 26.0-27.0°C, Min Temp: 13.0-15.0°C, Wind Speed: 4-7Kmph and Wind Direction: 82-277Degree and Rainfall: 0.0mm.

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 26.0-27.0°C, Min Temp: 13.0-15.0°C, Cloud cover: sky will be partly cloudy i.e. 0-4 Okta, Max RH: 53-71%, Min RH: 25-36%, Wind Speed: 2-6Kmph and Wind Direction: 81-289Degree.

*Weekly cumulative rainfall : 0.0mm*

## Agro-advisories of West Garo Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Tillering	Blast	<ul style="list-style-type: none"> <li>• Apply Urea 2<sup>nd</sup> split dose at 40 DAT.</li> <li>• Spray Mencozeb 0.2% @2gm/lit water against blast.</li> </ul>
Direct seeded ahu	Land preparation		<ul style="list-style-type: none"> <li>• Prepare land for early direct seeded ahu cultivation</li> </ul>
Maize	Land preparation & sowing		<ul style="list-style-type: none"> <li>• Prepare land for maize</li> <li>• Sow seeds of high yielding cultivars like DA-61, RCM-76.</li> </ul>
Khasi mandarin			<ul style="list-style-type: none"> <li>• Prune the trees. Apply fertilizer this month following ring method.</li> </ul>
Cucurbits & Bhindi	Seed sowing		<ul style="list-style-type: none"> <li>• Sowing should be done in this month.</li> </ul>
Poultry		Ranikhet disease	<ul style="list-style-type: none"> <li>• Provide clean and fresh water. All waterers should be cleaned daily.</li> <li>• Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.</li> <li>• Vaccination to control the ranikhet disease of poultry may be done during this period.</li> </ul>

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



# INTEGRATED AGROMET ADVISORY SERVICE

**ICAR Research Complex for NEH Region**  
**Umroi Road, Umiam – 793 103 Meghalaya**



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213 /Email: [iaasbarapani@yahoo.in](mailto:iaasbarapani@yahoo.in)

RC (AE)/30/2011/ Bulletin/February'2014/07

Dated: 25/02/2014

## Agro Advisory Bulletin for the period 26<sup>th</sup> Feb - 2<sup>nd</sup> March 2014

### Weather summery of the previous week

Max Temp: 18.0°C, Min Temp: 8.0-9.0°C, Wind Speed: 3-6Kmph, Wind Direction: 69-234Degree, Rainfall: 0.0mm.

### Weather forecast valid up to 2<sup>nd</sup> March, 2014

The possibility of Rainfall is 0.0mm for next five days. Max Temp: 20.0°C, Min Temp: 8.0-9.0°C, Cloud cover: sky will be partly cloudy i.e. 0-3 Okta, Max RH: 54-73%, Min RH: 23-34%, Wind Speed: 2-6Kmph and Wind Direction: 77-237Degree.

*Weekly cumulative rainfall :0.0mm*

## Agro-advisories of West Khasi Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Tillering	Blast	<ul style="list-style-type: none"> <li>• Apply Urea 2<sup>nd</sup> split dose at 40 DAT.</li> <li>• Spray Mencozeb 0.2% @2gm/lit water against blast.</li> </ul>
Direct seeded ahu	Land preparation		<ul style="list-style-type: none"> <li>• Prepare land for early direct seeded ahu cultivation</li> </ul>
Maize	Land preparation & sowing		<ul style="list-style-type: none"> <li>• Prepare land for maize</li> <li>• Sow seeds of high yielding cultivars like DA-61, RCM-76.</li> </ul>
Khasi mandarin			<ul style="list-style-type: none"> <li>• Prune the trees. Apply fertilizer this month following ring method.</li> </ul>
Cucurbits & Bhindi	Seed sowing		<ul style="list-style-type: none"> <li>• Sowing should be done in this month.</li> </ul>
Poultry		Ranikhet disease	<ul style="list-style-type: none"> <li>• Provide clean and fresh water. All waterers should be cleaned daily.</li> <li>• Artificial heating through lighting of electric bulb during night time to protect the poultry birds from low temperature.</li> <li>• Vaccination to control the ranikhet disease of poultry may be done during this period.</li> </ul>

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.