



INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213 /Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summery of the previous week

Max Temp: 22.0-23.0°C, Min Temp: 7.0-8.0°C, Wind Speed: 6-10Kmph, Wind Direction: 83-131Degree, Rainfall: 0.0mm.


Weather forecast valid up to 8th January, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 22.0-24.0°C, Min Temp: 7.0-9.0°C, Cloud Cover: sky will be mainly clear i.e. 0-2Okta, Max RH: 53-65%, Min RH: 31-36%, Wind Speed: 4-7Kmph, Wind Direction: 144-285Degree.

Weekly cumulative rainfall : 0.0mm

Agro-advisories of East Garo hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> Prepare land for nursery raising.
Potato	Tuber formation		<ul style="list-style-type: none"> Do earthing up where ever necessary Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> If aphid attack is observed, spray Chlorpyriphos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease. Provide light irrigation
Poultry			<ul style="list-style-type: none"> Provide clean and fresh water. All waterers should be cleaned daily.
N.B. Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.			





RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summary of the previous week

Max Temp: 15.0-16.0⁰C, Min Temp: 5.0⁰C, Cloud Cover: sky will be partly cloudy i.e. 0-2Okta, Max RH: 65-87%, Min RH: 30-44%, Wind Speed: 5-7Kmph, Wind Direction: 88-91Degree and Rainfall is 0.0mm.

Weather forecast valid up to 8th January, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 22.0-23.0⁰C, Min Temp: 9.0-10.0⁰C, Cloud Cover: sky will be partly cloudy i.e. 0-2 Okta, Max RH: 74-88%, Min RH: 38-45%, Wind Speed: 4-6Kmph, Wind Direction: 85-108Degree.

Weekly cumulative Rainfall: 0.0mm

Agro-advisories of East Khasi hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> Prepare land for nursery raising.
Potato	Tuber formation		<ul style="list-style-type: none"> Do earthing up where ever necessary Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> If aphid attack is observed, spray Chlorpyriphos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease.
Poultry			<ul style="list-style-type: none"> Provide light irrigation Provide clean and fresh water. All waterers should be cleaned daily.
<p>N.B. Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.</p>			

STATE GIS LAB.
(MEGHALAYA)

SCALE 1: 1,350,000

0 15 30 60 90 120 Kilometers



INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summary of the previous week

Max Temp: 18.0-19.0⁰C, Min Temp: 5.0⁰C,
Wind Speed: 6-7 kmph, Wind Direction: 54-
64 Degree and Rainfall: 0.0mm

Weather forecast valid up to 8th January, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 23.0-24.0⁰C, Min Temp: 8.0-9.0⁰C, Cloud Cover: sky will be partly cloudy i.e. 0-2 Okta, Max RH: 78-90%, Min RH: 35-40%, Wind Speed: 4-6Kmph, Wind Direction: 56-67Degree.

Weekly cumulative rainfall : 0.0mm

Agro-advisories of Jaintia hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> Prepare land for nursery raising.
Potato	Tuber formation		<ul style="list-style-type: none"> Do earthing up where ever necessary Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> If aphid attack is observed, spray Chlorpyrifos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease. Provide light irrigation
Poultry			<ul style="list-style-type: none"> Provide clean and fresh water. All waterers should be cleaned daily.

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summary of the previous week

Rainfall: 0.0mm, Max and min temp varied between 20.0-21.0°C and 8.0°C respectively. The sky will be mainly clear *i.e.* 0-2 Okta; The wind speed: 4-6kmph, Wind direction: 111-123 degree, Max RH: 68-88% and Min RH: 34-47%.

Weather forecast valid up to 8th January, 2014

The possibility of Rainfall is 0.0mm for next five days. Max and min temp will be varied between 21.0-23.0°C and 8.0-9.0°C respectively. The sky will be partly clear *i.e.* 0-2 Okta; Relative humidity will be varied between 83-94% and 43-50% in the morning and afternoon respectively. The wind will be 3-6kmph. The wind will blow from variable direction at 112-118degree.


Weekly cumulative rainfall:0.0mm

Agro-advisories of Ri-Bhoi for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> Prepare land for nursery raising.
Potato	Tuber formation	---	<ul style="list-style-type: none"> Do earthing up where ever necessary Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> If aphid attack is observed, spray Chlorpyrifos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease.
Poultry			<ul style="list-style-type: none"> Provide light irrigation Provide clean and fresh water. All waterers should be cleaned daily.

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.





INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213 /Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summary of the previous week

Weather forecast valid up to 8th January, 2014

Max Temp: 24.0-25.0°C, Min Temp: 9.0-10.0°C, The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 25.0-26.0°C, Min Temp: 12.0-13.0°C, Cloud cover: sky will be partly clear i.e. 0-2 Okta, Max RH: 62-88%, Min RH: 34-46%, Wind Speed: 4-6Kmph and Wind Direction: 91-282Degree.

Weekly cumulative rainfall : 0.0mm

Agro-advisories of South Garo Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> • Prepare land for nursery raising.
Potato	Tuber formation		<ul style="list-style-type: none"> • Do earthing up where ever necessary • Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> • If aphid attack is observed, spray Chlorpyrifos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> • Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease. • Provide light irrigation
Poultry			<ul style="list-style-type: none"> • Provide clean and fresh water. All waterers should be cleaned daily.

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213 /Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summery of the previous week

Max Temp: 22.0-23.0°C, Min Temp: 7.0-8.0°C,
Wind Speed: 5-7Kmph and Wind Direction:
65-93 Degree and Rainfall: 0.0mm.

Weather forecast valid up to 8th January, 2014

The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 25.0-26.0°C, Min Temp: 12.0-13.0°C, Cloud cover: sky will be partly clear i.e. 0-2 Okta, Max RH: 68-87%, Min RH: 36-48%, Wind Speed: 3-6Kmph and Wind Direction: 80-202Degree.

Weekly cumulative rainfall : 0.0mm

Agro-advisories of West Garo Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> • Prepare land for nursery raising.
Potato	Tuber formation		<ul style="list-style-type: none"> • Do earthing up where ever necessary • Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> • If aphid attack is observed, spray Chlorpyriphos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> • Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease. • Provide light irrigation
Poultry			<ul style="list-style-type: none"> • Provide clean and fresh water. All waterers should be cleaned daily.

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya



☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/January'2014/01

Dated: 03/01/2014

Agro Advisory Bulletin for the period 4th – 8th January 2014

Weather summery of the previous week

Max Temp: 18.0°C, Min Temp: 1.0°C, Wind Speed: 5-7Kmph, Wind Direction: 76-96Degree, Rainfall: 0.0mm.

Weather forecast valid up to 8th January, 2014

The possibility of Rainfall is 0.0mm for next five days. Max Temp: 24.0-25.0°C, Min Temp: 11.0-12.0°C, Cloud cover: sky will be partly clear i.e. 0-2 Okta, Max RH: 67-90%, Min RH: 35-44%, Wind Speed: 2-6Kmph and Wind Direction: 72-217Degree.

Weekly cumulative rainfall :0.0mm

Agro-advisories of West Khasi Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Boro paddy	Land preparation	---	<ul style="list-style-type: none"> Prepare land for nursery raising.
Potato	Tuber formation		<ul style="list-style-type: none"> Do earthing up where ever necessary Apply water depending on the soil condition.
Rapeseed/Mustard	Fruiting to maturity	Aphid	<ul style="list-style-type: none"> If aphid attack is observed, spray Chlorpyrifos 20 EC or Dimethoate 30 EC @ 2 ml/lit of water
Tomato	Vegetative	Late blight	<ul style="list-style-type: none"> Apply alternately Ridomil MZ-72 (2g/ lit) and Indofil M-45 2.5g/litre water at 15 days interval can prevent the disease. Provide light irrigation
Poultry			<ul style="list-style-type: none"> Provide clean and fresh water. All waterers should be cleaned daily.

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.