

ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Name of the AMFU- AMFU, Kolasib

Period- 12th August- 14th August, 2016

Crop Information No: - 12/2016/ CIN/English Date of issue: 11th August, 2016

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME:	AMFU, Kolasib	STATE: Mizoran	DATE: 11.08.20	016	
	Samik Chowdhury	Contact number			
Name of	Major Kharif crops	Sowing status	whether sowing is	Whether any	
districts		(whether sowing	undertaken within	stress condition	
		started/not	the normal sowing	existing	
		started/completed)	window	O	
1. Aizawl	1. Upland rice	Panicle	Normal sowing	Normal	
	_	initiation to	window		
		Booting stage			
	Inse	ect	Yellow Stem Borer		
			Rice leaf folder		
	2. Maize (pre-	Harvesting	Normal sowing	Normal	
	kharif)	stage	window		
	3. Maize (kharif)	Tasseling to	Normal sowing	Normal	
		silking stage	window		
	Inse	ect	Maize ste		
			Maize Aphid		
	4. Brinjal	Harvesting	Normal sowing	Normal	
		stage	window		
	Inse	ect	Brinjal fruit and shoot borer		
			Brinjal leaf folder		
	Disea		Bacterial wilt		
	5. Okra	Flowering to	Normal sowing	Normal	
		fruit formation	window		
		and harvesting			
		stage			
	6. Chilli	Harvesting	Normal sowing	Normal	
	7.0: 1	stage	window	73.T 1	
	7. Ginger and	Vegetative	Normal sowing	Normal	
	turmeric	growth stage	window	7,7 1	
	8. cucurbitaceous	Harvesting	Normal sowing	Normal	
	crop	stage	window	ď	
	Inse		Fruit		
	9. Mandarin and	Vegetative to	Normal sowing	Normal	
	Acid lime	fruiting stage	window	1:	
	Dises	1	Diaback		
	10. Passion fruit	Vegetative to	Normal sowing	Normal	
		flowering stage	window		
O Champha!	1 Unland miss	Panicle	Normal sarria	Normal	
2. Champhai	1. Upland rice		Normal sowing	normai	
		initiation to	window		
	Inco	Booting stage	Vollow, Cto	m Poror	
	Insect		Yellow Stem Borer Rice leaf folder		
	2. Lowland rice	Maximum			
	2. Lowiand fice		Normal sowing	Normal	
		tillering to stem	window		







	elongation stage				
	3. Maize (pre-kharif)	Harvesting stage	Normal sowing window	Normal	
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	Normal	
	5. Chilli	Harvesting stage	Normal sowing window	Normal	
	6. Ginger and turmeric	Vegetative growth stage	Normal sowing window	Normal	
	7. Tomato	Transplanting stage	Normal sowing window	Normal	
	8. cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal	
	Inse	ect	Fruit	fly	
	9. Passion fruit	Vegetative to flowering stage	Normal sowing window	Normal	
	10. Mandarin and Acid lime	Vegetative to fruiting stage	Normal sowing window	Normal	
	Disea	ase	Diaback	disease	
	\	7			
3. Kolasib	1. Upland rice	Panicle initiation to Booting stage	Normal sowing window	Normal	
	Inse	ect	Yellow Stem Borer Rice leaf folder		
	2. Lowland rice	Maximum tillering to stem elongation stage	Normal sowing window	Normal	
	3. Maize (pre- kharif)	Harvesting stage	Normal sowing window	Normal	
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	Normal	
	Inse	ect	Maize ste Maize		
	5. Brinjal	Harvesting stage	Normal sowing window	Normal	
	Inse		Brinjal fruit and shoot borer Brinjal leaf folder		
	Disea		Bacteri		
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	Normal	
	7. Chilli	Harvesting stage stage	Normal sowing window	Normal	
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	Normal	
	9. cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal	
	Inse	ect	Fruit	fly	







	10. Mandarin	Vegetative to	Normal sowing	Normal	
	and Acid lime fruiting stage		window	110111101	
	Dise		Diaback disease		
	11. Mango	Harvesting	Normal sowing	Normal	
		stage	window		
			1		
4. Lawngtlai	1. Upland rice	Panicle	Normal sowing	Normal	
	•	initiation to	window		
		Booting stage			
	Inse	ect	Yellow Stem Borer		
			Rice leaf folder		
	2. Lowland rice	Maximum	Normal sowing	Normal	
		tillering to stem	window		
		elongation stage			
	3. Maize (pre-	Harvesting	Normal sowing	Normal	
	kharif)	stage	window		
	4. Maize (kharif)	Tasseling to	Normal sowing	Normal	
		silking stage	window		
	Inse	ect	Maize ste	m borer	
			Maize A	Aphid	
	5. Brinjal	Harvesting	Normal sowing	Normal	
		stage	window		
	Inse	ect	Brinjal fruit and shoot borer		
			Brinjal leaf folder		
	Disease		Bacterial wilt		
	6. Okra	Flowering to	Normal sowing	Normal	
		fruit formation	window		
		and harvesting			
		stage			
	7. Chilli	Harvesting	Normal sowing	Normal	
		stage	window		
	8. Ginger and	Vegetative	Normal sowing	Normal	
	turmeric	growth stage	window		
	9. cucurbitaceous	Vegetative to	Normal sowing	Normal	
	crop	harvest stage	window		
	Inse	ect	Fruit	fly	
	10. Mandarin	Vegetative to	Normal sowing	Normal	
	and Acid lime	fruiting stage	window		
	Dise	ase	Diaback	disease	
	11. Mango	Harvesting	Normal sowing	Normal	
		stage	window		
	12. Strawberry	Vegetative to	Normal sowing	Normal	
		harvesting stage	window		
	13. Passion fruit	Vegetative to	Normal sowing	Normal	
		flowering stage	window		
		V	/ V		
5. Lunglei	1. Upland rice	Panicle	Normal sowing	Normal	
		initiation to	window		
		Booting stage			
	Inse	ect	Yellow Ste	m Borer	
			Rice leat	folder	
	2. Lowland rice	Maximum	Normal sowing	Normal	







		tillering to stem	window			
		elongation stage				
	3. Maize (pre-	Harvesting	Normal sowing	Normal		
	kharif)	stage	window			
	4. Maize (kharif)	Tasseling to	Normal sowing	Normal		
		silking stage	window			
	Inse	ect	Maize stem borer			
			Maize A	Maize Aphid		
	5. Okra	Flowering to	Normal sowing	Normal		
		fruit formation	window			
		and harvesting				
		stage				
	6. Chilli	Harvesting	Normal sowing	Normal		
		stage	window			
	7. Ginger and	Vegetative	Normal sowing	Normal		
	turmeric	growth stage	window			
	8. cucurbitaceous	Harvesting	Normal sowing	Normal		
	crop	stage	window	110111011		
	Inse		Fruit	flv		
	9. Mandarin and	Vegetative to	Normal sowing	Normal		
	Assam lemon	fruiting stage	window	Normai		
	Dise		Diaback	diagona		
	10. Passion fruit	Harvesting	Normal sowing	Normal		
		stage	window	<u> </u>		
			RCHHIP /			
6. Mamit	1. Upland rice	Panicle	Normal sowing	Normal		
		initiation to	window			
		Booting stage				
	Inse	ect	Yellow Ste	em Borer		
			Rice lea:	f folder		
	2. Lowland rice	Maximum	Normal sowing	Normal		
		tillering to stem	window			
		elongation stage				
	3. Maize (pre-	Harvesting	Normal sowing	Normal		
	kharif)	stage	window			
	Inse	ect	Maize ste	m borer		
			Maize Aphid			
	4. Maize (kharif)	Tasseling to	Normal sowing	Normal		
	,	silking stage	window			
	5. Brinjal	Harvesting	Normal sowing	Normal		
	0. =====	stage	window	110111011		
	Inse		Brinjal fruit an	d shoot horer		
	11100	,00	Brinjal leaf folder			
	Dise	98e	Bacterial wilt			
	6. Okra	Harvesting	Normal sowing	Normal		
	o. oma	stage	window	Norman		
	7. Chilli	Flowering to	Normal sowing	Normal		
	7. CIIIII	fruit formation	window	INUTITIAL		
			WIIIGOW			
	0.0:1	stage	N 1	NI 1		
	8. Ginger and	Vegetative	Normal sowing window	Normal		
		aroutth atoro	117111 CO117			
	turmeric	growth stage		7.7		
	9. cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal		







	Inse	ect	Fruit fly		
	10. Mandarin	Vegetative to	Normal sowing	Normal	
	and Assam lemon	fruiting stage	window		
	Disea		Diaback disease		
	11. Passion fruit	Vegetative stage	Normal sowing window	Normal	
	<u> </u>				
7. Saiha	1. Upland rice	Panicle initiation stage	Normal sowing window	Normal	
	Inse	ect	Yellow Stem Borer Rice leaf folder		
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	Normal	
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	Normal	
	Inse	ect	Maize ste Maize A		
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	Normal	
	Inse	ect	Brinjal fruit an Brinjal le		
	Disea	ase	Bacteri	al wilt	
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	Normal	
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	Normal	
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	Normal	
	8. Mandarin and Acid lime	Vegetative to fruiting stage	Normal sowing window	Normal	
	Disea		Diaback	disease	
	9. Mango	Harvesting stage	Normal sowing window	Normal	
	10. Passion fruit	Vegetative stage	Normal sowing window	Normal	
		LAWNO TEAD			
8. Serchhip	1. Upland rice	Panicle initiation to Booting stage	Normal sowing window	Normal	
	Inse	ect	Yellow Stem Borer Rice leaf folder		
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	Normal	
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	Normal	
	Inse	ect	Maize ste Maize		
	4. Brinjal	Harvesting stage	Normal sowing window	Normal	







Inse	ect	Brinjal fruit and shoot borer Brinjal leaf folder		
Dise	ase	Bacterial wilt		
5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	Normal	
6. Chilli	Harvesting stage	Normal sowing window	Normal	
7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	Normal	
8. Cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal	
Inse	ect	Fruit fly		
9. Mandarin and Assam lemon	Vegetative to fruiting stage	Normal sowing window	Normal	
Dise	ase	Diaback	disease	
10. Mango	Harvesting stage	Normal sowing window	Normal	
11. Passion fruit	Vegetative to flowering stage	Normal sowing window	Normal	
Inse	ect	Fruit fly		





ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

00111p1104 2J			1
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scien <mark>tist (Agri</mark> l. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Tec <mark>hnical Offic</mark> er	samikchowdhury33@gmail.com
Chowdhury		Serve Serve	7
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL