

ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Name of the AMFU- AMFU, Kolasib

Period- 02<sup>nd</sup> August- 03<sup>rd</sup> August, 2016

Crop Information No: - 09/2016/ CIN/English Date of issue: 01st August, 2016

# Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib STATE: Mizoram DATE: 01.08.2016						
Name of TO: Samik Chowdhury Contact number: 9862879062						
Name of	Major Kharif	Sowing status	whether sowing is	Whether any		
districts	crops	(whether sowing	undertaken within	stress condition		
	•	started/not	the normal sowing	existing		
		started/completed)	window	J		
1. Aizawl	1. Upland rice	Panicle	Normal sowing	No water		
	•	initiation stage	window	stress		
	2. Maize (pre-	Harvesting	Normal sowing	No water		
	kharif)	stage	window	stress		
	3. Maize	Tasseling to	Normal sowing	No water		
	(kharif)	silking stage	window	stress		
	4. Brinjal	Flowering to	Normal sowing	No water		
		fruit formation	window	stress		
		stage				
	5. Okra	Flowering to	Normal sowing	No water		
		fruit formation	window	stress		
		and harvesting				
		stage				
	6. Chilli	Flowering to	Normal sowing	No water		
		fruit formation	window	stress		
		stage				
	7. Ginger and	Vegetative	Normal sowing	No water		
	turmeric	growth stage	window	stress		
	8.	Harvesting	Normal sowing	No water		
	cucurbitaceous	stage	window	stress		
	crop					
	9. Mandarin	Vegetative to	Normal sowing	No water		
	and Acid lime	fruiting stage	window	stress		
	10. Strawberry	Vegetative to	Normal sowing	No water		
		harvesting stage	window	stress		
	11. Passion	Vegetative stage	Normal sowing	No water		
	fruit		window	stress		
			SAIHA			
2. Champhai	1. Upland rice	Panicle	Normal sowing	No water		
		initiation stage	window	stress		
	2. Lowland rice	Transplanting	Normal sowing	No water		
		to maximum	window	stress		
		tillering stage				
	3. Maize (pre-	Harvesting	Normal sowing	No water		
	kharif)	stage	window	stress		
	4. Maize	Tasseling to	Normal sowing	No water		
	(kharif)	silking stage	window	stress		
	5. Chilli	Flowering to	Normal sowing	No water		
		fruit formation	window	stress		
		stage				



# ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	6. Ginger and	Vegetative	Normal sowing	No water
	turmeric	growth stage	window	stress
	7. Tomato	Nursery stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative to fruiting stage	Normal sowing window	No water stress
		2		l,
3. Kolasib	1. Upland rice	Panicle initiation stage	Normal sowing window	No water stress
	2. Lowland rice	Transplanting to maximum tillering stage	Normal sowing window	No water stress
	3. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to	Normal sowing	No water
	o. Billijai	fruit formation stage	window	stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative to fruiting stage	Normal sowing window	No water stress
	11. Mango	Harvesting stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
4 7	1 11 1 1 1	D . 1	DT 1 :	NT .
4. Lawngtlai	1. Upland rice	Panicle	Normal sowing window	No water
	2. Lowland rice	initiation stage Transplanting to maximum	Normal sowing window	stress No water stress
	3. Maize (pre- kharif)	tillering stage Harvesting stage	Normal sowing window	No water stress



# ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	4. Maize	Tasseling to	Normal sowing	No water
	(kharif)	silking stage	window	stress
	5. Brinjal	Flowering to	Normal sowing	No water
	J	fruit formation	window	stress
		stage		
	6. Okra	Flowering to	Normal sowing	No water
	0, 0124	fruit formation	window	stress
		and harvesting		562 655
		stage		
	7. Chilli	Flowering to	Normal sowing	No water
	7. Cillii	fruit formation	window	stress
			WIIIdow	311 (33
	O Cimeran and	stage	Norman al annerima	No motor
	8. Ginger and	Vegetative	Normal sowing	No water
	turmeric	growth stage	window	stress
	9.	Vegetative to	Normal sowing	No water
	cucurbitaceous	harvest stage	window	stress
	crop			
	10. Mandarin	Vegetative to	Normal sowing	No water
	and Acid lime	fruiting stage	window	stress
	11. Mango	Harvesting	Normal sowing	No water
		stage	window	stress
	12. Strawberry	Vegetative to	Normal sowing	No water
	·	harvesting stage	window	stress
	13. Passion	Vegetative stage	Normal sowing	No water
	fruit		window	stress
		V	. )	
5. Lunglei	1. Upland rice	Panicle	Normal sowing	No water
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
		initiation stage	window	stress
	2. Lowland rice	initiation stage Transplanting	window Normal sowing	stress No water
	2. Lowland rice	Transplanting	Normal sowing	No water
	2. Lowland rice	Transplanting to maximum		
		Transplanting to maximum tillering stage	Normal sowing window	No water stress
	3. Maize (pre-	Transplanting to maximum tillering stage Harvesting	Normal sowing window  Normal sowing	No water stress No water
	3. Maize (pre-kharif)	Transplanting to maximum tillering stage Harvesting stage	Normal sowing window Normal sowing window	No water stress No water stress
	3. Maize (pre-kharif) 4. Maize	Transplanting to maximum tillering stage Harvesting stage Tasseling to	Normal sowing window  Normal sowing window  Normal sowing	No water stress  No water stress  No water
	3. Maize (pre- kharif) 4. Maize (kharif)	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage	Normal sowing window  Normal sowing window  Normal sowing window	No water stress  No water stress  No water stress
	3. Maize (pre-kharif) 4. Maize	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to	Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing	No water stress  No water stress  No water stress  No water stress  No water
	3. Maize (pre- kharif) 4. Maize (kharif)	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation	Normal sowing window  Normal sowing window  Normal sowing window	No water stress  No water stress  No water stress
	3. Maize (pre- kharif) 4. Maize (kharif)	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting	Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing	No water stress  No water stress  No water stress  No water stress  No water
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage	Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing window  window	No water stress
	3. Maize (pre- kharif) 4. Maize (kharif)	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to	Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation	Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing window  window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra 6. Chilli 7. Ginger and	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and havesting stage Vegetative	Normal sowing window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli 7. Ginger and turmeric	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation ytage Vegetative growth stage	Normal sowing window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli 7. Ginger and turmeric 8.	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and price to fruit formation stage Vegetative growth stage Harvesting	Normal sowing window  Normal sowing	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli 7. Ginger and turmeric 8. cucurbitaceous	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation ytage Vegetative growth stage	Normal sowing window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli  7. Ginger and turmeric 8. cucurbitaceous crop	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and price fruit formation stage Vegetative growth stage Harvesting stage	Normal sowing window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli  7. Ginger and turmeric 8. cucurbitaceous crop 9. Mandarin	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and price to fruit formation stage Vegetative growth stage Harvesting stage Vegetative to	Normal sowing window  Normal sowing window	No water stress  No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli  7. Ginger and turmeric 8. cucurbitaceous crop 9. Mandarin and Assam	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and price fruit formation stage Vegetative growth stage Harvesting stage	Normal sowing window	No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli  7. Ginger and turmeric 8. cucurbitaceous crop 9. Mandarin	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and price to fruit formation stage Vegetative growth stage Harvesting stage Vegetative to	Normal sowing window  Normal sowing window	No water stress  No water stress
	3. Maize (pre-kharif) 4. Maize (kharif) 5. Okra  6. Chilli  7. Ginger and turmeric 8. cucurbitaceous crop 9. Mandarin and Assam	Transplanting to maximum tillering stage Harvesting stage Tasseling to silking stage Flowering to fruit formation and harvesting stage Flowering to fruit formation and price to fruit formation stage Vegetative growth stage Harvesting stage Vegetative to	Normal sowing window  Normal sowing window	No water stress  No water stress



# ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





ICAR				<u> </u>
6. Mamit	1. Upland rice	Panicle	Normal sowing	No water
		initiation stage	window	stress
	2. Lowland rice	Transplanting	Normal sowing	No water
		to maximum	window	stress
		tillering stage		
	3. Maize (pre-	Harvesting	Normal sowing	No water
	kharif)	stage	window	stress
	4. Maize	Tasseling to	Normal sowing	No water
	(kharif)	silking stage	window	stress
	5. Brinjal	Vegetative to	Normal sowing	No water
	3	flowering stage	window	stress
	6. Okra	Vegetative to	Normal sowing	No water
		flowering stage	window	stress
	7. Chilli	Vegetative stage	Normal sowing	No water
	011111	rogotativo otago	window	stress
	8. Ginger and	Vegetative	Normal sowing	No water
	turmeric	growth stage	window	stress
	9.	Harvesting	Normal sowing	No water
	cucurbitaceous		window	stress
	crop	stage	WIIIGOW	Suess
	10. Mandarin	Vegetative to	Normal sowing	No water
	and Assam	fruiting stage	window	stress
	lemon			
	10. Mango	Harvesting	Normal sowing	No water
	2011101120	stage	window	stress
	11. Passion	Vegetative stage	Normal sowing	No water
	fruit	r egetatir e stage	window	stress
	II GIU		- A- /	502055
7. Saiha	1. Upland rice	Panicle	Normal sowing	No water
	1	initiation stage	window	stress
	2. Maize (pre-	Harvesting	Normal sowing	No water
	kharif)	stage	window	stress
	3. Maize	Tasseling to	Normal sowing	No water
	(kharif)	silking stage	window	stress
	4. Brinjal	Flowering to	Normal sowing	No water
	1. Billijai	fruit formation	window	stress
		stage	WIIIdow	567 655
	5. Okra	Flowering to	Normal sowing	No water
	o. oma	fruit formation	window	stress
		and harvesting	WIIIdow	311033
		stage		
	6. Chilli		Normal sowing	No water
	o. Cillii	Flowering to fruit formation	window	
			willdow	stress
	7 Cin mar 1	stage	Normal agentin	No
	7. Ginger and	Vegetative	Normal sowing	No water
	turmeric	growth stage	window	stress
	8. Mandarin	Vegetative to	Normal sowing	No water
	and Acid lime	fruiting stage	window	stress
	9. Mango	Harvesting	Normal sowing	No water
		stage	window	stress
	10. Strawberry	Vegetative to	Normal sowing	No water
		1	window	stress
		harvesting stage	willdow	Stress
	12. Passion	Vegetative stage	Normal sowing	No water



# ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	fruit		window	stress	
8. Serchhip	1. Upland rice	Panicle initiation stage	Normal sowing window	No water stress	
	2. Maize (pre-kharif)	Harvesting stage	Normal sowing window	No water stress	
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress	
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress	
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress	
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress	
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress	
	8. Cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress	
	9. Mandarin and Assam lemon	Vegetative to fruiting stage	Normal sowing window	No water stress	
	10. Mango	Harvesting stage	Normal sowing window	No water stress	
	11. Strawberry	Vegetative to harvesting stage	Normal sowing window	No water stress	
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress	

LAWNGTLAJ

SAIHA



# ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





#### **Collaborating Department (KVK):**

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

# Compiled by

complica of			1
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	T <mark>echnical Offic</mark> er	samikchowdhury33@gmail.com
Chowdhury		( A SERV	mair (
Miss. J.	:	S <mark>cientist (Agril.</mark>	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	

### Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL