



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



**Name of the AMFU- AMFU, Kolasib**

**Period- 02<sup>nd</sup> December - 04<sup>th</sup> December, 2016**

**Crop Information No: - 41/2016/ CIN/English**

**Date of issue: 01<sup>st</sup> December, 2016**

**Crop information/sowing status for AMFU's**  
**(Should be sent biweekly on every Monday and Thursday)**

AMFU NAME: <b>AMFU, Kolasib</b>		STATE: <b>Mizoram</b>		DATE: <b>02.12.2016</b>	
Name of TO : <b>Samik Chowdhury</b>			Contact number : <b>9862879062</b>		
Name of districts	Major Post Kharif crops	Sowing status (whether sowing started/ not started/complete d)	whether sowing is undertaken within the normal sowing window	Whether any stress condition existing	
<b>1. Aizawl</b>	1. Soybean (After maize harvest)	Pod formation stage	Normal sowing window	water deficit	
	2. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit	
	3. Tomato	Vegetative stage	Normal sowing window	water deficit	
	4. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit	
	5. Radish and carrot	Sowing stage	Normal sowing window	water deficit	
	6.Onion	Nursery stage	Normal sowing window	water deficit	
	7. Capsicum	Nursery stage	Normal sowing window	water deficit	
	8. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit	
	9. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit	
	10. French bean	Sowing stage	Normal sowing window	water deficit	
	11.Potato	Sowing stage	Normal sowing window	water deficit	
<b>2. Champhai</b>	1. Soybean (After maize harvest)	Pod formation stage	Normal sowing window	water deficit	
	2. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit	
	3. Tomato	Vegetative stage	Normal sowing window	water deficit	
	4. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit	
	5. Green gram, black gram and French bean (After rice harvest)	Sowing stage	Normal sowing window	water deficit	
	6. Capsicum	Nursery stage	Normal sowing window	water deficit	
	7.Onion	Nursery stage	Normal sowing window	water deficit	



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



	8. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	9. Brussels sprout	Nursery stage	Normal sowing window	water deficit
	10. French bean	Sowing stage	Normal sowing window	water deficit
	11. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	12. Potato	Sowing stage	Normal sowing window	water deficit
<b>3. Kolasib</b>	1. Soybean ((After maize harvest)	Pod formation stage	Normal sowing window	water deficit
	2. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	3. Tomato	Vegetative stage	Normal sowing window	water deficit
	4. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit
	5. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	6. Green gram, black gram and French bean (After rice harvest)	Sowing stage	Normal sowing window	water deficit
	7. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	8. French bean	Sowing stage	Normal sowing window	water deficit
	9. Potato	Sowing stage	Normal sowing window	water deficit
<b>4. Lawngtlai</b>	1. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	2. Tomato	Vegetative stage	Normal sowing window	water deficit
	3. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit
	4. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	5. Capsicum	Nursery stage	Normal sowing window	water deficit
	6. Onion	Nursery stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Sowing stage	Normal sowing window	water deficit
	8. French bean	Sowing stage	Normal sowing window	water deficit
	9. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



	10. Potato	Sowing stage	Normal sowing window	water deficit
<b>5. Lunglei</b>	1. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	2. Tomato	Vegetative stage	Normal sowing window	water deficit
	3. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit
	4. Capsicum	Nursery stage	Normal sowing window	water deficit
	5. Onion	Nursery stage	Normal sowing window	water deficit
	6. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	7. Brussels sprout	Nursery stage	Normal sowing window	water deficit
	8. Green gram, black gram and French bean (After rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	11. Potato	Sowing stage	Normal sowing window	water deficit
<b>6. Mamit</b>	1. Soybean (After maize harvest)	Pod formation stage	Normal sowing window	water deficit
	2. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	3. Tomato	Nursery stage	Normal sowing window	water deficit
	4. Early Cruciferous vegetables	Nursery stage	Normal sowing window	water deficit
	5. Onion	Nursery stage	Normal sowing window	water deficit
	6. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit
	8. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Potato	Sowing stage	Normal sowing window	water deficit



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



<b>7. Saiha</b>	1. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	2. Tomato	Vegetative stage	Normal sowing window	water deficit
	3. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit
	4. Onion	Nursery stage	Normal sowing window	water deficit
	5. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	6. Brussels sprout	Nursery stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit
	8. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Potato	Sowing stage	Normal sowing window	water deficit
<b>8. Serchhip</b>	1. Soybean (After maize harvest)	Harvesting stage	Normal sowing window	water deficit
	2. Ginger and turmeric	Vegetative stage	Normal sowing window	water deficit
	3. Tomato	Nursery stage	Normal sowing window	water deficit
	4. Early Cruciferous vegetables	Nursery stage	Normal sowing window	water deficit
	5. Onion	Nursery stage	Normal sowing window	water deficit
	6. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit
	8. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Potato	Sowing stage	Normal sowing window	water deficit



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



**Collaborating Department (KVK):**

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	<b>Dr. Lalmuanzovi</b> Head & Sr. Scientist	<a href="mailto:kvkhnahthial@gmail.com">kvkhnahthial@gmail.com</a>	9862803750 9436154614
KVK, Kolasib	:	<b>Mr. Lalrosamga Khiangte</b> Head & Sr. Scientist	<a href="mailto:kvkkolasib@gmail.com">kvkkolasib@gmail.com</a>	9436152440
KVK, Serchhip	:	<b>Mr. K. Laltlanmawia</b> Head & Sr. Scientist	<a href="mailto:kvkserchhip@gmail.com">kvkserchhip@gmail.com</a>	9436146115 9615389293
KVK, Champhai	:	<b>Mrs. Lalrinawmi Renthlei</b> Head & Sr. Scientist	<a href="mailto:kvkchawzawl@gmail.com">kvkchawzawl@gmail.com</a>	9436159788
KVK, Lawngtlai	:	<b>Dr. Michel Lallawmkimi</b> Head & Sr. Scientist	<a href="mailto:kvklawntlai@gmail.com">kvklawntlai@gmail.com</a>	9436155858
KVK, Saiha	:	<b>Dr. Vanlalhruaia Hnampe</b> Head & Sr. Scientist	<a href="mailto:kvksaiha@gmail.com">kvksaiha@gmail.com</a>	8974656509
KVK, Mamit	:	<b>Dr. Samuel Lalliansanga</b> Head & Sr. Scientist	<a href="mailto:kvkmamit@gmail.com">kvkmamit@gmail.com</a>	9436147625
KVK, Aizawl	:	<b>Dr. K. P. Chaudhary</b> Head & Sr. Scientist	<a href="mailto:Kpchy@rediffmail.com">Kpchy@rediffmail.com</a> <a href="mailto:kvkaizawl@rediffmail.com">kvkaizawl@rediffmail.com</a>	9436351669

**Compiled by**

<b>Dr. S.B. Singh</b>	:	<b>Joint Director</b>	<a href="mailto:basantasinghsoibam@rediffmail.com">basantasinghsoibam@rediffmail.com</a>
<b>Dr. Saurav Saha</b>	:	Scientist (Agril. Physics)	<a href="mailto:sauravs.saha@gmail.com">sauravs.saha@gmail.com</a>
<b>Mr. Samik Chowdhury</b>	:	Technical Officer	<a href="mailto:samikchowdhury33@gmail.com">samikchowdhury33@gmail.com</a>
<b>Miss. J. Vanlalhluzuali</b>	:	Scientist (Agril. Extension)	<a href="mailto:mamijinhlong@gmail.com">mamijinhlong@gmail.com</a>

**Note:**

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.