

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 20th December - 21st December, 2016

Date of issue: 19th December, 2016

Crop Information No: - 46/2016/ CIN/English

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME:	Should be sent biwe	STATE: Mizoram	DATE: 19.12.20	· •
	Samik Chowdhury	STATE. MIZOTAIII	Contact number :	
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any
districts	crops	(whether sowing	is undertaken	stress
uistricts	crops	started/not	within the	condition
		started/complete	normal sowing	existing
		d)	window	Chisting
1. Aizawl	1. Soybean	Pod formation	Normal sowing	water deficit
	(After maize harvest)	stage	window	water deficit
	2. Winter Maize	Sowing stage	Normal sowing	water deficit
	2. Willton Maize	bowing stage	window	water deficit
	3. Ginger and	Harvesting stage	Normal sowing	water deficit
	turmeric	1101 10001119 00090	window	water deriest
	4. Tomato	Vegetative stage	Normal sowing	water deficit
	11 10111410	rogotative stage	window	water deficit
	5. Early Cruciferous	Vegetative stage	Normal sowing	water deficit
	vegetables		window	
	6. Radish and carrot	Sowing stage	Normal sowing	water deficit
		3	window	
	7.Onion	Nursery stage	Normal sowing	water deficit
		, o	window	
	8. Capsicum	Nursery stage	Normal sowing	water deficit
	•	, o	window	
	9. Green gram,	Vegetative stage	Normal sowing	water deficit
	black gram and		window	
	French bean			
	(After rice harvest)			
	10. Pea and lentil	Sowing stage	Normal sowing	water deficit
	(Low land rice fellow		window	
	after rice harvest)			
	11. French bean	Sowing stage	Normal sowing	water deficit
			window	
	12.Potato	Sowing stage	Normal sowing	water deficit
			window	
		LAWNGTLALA		
2. Champhai	1. Soybean	Pod formation	Normal sowing	water deficit
	(After maize	stage	window	
	harvest)			
	2. Ginger and	Harvesting stage	Normal sowing	water deficit
	turmeric	TVI .	window	1 01 1
	3. Tomato	Flowering stage	Normal sowing	water deficit
	4 F 1 C 'S	0.10	window	1 01 1
	4. Early Cruciferous	Card formation	Normal sowing	water deficit
	vegetables	stage	window	1 0"
	5. Green gram,	Sowing stage	Normal sowing	water deficit
	black gram and		window	
	French bean			
	(After rice harvest)	Name of the sec	Normal sarries	
	6. Capsicum	Nursery stage	Normal sowing window	water deficit
			willdow	







	7.Onion	Nursery stage	Normal sowing window	water deficit
	8. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	9. Brussels sprout	Nursery stage	Normal sowing window	water deficit
	10. French bean	Sowing stage	Normal sowing window	water deficit
	11. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	12. Potato	Sowing stage	Normal sowing window	water deficit
	- (
3. Kolasib	1. Soybean ((After maize harvest)	Pod formation stage	Normal sowing window	water deficit
	2. Winter Maize	Sowing stage	Normal sowing window	water deficit
	3. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	4. Tomato	Vegetative stage	Normal sowing window	water deficit
	5. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit
	6. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Sowing stage	Normal sowing window	water deficit
	8. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Potato	Sowing stage	Normal sowing window	water deficit
4. Lawngtlai	1. Winter Maize	Sowing stage	Normal sowing window	water deficit
	2. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	3. Tomato	Vegetative stage	Normal sowing window	water deficit
	4. Early Cruciferous vegetables	Vegetative stage	Normal sowing window	water deficit
	5. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	6. Capsicum	Nursery stage	Normal sowing window	water deficit
	7.Onion	Nursery stage	Normal sowing window	water deficit
	8. Green gram, black gram and French bean	Sowing stage	Normal sowing window	water deficit







	(After rice harvest)			
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	11. Potato	Sowing stage	Normal sowing window	water deficit
		_/\		
5. Lunglei	1. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	2. Tomato	Flowering stage	Normal sowing window	water deficit
	3. Early Cruciferous vegetables	Card formation stage	Normal sowing window	water deficit
	4. Capsicum	Nursery stage	Normal sowing window	water deficit
	5.Onion	Nursery stage	Normal sowing window	water deficit
	6. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	7. Brussels sprout	Nursery stage	Normal sowing window	water deficit
	8. Green gram, black gram and French bean (After rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	11. Potato	Sowing stage	Normal sowing window	water deficit
		5	<u> </u>	
6. Mamit	1. Soybean (After maize harvest)	Pod formation stage	Normal sowing window	water deficit
	2. Winter Maize	Sowing stage	Normal sowing window	water deficit
	3. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	4. Tomato	Nursery stage	Normal sowing window	water deficit
	5. Early Cruciferous vegetables	Nursery stage	Normal sowing window	water deficit
	6.Onion	Nursery stage	Normal sowing window	water deficit
	7. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	8. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit
	9. Pea and lentil (Low land rice	Sowing stage	Normal sowing window	water deficit







	fellow after rice harvest)			
	10. French bean	Sowing stage	Normal sowing window	water deficit
	11. Potato	Sowing stage	Normal sowing window	water deficit
		/		
7. Saiha	1. Ginger and turmeric	Harvesting stage	Normal sowing window	water deficit
	2. Tomato	Flowering stage	Normal sowing window	water deficit
	3. Early Cruciferous vegetables	Card formation stage	Normal sowing window	water deficit
	4.Onion	Nursery stage	Normal sowing window	water deficit
	5. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	6. Brussels sprout	Nursery stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit
	8. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit
	9. French bean	Sowing stage	Normal sowing window	water deficit
	10. Potato	Sowing stage	Normal sowing window	water deficit
	*	LUNGLEI	7	
8. Serchhip	1. Soybean (After maize harvest)	Harvesting stage	Normal sowing window	water deficit
	2. Winter Maize	Sowing stage	Normal sowing window	water deficit
	3. Ginger and turmeric	Vegetative stage	Normal sowing window	water deficit
	4. Tomato	Nursery stage	Normal sowing window	water deficit
	5. Early Cruciferous vegetables	Nursery stage	Normal sowing window	water deficit
	6.Onion	Nursery stage	Normal sowing window	water deficit
	7. Radish and carrot	Sowing stage	Normal sowing window	water deficit
	8. Green gram, black gram and French bean (After rice harvest)	Vegetative stage	Normal sowing window	water deficit
	9. Pea and lentil (Low land rice fellow after rice harvest)	Sowing stage	Normal sowing window	water deficit







10. French bean	Sowing stage	Normal sowing window	water deficit
11.Potato	Sowing stage	Normal sowing window	water deficit





ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the		Programme Coordinator	KVK Email Id	Phone no/ Mobile
KVK		Name and Designation		no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica of			- /
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Tec <mark>hnical Offic</mark> er	samikchowdhury33@gmail.com
Chowdhury		(A SERV	mair (
Miss. J.	:	S <mark>cientist (Agril.</mark>	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	. 7

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL