



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



**Name of the AMFU- AMFU, Kolasib**

**Period- 30<sup>th</sup> September- 02<sup>nd</sup> October, 2016**

**Crop Information No: - 25/2016/ CIN/English**

**Date of issue: 29<sup>th</sup> September, 2016**

**Crop information/sowing status for AMFU's**  
**(Should be sent biweekly on every Monday and Thursday)**

| AMFU NAME: <b>AMFU, Kolasib</b>     |  | STATE: <b>Mizoram</b>   | DATE: <b>29.09.2016</b>                                      |                                       |
|-------------------------------------|--|---|--|---------------------------------------|
| Name of TO : <b>Samik Chowdhury</b> |  |   | Contact number : <b>9862879062</b>                           |                                       |
| Name of districts                   | Major Kharif crops   | Sowing status (whether sowing started/not started/complete d) | whether sowing is undertaken within the normal sowing window | Whether any stress condition existing |
| <b>1. Aizawl</b>                    | 1. Upland rice   | Panicle emergence stage                                       | Normal sowing window   | Normal                                |
|                                     | 2. Soybean (After maize harvest)                               | Sowing  | Normal sowing window   | Normal                                |
|                                     | 3. Okra  | Harvesting stage  | Normal sowing window   | Normal                                |
|                                     | 4. Chilli  | Harvesting stage  | Normal sowing window   | Normal                                |
|                                     | 5. Ginger and turmeric   | Vegetative growth stage                                       | Normal sowing window   | Normal                                |
|                                     | 6. Passion fruit   | Fruiting stage  | Normal sowing window   | Normal                                |
|                                     | 7. Tomato  | Nursery stage   | Normal sowing window   | Normal                                |
|                                     | 8. Early Cruciferous vegetables                                | Nursery stage   | Normal sowing window   | Normal                                |
|                                     | 9. Green gram, black gram and French bean (After rice harvest) | Sowing stage  | Normal sowing window   | Normal                                |
|                                     |  |   |  |                                       |
| <b>2. Champhai</b>                  | 1. Upland rice   | Physiological maturity stage                                  | Normal sowing window   | Normal                                |
|                                     | 2. Lowland rice  | Panicle emergence stage                                       | Normal sowing window   | Normal                                |
|                                     |  |   | Rice leaf folder   |                                       |
|                                     | 3. Chilli  | Harvesting stage  | Normal sowing window   | Normal                                |
|                                     | 4. Ginger and turmeric   | Vegetative growth stage                                       | Normal sowing window   | Normal                                |
|                                     | 5. Tomato  | Vegetative stage  | Normal sowing window   | Normal                                |
|                                     | 6. Early Cruciferous vegetables                                | Nursery stage   | Normal sowing window   | Normal                                |
|                                     | 7. Passion fruit   | Fruiting stage  | Normal sowing window   | Normal                                |
|                                     | 8. Green gram, black gram and French bean (After rice harvest) | Sowing stage  | Normal sowing window   | Normal                                |
|                                     |  |   |  |                                       |
| <b>3. Kolasib</b>                   | 1. Upland rice   | Physiological maturity stage                                  | Normal sowing window   | Normal                                |



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



|                     |   |                              |                      |                  |
|---------------------|---|------------------------------|----------------------|------------------|
|                     | 2. Lowland rice   | Panicle Initiation stage     | Normal sowing window | Normal           |
|                     |   |                              |                      | Rice leaf folder |
|                     | 3. Soybean ((After maize harvest)                               | Sowing                       | Normal sowing window | Normal           |
|                     | 4. Okra   | Harvesting stage             | Normal sowing window | Normal           |
|                     | 5. Chilli   | Harvesting stage stage       | Normal sowing window | Normal           |
|                     | 6. Ginger and turmeric  | Vegetative growth stage      | Normal sowing window | Normal           |
|                     | 7. cucurbitaceous crop  | Harvesting stage             | Normal sowing window | Normal           |
|                     | 8. Tomato   | Nursery stage                | Normal sowing window | Normal           |
|                     | 9. Early Cruciferous vegetables                                 | Nursery stage                | Normal sowing window | Normal           |
|                     | 10. Green gram, black gram and French bean (After rice harvest) | Sowing stage                 | Normal sowing window | Normal           |
| <b>4. Lawngtlai</b> | 1. Upland rice  | Physiological maturity stage | Normal sowing window | Normal           |
|                     | 2. Lowland rice   | Panicle Initiation stage     | Normal sowing window | Normal           |
|                     |   |                              |                      | Rice leaf folder |
|                     | 3. Soybean (After maize harvest)                                | Sowing                       | Normal sowing window | Normal           |
|                     | Disease   |                              | Bacterial wilt       |                  |
|                     | 4. Okra   | Harvesting stage             | Normal sowing window | Normal           |
|                     | 5. Chilli   | Harvesting stage             | Normal sowing window | Normal           |
|                     | 6. Ginger and turmeric  | Vegetative growth stage      | Normal sowing window | Normal           |
|                     | 7. Passion fruit  | Fruiting stage               | Normal sowing window | Normal           |
|                     | 8. Tomato   | Nursery stage                | Normal sowing window | Normal           |
|                     | 9. Early Cruciferous vegetables                                 | Nursery stage                | Normal sowing window | Normal           |
|                     | 10. Green gram, black gram and French bean (After rice harvest) | Sowing stage                 | Normal sowing window | Normal           |
| <b>5. Lunglei</b>   | 1. Upland rice  | Grain filling stage          | Normal sowing window | Normal           |
|                     | 2. Lowland rice   | Panicle Initiation stage     | Normal sowing window | Normal           |
|                     |   |                              |                      | Rice leaf folder |
|                     | 3. Okra   | Harvesting stage             | Normal sowing window | Normal           |
|                     | 4. Chilli   | Harvesting stage             | Normal sowing window | Normal           |



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



|                 |   |                                    |                      |        |
|-----------------|---|------------------------------------|----------------------|--------|
|                 | 5. Ginger and turmeric  | Vegetative growth stage            | Normal sowing window | Normal |
|                 | 6. Passion fruit  | Harvesting stage                   | Normal sowing window | Normal |
|                 | 7. Tomato   | Nursery stage                      | Normal sowing window | Normal |
|                 | 8. Early Cruciferous vegetables                                 | Nursery stage                      | Normal sowing window | Normal |
|                 | 9. Green gram, black gram and French bean (After rice harvest)  | Sowing stage                       | Normal sowing window | Normal |
|                 |   |                                    |                      |        |
| <b>6. Mamit</b> | 1. Upland rice  | Physiological maturity stage       | Normal sowing window | Normal |
|                 | 2. Lowland rice   | Panicle Initiation stage           | Normal sowing window | Normal |
|                 | Rice leaf folder  |                                    |                      |        |
|                 | 3. Soybean (After maize harvest)                                | Sowing                             | Normal sowing window | Normal |
|                 | 4. Okra   | Harvesting stage                   | Normal sowing window | Normal |
|                 | 5. Chilli   | Flowering to fruit formation stage | Normal sowing window | Normal |
|                 | 6. Ginger and turmeric  | Vegetative growth stage            | Normal sowing window | Normal |
|                 | 7. Passion fruit  | Fruiting stage                     | Normal sowing window | Normal |
|                 | 8. Tomato   | Nursery stage                      | Normal sowing window | Normal |
|                 | 9. Early Cruciferous vegetables                                 | Nursery stage                      | Normal sowing window | Normal |
|                 | 10. Green gram, black gram and French bean (After rice harvest) | Sowing stage                       | Normal sowing window | Normal |
|                 |   |                                    |                      |        |
| <b>7. Saiha</b> | 1. Upland rice  | Physiological maturity stage       | Normal sowing window | Normal |
|                 | 2. Okra   | Harvesting stage                   | Normal sowing window | Normal |
|                 | 3. Chilli   | Harvesting stage                   | Normal sowing window | Normal |
|                 | 4. Ginger and turmeric  | Vegetative growth stage            | Normal sowing window | Normal |
|                 | 5. Tomato   | Vegetative stage                   | Normal sowing window | Normal |
|                 | 6. Early Cruciferous vegetables                                 | Nursery stage                      | Normal sowing window | Normal |
|                 | 7. Passion fruit  | Fruiting stage                     | Normal sowing window | Normal |
|                 | 8. Green gram, black gram and French bean                       | Sowing stage                       | Normal sowing window | Normal |



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



|                    | (After rice harvest)   |                               |                      |        |
|--------------------|--|-------------------------------|----------------------|--------|
| <b>8. Serchhip</b> | 1. Upland rice   | Physiological maturity stage  | Normal sowing window | Normal |
|                    | 2. Soybean (After maize harvest)                               | Sowing                        | Normal sowing window | Normal |
|                    | 3. Okra  | Harvesting stage              | Normal sowing window | Normal |
|                    | 4. Chilli  | Harvesting stage              | Normal sowing window | Normal |
|                    | 5. Ginger and turmeric   | Vegetative growth stage       | Normal sowing window | Normal |
|                    | 6. Passion fruit   | Vegetative to flowering stage | Normal sowing window | Normal |
|                    | 7. Tomato  | Nursery stage                 | Normal sowing window | Normal |
|                    | 8. Early Cruciferous vegetables                                | Nursery stage                 | Normal sowing window | Normal |
|                    | 9. Green gram, black gram and French bean (After rice harvest) | Sowing stage                  | Normal sowing window | Normal |





**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



**Collaborating Department (KVK):**

| Name of the KVK |   | Programme Coordinator Name and Designation              | KVK Email Id   | Phone no/ Mobile no      |
|-----------------|---|---|--|--------------------------|
| KVK Lunglei     | : | <b>Dr. Lalmuanzovi</b><br>Head & Sr. Scientist          | <a href="mailto:kvkhnahthial@gmail.com">kvkhnahthial@gmail.com</a>   | 9862803750<br>9436154614 |
| KVK, Kolasib    | : | <b>Mr. Lalrosamga Khiangte</b><br>Head & Sr. Scientist  | <a href="mailto:kvkkolasib@gmail.com">kvkkolasib@gmail.com</a>   | 9436152440               |
| KVK, Serchhip   | : | <b>Mr. K. Laltlanmawia</b><br>Head & Sr. Scientist      | <a href="mailto:kvkserchhip@gmail.com">kvkserchhip@gmail.com</a>   | 9436146115<br>9615389293 |
| KVK, Champhai   | : | <b>Mrs. Lalrinawmi Renthlei</b><br>Head & Sr. Scientist | <a href="mailto:kvkchawzawl@gmail.com">kvkchawzawl@gmail.com</a>   | 9436159788               |
| KVK, Lawngtlai  | : | <b>Dr. Michel Lallawmkimi</b><br>Head & Sr. Scientist   | <a href="mailto:kvklawntlai@gmail.com">kvklawntlai@gmail.com</a>   | 9436155858               |
| KVK, Saiha      | : | <b>Dr. Vanlalhruaia Hnampe</b><br>Head & Sr. Scientist  | <a href="mailto:kvksaiha@gmail.com">kvksaiha@gmail.com</a>   | 8974656509               |
| KVK, Mamit      | : | <b>Dr. Samuel Lalliansanga</b><br>Head & Sr. Scientist  | <a href="mailto:kvkmamit@gmail.com">kvkmamit@gmail.com</a>   | 9436147625               |
| KVK, Aizawl     | : | <b>Dr. K. P. Chaudhary</b><br>Head & Sr. Scientist      | <a href="mailto:Kpchy@rediffmail.com">Kpchy@rediffmail.com</a><br><a href="mailto:kvkaizawl@rediffmail.com">kvkaizawl@rediffmail.com</a> | 9436351669               |

**Compiled by**

|                                |   |                              |  |
|--------------------------------|---|------------------------------|--|
| <b>Dr. S.B. Singh</b>          | : | <b>Joint Director</b>        | <a href="mailto:basantasinghsoibam@rediffmail.com">basantasinghsoibam@rediffmail.com</a> |
| <b>Dr. Saurav Saha</b>         | : | Scientist (Agril. Physics)   | <a href="mailto:sauravs.saha@gmail.com">sauravs.saha@gmail.com</a>                       |
| <b>Mr. Samik Chowdhury</b>     | : | Technical Officer            | <a href="mailto:samikchowdhury33@gmail.com">samikchowdhury33@gmail.com</a>               |
| <b>Miss. J. Vanlalhluzuali</b> | : | Scientist (Agril. Extension) | <a href="mailto:mamijinhlong@gmail.com">mamijinhlong@gmail.com</a>                       |

**Note:**

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.