



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Name of the AMFU- AMFU, Kolasib

Period- 15th August – 16th August, 2017

Crop Information No: - 109/2017/CIN/English

Date of issue: 14th August, 2017

Crop information/sowing status for AMFU's
(Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib		STATE: Mizoram		DATE: 14.08.2017
Name of TO : Samik Chowdhury		Contact number : 9862879062		
Name of districts	Major Post Kharif crops	Sowing status (whether sowing started/not started/complete d)	whether sowing is undertaken within the normal sowing window	Whether any stress condition existing
1. Aizawl	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
2. Champhai	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress
	15. Rubber	Transplanting stage	Normal sowing window	No water stress
	16. Strawberry	Vegetative stage	Normal sowing window	No water stress
3. Kolasib	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
MAMIT				
4. Lawngtlai	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



5. Lunglei	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress
	15. Rubber	Transplanting stage	Normal sowing window	No water stress
	16. Strawberry	Vegetative stage	Normal sowing window	No water stress
6. Mamit	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting	Normal sowing window	No water stress



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



		stage		
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
7. Saiha	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	15. Rubber	Transplanting stage	Normal sowing window	No water stress
8. Serchhip	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress





GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	:	Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	:	Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkchawzawl@gmail.com	9436159788
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	:	Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	:	Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669

Compiled by

Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Miss. J. Vanlalhluzuali	:	Scientist (Agril. Extension)	mamijinhlong@gmail.com

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.