

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 18th August - 20th August, 2017

Crop Information No: - 110/2017/CIN/English

Date of issue: 17th August, 2017

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib STATE: Mizoram DATE: 17.08.2017							
Name of TO: Samik Chowdhury		-/	Contact number :				
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any			
districts	crops	(whether sowing	is undertaken	stress			
		started/not	within the	condition			
		started/complete	normal sowing	existing			
		d)	window				
1. Aizawl	1. Upland rice	Maximum Tillering	Normal sowing	No water stress			
		stage	window				
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing	No water stress			
			window				
	3. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress			
		stage	window				
	4. Kharif rice	Transplanting stage	Normal sowing	No water stress			
			window				
	5. Brinjal	Flowering to fruit	Normal sowing	No water stress			
		formation stage and	window				
		harvesting stage					
	6. Okra	Flowering to fruit	Normal sowing	No water stress			
		formation and	window				
		harvesting stage					
	7. Cowpea	Flowering to fruiting	Normal sowing	No water stress			
		stage and harvesting	window				
		stage					
	8. Chilli	Flowering to fruit	Normal sowing	No water stress			
		formation stage and	window				
		harvesting stage					
	9. Ginger and turmeric	Vegetative growth	Normal sowing	No water stress			
		stage	window				
	10. cucurbitaceous	Flowering to fruiting	Normal sowing	No water stress			
	crop	stage	window				
	11. Mandarin and	Vegetative stage	Normal sowing	No water stress			
	Acid lime		window				
	12. Strawberry	Vegetative stage	Normal sowing	No water stress			
			window				
	13. Passion fruit	Vegetative stage	Normal sowing	No water stress			
			window				
	14. Pineapple	Harvesting stage	Normal sowing	No water stress			
			window				
	15. Coffee	Vegetative stage	Normal sowing	No water stress			
			window				
	16. Rubber	Transplanting stage	Normal sowing	No water stress			
			window				
2. Champhai	1. Upland rice	Maximum Tillering	Normal sowing	No water stress			
		stage	window				
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing	No water stress			
1			window				







	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress
	15. Rubber	Transplanting stage	Normal sowing window	No water stress
	16. Strawberry	Vegetative stage	Normal sowing window	No water stress
		N W 6		
3. Kolasib	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress







	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
	Ur MARW	T 1)	7
4. Lawngtlai	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress







5. Lunglei	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress
	15. Rubber	Transplanting stage	Normal sowing window	No water stress
	16. Strawberry	Vegetative stage	Normal sowing window	No water stress
		1 6		
6. Mamit	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting	Normal sowing window	No water stress







		stage		
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
	1	Sec. 1		7
7. Saiha	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress







	15. Rubber	Transplanting stage	Normal sowing window	No water stress
8. Serchhip	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica oj			
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Technical Officer	samikchowdhury33@gmail.com
Chowdhury		(SERV	mar (
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL SAIHA