

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 22nd August - 23th August, 2017

Crop Information No: - 111/2017/CIN/English

Date of issue: 21st August, 2017

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib STATE: Mizoram DATE: 21.08.2017					
	Samik Chowdhury		Contact number :		
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any	
districts	crops	(whether sowing	is undertaken	stress	
		started/not	within the	condition	
		started/complete	normal sowing	existing	
		d)	window	Ŭ	
1. Aizawl	1. Upland rice	Maximum Tillering	Normal sowing	No water stress	
	•	stage	window		
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing	No water stress	
	and soybean sowing in		window		
	zero tillage				
	3. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress	
	3. Waize (kharir)	stage	window	110 water stress	
	4. Kharif rice	Transplanting stage	Normal sowing	No water stress	
	+. Knam nec		window	140 water stress	
	5. Brinjal	Flowering to fruit	Normal sowing	No water stress	
		formation stage and	window		
		harvesting stage			
	6. Okra	Flowering to fruit	Normal sowing	No water stress	
		formation and	window		
		harvesting stage			
	7. Cowpea	Flowering to fruiting	Normal sowing	No water stress	
	•	stage and harvesting	window		
		stage			
	8. Chilli	Flowering to fruit	Normal sowing	No water stress	
		formation stage and	window		
		harvesting stage			
	9. Ginger and turmeric	Vegetative growth	Normal sowing	No water stress	
	C	Stage Harvesting stage Vegetative stage	window		
	10. cucurbitaceous		Normal sowing	No water stress	
	crop		window		
	11. Mandarin and		Normal sowing	No water stress	
	Acid lime		window	- 10 11 11 11 11 11 11 11 11 11 11 11 11	
	12. Strawberry	Vegetative stage	Normal sowing	No water stress	
	·		window		
	13. Passion fruit	Vegetative stage	Normal sowing	No water stress	
			window		
	14. Pineapple	Harvesting stage	Normal sowing	No water stress	
			window		
	15. Coffee	Vegetative stage	Normal sowing	No water stress	
	46 7 11		window		
	16. Rubber	Transplanting stage	Normal sowing	No water stress	
			window		
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
2. Champhai	1. Upland rice	Maximum Tillering	Normal sowing	No water stress	
		stage	window		
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing	No water stress	







	and soybean sowing in zero tillage		window	
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress
	14. Coffee	Vegetative stage	Normal sowing window	No water stress
	15. Rubber	Transplanting stage	Normal sowing window	No water stress
	16. Strawberry	Vegetative stage	Normal sowing window	No water stress
	4 ** 1 1 1	> 6 - 1 - must	S	~~
3. Kolasib	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif) and soybean sowing in zero tillage	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress







ICAR				
	8. Chilli	Flowering to fruit	Normal sowing	No water stress
		formation stage and	window	
		harvesting stage		
	9. Ginger and turmeric	Vegetative growth	Normal sowing	No water stress
		stage	window	
	10. cucurbitaceous	Harvesting stage	Normal sowing	No water stress
	crop		window	
	11. Mandarin and	Vegetative stage	Normal sowing	No water stress
	Acid lime	X7	window	NT.
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
	1	1		1
4. Lawngtlai	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Harvesting stage	Normal sowing	No water stress
	and soybean sowing in zero tillage		window	
	3. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress
	, ,	stage	window	
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing	No water stress
-				



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM



AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB (Collaborating Department, KVK)

			window			
	16. Rubber	Transplanting stage	Normal sowing window	No water stress		
5. Lunglei	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress		
	2. Maize (pre- kharif) and soybean sowing in zero tillage	Harvesting stage	Normal sowing window	No water stress		
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress		
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress		
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress		
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress		
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress		
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress		
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress		
	9. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress		
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress		
	11. Strawberry	Vegetative stage	Normal sowing window	No water stress		
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress		
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress		
	14. Coffee	Vegetative stage	Normal sowing window	No water stress		
	15. Rubber	Transplanting stage	Normal sowing window	No water stress		
	16. Strawberry	Vegetative stage	Normal sowing window	No water stress		
		1	V-1			
6. Mamit	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress		
	2. Maize (pre- kharif) and soybean sowing in zero tillage	Harvesting stage	Normal sowing window	No water stress		
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress		
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress		
	5. Brinjal	Flowering to fruit formation stage and	Normal sowing window	No water stress		







ICAR				8.3
		harvesting stage		
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	10. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress
	15. Coffee	Vegetative stage	Normal sowing window	No water stress
	16. Rubber	Transplanting stage	Normal sowing window	No water stress
	5	The state of	3 3	į.
7. Saiha	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif) and soybean sowing in zero tillage	Harvesting stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress
	10. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	11. Strawberry	Vegetative stage	Normal sowing	No water stress







			window		
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress	
	13. Pineapple	Harvesting stage	Normal sowing window	No water stress	
	14. Coffee	Vegetative stage	Normal sowing window	No water stress	
	15. Rubber	Transplanting stage	Normal sowing window	No water stress	
	J.	NULHOID			
8. Serchhip	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress	
	2. Maize (pre- kharif) and soybean sowing in zero tillage	Harvesting stage	Normal sowing window	No water stress	
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress	
	4. Kharif rice	Transplanting stage	Normal sowing window	No water stress	
	5. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress	
	6. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress	
	7. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress	
	8. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress	
	9. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress	
	10. cucurbitaceous crop	Harvesting stage	Normal sowing window	No water stress	
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress	
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress	
	13. Passion fruit	Vegetative stage	Normal sowing window	No water stress	
	14. Pineapple	Harvesting stage	Normal sowing window	No water stress	
	15. Coffee	Vegetative stage	Normal sowing window	No water stress	
	16. Rubber	Transplanting stage	Normal sowing window	No water stress	
	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress	



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica oj			7
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Technical Officer	samikchowdhury33@gmail.com
Chowdhury		SERU SERU	mair (
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	a ile Y

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL SAIHA