

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 29th August - 30th August, 2017

Crop Information No: - 113/2017/CIN/English

Date of issue: 28th August, 2017

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib STATE: Mizoram DATE: 28.08.2017					
	Samik Chowdhury	-/\	Contact number :		
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any	
districts	crops	(whether sowing	is undertaken	stress	
		started/not	within the	condition	
		started/complete	normal sowing	existing	
		d)	window		
1. Aizawl	1. Upland rice	Panicle initiation	Normal sowing	No water stress	
	•	stage	window		
	2. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress	
	,	stage	window		
	3. Kharif rice	Transplanting stage	Normal sowing	No water stress	
	011211411111100	Transplanting stage	window	110 11400	
	4. Brinjal	Flowering to fruit	Normal sowing	No water stress	
	Dingui	formation stage and	window	110 Water Stress	
		harvesting stage	VV IIIGO VV		
	5. Okra	Flowering to fruit	Normal sowing	No water stress	
	J. OKIA	formation and	window	No water siress	
			WIIIUOW		
	C C	harvesting stage	N 1 :	NI	
	6. Cowpea	Flowering to fruiting	Normal sowing	No water stress	
		stage and harvesting	window		
	- C1 111	stage			
	7. Chilli	Flowering to fruit	Normal sowing	No water stress	
		formation stage and	window		
		harvesting stage			
	8. Ginger and turmeric	Vegetative growth	Normal sowing	No water stress	
		stage	window		
	9. Mandarin and Acid	Vegetative stage	Normal sowing	No water stress	
	lime		window		
	10. Strawberry	Vegetative stage	Normal sowing	No water stress	
			window		
	12. Passion fruit	Vegetative stage	Normal sowing	No water stress	
			window		
	13. Coffee	Vegetative stage	Normal sowing	No water stress	
			window		
	14. Rubber	Transplanting stage	Normal sowing	No water stress	
			window		
		1 2	1		
2. Champhai	1. Upland rice	Panicle initiation	Normal sowing	No water stress	
_	•	stage	window		
	2. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress	
	()	stage	window		
	3. Kharif rice Transplanting stage		Normal sowing	No water stress	
	Transplanting stage		window		
	4. Brinjal	Flowering to fruit	Normal sowing	No water stress	
	i. Dillijai	formation stage and	window	110 water stress	
		harvesting stage	VV IIIGO VV		
	5. Okra	Flowering to fruit	Normal cowing	No water stress	
	J. OKIA	Prowering to Iruit	Normal sowing	no water stress	



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM



AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB (Collaborating Department, KVK)

		formation and	window	
		harvesting stage		
	6. Cowpea	Flowering to fruiting	Normal sowing	No water stress
		stage	window	
	7. Chilli	Flowering to fruit	Normal sowing	No water stress
		formation stage and	window	
		harvesting stage		
	8. Ginger and	Vegetative growth	Normal sowing	No water stress
	turmeric		window	No water siress
		stage		NT .
	9. Mandarin and Acid	Vegetative stage	Normal sowing	No water stress
	lime		window	
	10. Passion fruit	Vegetative to fruiting	Normal sowing	No water stress
		stage	window	
	11. Coffee	Vegetative stage	Normal sowing	No water stress
	111 001100	, egettii te stage	window	110 114001 501055
	12. Rubber	Transplanting stage	Normal sowing	No water stress
	12. Kubbei	Transplanting stage	_	No water stress
	10.0		window	
	13. Strawberry	Vegetative stage	Normal sowing	No water stress
			window	
	14. Crucifer crop	Nursery stage	Normal sowing	No water stress
	•	, ,	window	
	1	7 (240	1
3. Kolasib	1. Upland rice	Panicle initiation	Normal sowing	No water stress
J. IXUIASID	1. Opiand fice		_	ino water siress
	2) / (11 ' (2)	stage	window	NT .
	2. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress
		stage	window	
	3. Kharif rice	Transplanting stage	Normal sowing	No water stress
			window	
	4. Brinjal	Flowering to fruit	Normal sowing	No water stress
	, and the second	formation stage and	window	
		harvesting stage		
	5. Okra	Flowering to fruit	Normal sowing	No water stress
	J. OKIA	formation and	window	No water sitess
			WIIIGOW	
		harvesting stage		
	6. Cowpea	Flowering to fruiting	Normal sowing	No water stress
		stage and harvesting	window	
		stage		
	7. Chilli	Flowering to fruit	Normal sowing	No water stress
		formation stage and	window	
		harvesting stage		
	8. Ginger and turmeric	Vegetative growth	Normal sowing	No water stress
	8. Offiger and turnieric		_	No water stress
		stage	window	
	9. Mandarin and Acid	Vegetative stage	Normal sowing	No water stress
	lime		window	
	10. Strawberry	Vegetative stage	Normal sowing	No water stress
			window	
	12. Passion fruit	Vegetative stage	Normal sowing	No water stress
		5	window	
	13. Coffee	Vegetative stage	Normal sowing	No water stress
	13. Conce	vegetative stage	_	110 water stress
	14 D 11	TD 1	window	N
	14. Rubber	Transplanting stage	Normal sowing	No water stress
			window	
4. Lawngtlai	1. Upland rice	Panicle initiation	Normal sowing	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





		stage	window	
	2. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	3. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Coffee	Vegetative stage	Normal sowing window	No water stress
	14. Rubber	Transplanting stage	Normal sowing window	No water stress
	1			
5. Lunglei	1. Upland rice	Panicle initiation stage	Normal sowing window	No water stress
	2. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	3. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative to fruiting stage	Normal sowing window	No water stress
	11. Coffee	Vegetative stage	Normal sowing	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





			window	
	12. Rubber	Transplanting stage	Normal sowing window	No water stress
	13. Strawberry	Vegetative stage	Normal sowing window	No water stress
	14. Crucifer crop	Nursery stage	Normal sowing window	No water stress
) \	and the same of	33	
6. Mamit	1. Upland rice	Panicle initiation stage	Normal sowing window	No water stress
	2. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	3. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Coffee	Vegetative stage	Normal sowing window	No water stress
	14. Rubber	Transplanting stage	Normal sowing window	No water stress
7. Saiha	1. Upland rice	Panicle initiation stage	Normal sowing window	No water stress
	2. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	3. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit	Normal sowing	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





		formation stage and	window	
	O Cincon and	harvesting stage	Normal souring	No motor stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. Mandarin and Acid	Vegetative stage	Normal sowing	No water stress
	lime		window	
	10. Passion fruit	Vegetative to fruiting stage	Normal sowing window	No water stress
	11. Coffee	Vegetative stage	Normal sowing window	No water stress
	12. Rubber	Transplanting stage	Normal sowing window	No water stress
	13. Strawberry	Vegetative stage	Normal sowing window	No water stress
	14. Crucifer crop	Nursery stage	Normal sowing window	No water stress
	/ MAM		7	7
8. Serchhip	1. Upland rice	Panicle initiation stage	Normal sowing window	No water stress
	2. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	3. Kharif rice	Transplanting stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Cowpea	Flowering to fruiting stage and harvesting stage	Normal sowing window	No water stress
	7. Chilli	Flowering to fruit formation stage and harvesting stage	Normal sowing window	No water stress
	8. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Strawberry	Vegetative stage	Normal sowing window	No water stress
	12. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	13. Coffee	Vegetative stage	Normal sowing window	No water stress
	14. Rubber	Transplanting stage	Normal sowing window	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the		Programme Coordinator	KVK Email Id	Phone no/ Mobile
KVK		Name and Designation		no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Tech <mark>nical Offic</mark> er	samikchowdhury33@gmail.com
Chowdhury		(Serve	near C
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	a la 1

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL SAIHA