



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



**Name of the AMFU- AMFU, Kolasib**

**Period- 14<sup>th</sup> June – 16<sup>th</sup> July, 2017**

**Crop Information No: - 100/2017/CIN/English**

**Date of issue: 13<sup>th</sup> July, 2017**

**Crop information/sowing status for AMFU's**  
**(Should be sent biweekly on every Monday and Thursday)**

AMFU NAME: <b>AMFU, Kolasib</b>		STATE: <b>Mizoram</b>		DATE: <b>13.07.2017</b>
Name of TO : <b>Samik Chowdhury</b>		Contact number : <b>9862879062</b>		
Name of districts	Major Post Kharif crops	Sowing status (whether sowing started/not started/complete d)	whether sowing is undertaken within the normal sowing window	Whether any stress condition existing
<b>1. Aizawl</b>	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Strawberry	Vegetative stage	Normal sowing window	No water stress
	11. Passion fruit	Vegetative stage	Normal sowing window	No water stress
<b>2. Champhai</b>	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Lowland rice	Nursery stage	Normal sowing window	No water stress
	3. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	5. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	6. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	7. Tomato	Nursery stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting	Normal sowing	No water stress



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



		stage	window	
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
<b>3. Kolasib</b>				
	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
<b>4. Lawngtlai</b>				
	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid	Vegetative stage	Normal sowing window	No water stress



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



	lime		window	
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
<b>5. Lunglei</b>	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Lowland rice	Nursery stage	Normal sowing window	No water stress
	3. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	5. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	6. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	7. Tomato	Nursery stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
<b>6. Mamit</b>	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
<b>7. Saiha</b>	1. Upland rice	Maximum Tillering	Normal sowing	No water stress



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



		stage	window	
	2. Lowland rice	Nursery stage	Normal sowing window	No water stress
	3. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	5. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	6. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	7. Tomato	Nursery stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
<b>8. Serchhip</b>	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Strawberry	Vegetative stage	Normal sowing window	No water stress
	11. Passion fruit	Vegetative stage	Normal sowing window	No water stress



**GRAMIN KRISHI MAUSAM SEWA**  
**ICAR RESEARCH COMPLEX FOR NEH REGION**  
**Mizoram Centre, Kolasib- 796081, MIZORAM**  
**AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB**  
**(Collaborating Department, KVK)**



**Collaborating Department (KVK):**

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	<b>Dr. Lalmuanzovi</b> Head & Sr. Scientist	<a href="mailto:kvkhnahthial@gmail.com">kvkhnahthial@gmail.com</a>	9862803750 9436154614
KVK, Kolasib	:	<b>Mr. Lalrosamga Khiangte</b> Head & Sr. Scientist	<a href="mailto:kvkkolasib@gmail.com">kvkkolasib@gmail.com</a>	9436152440
KVK, Serchhip	:	<b>Mr. K. Laltlanmawia</b> Head & Sr. Scientist	<a href="mailto:kvkserchhip@gmail.com">kvkserchhip@gmail.com</a>	9436146115 9615389293
KVK, Champhai	:	<b>Mrs. Lalrinawmi Renthlei</b> Head & Sr. Scientist	<a href="mailto:kvkchawzawl@gmail.com">kvkchawzawl@gmail.com</a>	9436159788
KVK, Lawngtlai	:	<b>Dr. Michel Lallawmkimi</b> Head & Sr. Scientist	<a href="mailto:kvklawntlai@gmail.com">kvklawntlai@gmail.com</a>	9436155858
KVK, Saiha	:	<b>Dr. Vanlalhruaia Hnampe</b> Head & Sr. Scientist	<a href="mailto:kvksaiha@gmail.com">kvksaiha@gmail.com</a>	8974656509
KVK, Mamit	:	<b>Dr. Samuel Lalliansanga</b> Head & Sr. Scientist	<a href="mailto:kvkmamit@gmail.com">kvkmamit@gmail.com</a>	9436147625
KVK, Aizawl	:	<b>Dr. K. P. Chaudhary</b> Head & Sr. Scientist	<a href="mailto:Kpchy@rediffmail.com">Kpchy@rediffmail.com</a> <a href="mailto:kvkaizawl@rediffmail.com">kvkaizawl@rediffmail.com</a>	9436351669

**Compiled by**

<b>Dr. S.B. Singh</b>	:	<b>Joint Director</b>	<a href="mailto:basantasinghsoibam@rediffmail.com">basantasinghsoibam@rediffmail.com</a>
<b>Dr. Saurav Saha</b>	:	Scientist (Agril. Physics)	<a href="mailto:sauravs.saha@gmail.com">sauravs.saha@gmail.com</a>
<b>Mr. Samik Chowdhury</b>	:	Technical Officer	<a href="mailto:samikchowdhury33@gmail.com">samikchowdhury33@gmail.com</a>
<b>Miss. J. Vanlalhluzuali</b>	:	Scientist (Agril. Extension)	<a href="mailto:mamijinhlong@gmail.com">mamijinhlong@gmail.com</a>

**Note:**

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.