

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 25th June - 26th July, 2017

Crop Information No: - 103/2017/CIN/English

Date of issue: 24th July, 2017

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

Name of districts	AMFU NAME:	Should be sent biwe AMFU. Kolasib	STATE: Mizoram	DATE: 24.07.20	•
Name of districts		•			
Crops (whether sowing started/not started/complete d) Started/complete d) Normal sowing window No water stress window Normal sowing window No water stress window Normal sowing window Norma			Sowing status		
1. Aizawl 1. Upland rice Maximum Tillering stage Mormal sowing window No water stress	districts	crops	(whether sowing	is undertaken	stress
1. Aizawl 1. Upland rice Maximum Tillering stage 2. Maize (pre-kharif) 2. Maize (kharif) 3. Maize (kharif) 4. Brinjal 5. Okra 6. Chilli 7. Ginger and turmeric range as tage 8. cucurbitaceous crop 9. Mandarin and Acid lime 10. Strawberry 11. Passion fruit 12. Champhal 1. Upland rice Maximum Tillering stage 4. Window 1. Upland rice Maximum Tillering window Mormal sowing window No water stress window		_	started/not	within the	condition
1. Aizawl 1. Upland rice			started/complete		existing
2. Maize (pre- kharif) Physiological Normal sowing window 3. Maize (kharif) Tasseling to silking stage 4. Kharif rice Nursery stage Vindow 4. Brinjal Flowering to fruit formation stage Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation and harvesting stage 7. Ginger and turmeric Stage 8. cucurbitaceous crop 9. Mandarin and Acid lime 10. Strawberry Vegetative stage 11. Passion fruit Vegetative stage Normal sowing Vegetative stage Normal sowing Vegetative stage Normal sowing No water stress Window					
2. Maize (pre-kharif) Physiological maturity stage window No water stress window	1. Aizawl	1. Upland rice	Maximum Tillering	_	No water stress
3. Maize (kharif) Tasseling to silking stage 4. Kharif rice Nursery stage Normal sowing window 4. Brinjal Flowering to fruit formation stage 6. Chilli Flowering to fruit formation stage 6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric 8. cucurbitaceous crop 9. Mandarin and Acid lime 10. Strawberry Vegetative stage 11. Passion fruit Vegetative stage Normal sowing window No water stress			Ü		
3. Maize (kharif) Tasseling to silking stage 4. Kharif rice Nursery stage Normal sowing window 4. Brinjal Flowering to fruit formation stage 5. Okra Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric 8. cucurbitaceous crop Flowering to fruit formation stage Normal sowing window No water stress window		2. Maize (pre- kharif)	, ,		No water stress
4. Kharif rice Nursery stage Vindow 4. Brinjal Flowering to fruit formation stage 5. Okra Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation and harvesting stage 7. Ginger and turmeric 8. cucurbitaceous crop 9. Mandarin and Acid lime 10. Strawberry Vegetative stage 11. Passion fruit Vegetative stage 12. Champhai 13. Upland rice Maximum Tillering stage 14. Maize (pre-kharif) Physiological maturity stage Mormal sowing No water stress Window No water stress			, ,		
4. Kharif rice Nursery stage Normal sowing window 4. Brinjal Flowering to fruit formation stage 5. Okra Flowering to fruit formation stage 6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric 8. cucurbitaceous crop Flowering to fruiting stage 8. cucurbitaceous crop 9. Mandarin and Acid lime 10. Strawberry Vegetative stage 11. Passion fruit Vegetative stage Normal sowing window No water stress window No water stress window Normal sowing window No water stress window No water stress window Normal sowing window No water stress window		3. Maize (kharif)	Tasseling to silking		No water stress
4. Brinjal Flowering to fruit formation stage 5. Okra Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric Vegetative growth stage 8. cucurbitaceous crop Flowering to fruiting stage 9. Mandarin and Acid lime 10. Strawberry Vegetative stage lime 11. Passion fruit Vegetative stage 11. Passion fruit Vegetative stage 12. Champhai 13. Upland rice Maximum Tillering stage 24. Lowland rice Nursery stage Normal sowing window No water stress window					
4. Brinjal Flowering to fruit formation stage 5. Okra Flowering to fruit formation stage Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric 8. cucurbitaceous crop stage 9. Mandarin and Acid lime 10. Strawberry 11. Passion fruit Vegetative stage 11. Passion fruit Vegetative stage Normal sowing window 11. Upland rice Normal sowing window 12. Champhai 13. Upland rice Nursery stage Normal sowing window 14. Maize (pre- kharif) Normal sowing window No water stress		4. Kharif rice	Nursery stage	_	No water stress
Solution Flowering to fruit Flowering tage Flowering to fruit					
5. Okra Flowering to fruit formation and harvesting stage 6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric 8. cucurbitaceous crop Flowering to fruiting stage 9. Mandarin and Acid lime 10. Strawberry Vegetative stage 11. Passion fruit Vegetative stage 11. Upland rice Maximum Tillering stage Normal sowing window 12. Champhai 1. Upland rice Nursery stage Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress Normal sowing window No water stress		4. Brinjal	_	_	No water stress
6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric Vegetative growth stage 8. cucurbitaceous crop Flowering to fruiting stage 9. Mandarin and Acid lime 10. Strawberry Vegetative stage Vegetative stage Vindow 11. Passion fruit Vegetative stage Vegetative stage Vindow 11. Upland rice Maximum Tillering stage Vindow 2. Lowland rice Nursery stage Vegetative stage Vindow 3. Maize (pre- kharif) Physiological maturity stage Vegetative					
harvesting stage		5. Okra		_	No water stress
6. Chilli Flowering to fruit formation stage 7. Ginger and turmeric Stage 8. cucurbitaceous crop Stage 9. Mandarin and Acid Ime 10. Strawberry 11. Passion fruit Vegetative stage 11. Upland rice Stage 12. Champhai 13. Upland rice 14. Waximum Tillering stage 15. Lowland rice 16. Chilli Flowering to fruit window Normal sowing window No water stress window				window	
7. Ginger and turmeric Vegetative growth stage window 8. cucurbitaceous crop Flowering to fruiting stage window 9. Mandarin and Acid lime Vegetative stage lime Window 10. Strawberry Vegetative stage Window 11. Passion fruit Vegetative stage Window 12. Champhai 1. Upland rice Maximum Tillering stage Window 2. Lowland rice Nursery stage Window 3. Maize (pre- kharif) Physiological maturity stage Window 4. Maize (kharif) Tasseling to silking Normal sowing Window No water stress Window					
7. Ginger and turmeric stage window 8. cucurbitaceous crop Flowering to fruiting stage window 9. Mandarin and Acid lime 10. Strawberry Vegetative stage window 11. Passion fruit Vegetative stage window 12. Champhai 1. Upland rice Maximum Tillering stage window 2. Lowland rice Nursery stage window 3. Maize (pre- kharif) Physiological maturity stage maturity stage window 4. Maize (kharif) Tasseling to silking Normal sowing window No water stress window		6. Chilli		_	No water stress
8. cucurbitaceous crop Flowering to fruiting Stage Window 9. Mandarin and Acid lime 10. Strawberry Vegetative stage Window 11. Passion fruit Vegetative stage Window 12. Champhai 1. Upland rice Maximum Tillering Stage Window 2. Lowland rice Nursery stage Window 3. Maize (pre- kharif) Physiological maturity stage Mindow 4. Maize (kharif) Tasseling to silking Normal sowing Window No water stress Window					
8. cucurbitaceous crop Flowering to fruiting stage window 9. Mandarin and Acid lime 10. Strawberry Vegetative stage window 11. Passion fruit Vegetative stage Window 12. Champhai 1. Upland rice Maximum Tillering stage window 2. Lowland rice Nursery stage Window 3. Maize (pre- kharif) Physiological maturity stage maturity stage window 4. Maize (kharif) Tasseling to fruiting window Normal sowing window No water stress window		7. Ginger and turmeric	Vegetative growth		No water stress
Stage Window 9. Mandarin and Acid Vegetative stage Normal sowing Window 10. Strawberry Vegetative stage Normal sowing Window 11. Passion fruit Vegetative stage Normal sowing Window No water stress Window Window No water stress Window Window No water stress Window					
9. Mandarin and Acid lime		8. cucurbitaceous crop		_	No water stress
Lime Window 10. Strawberry Vegetative stage Normal sowing window No water stress Stage Window No water stress Normal sowing N			Ü		
10. Strawberry Vegetative stage Normal sowing window 11. Passion fruit Vegetative stage Normal sowing window 1. Upland rice Maximum Tillering stage Window 2. Champhai 1. Upland rice Maximum Tillering window 2. Lowland rice Nursery stage Normal sowing window 3. Maize (pre- kharif) Physiological maturity stage window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress			Vegetative stage	_	No water stress
1. Passion fruit Vegetative stage Normal sowing window					
11. Passion fruit Vegetative stage Normal sowing window 1. Upland rice Maximum Tillering stage Normal sowing window 1. Upland rice Normal sowing window 2. Lowland rice Nursery stage Normal sowing window No water stress window 3. Maize (pre- kharif) Physiological window 3. Maize (pre- kharif) Physiological window 4. Maize (kharif) Tasseling to silking Normal sowing window No water stress No water stress Normal sowing window No water stress		10. Strawberry	Vegetative stage	_	No water stress
2. Champhai 1. Upland rice Stage Normal sowing window 2. Lowland rice Nursery stage Normal sowing window 3. Maize (pre- kharif) Physiological maturity stage Window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress window No water stress Normal sowing window No water stress					
2. Champhai 1. Upland rice Maximum Tillering stage Normal sowing window 2. Lowland rice Nursery stage Normal sowing window 3. Maize (pre- kharif) Physiological maturity stage Window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress Window No water stress No water stress Normal sowing Window No water stress		11. Passion fruit	Vegetative stage		No water stress
stage window 2. Lowland rice Nursery stage Normal sowing window 3. Maize (pre- kharif) Physiological window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress				window	
stage window 2. Lowland rice Nursery stage Normal sowing window 3. Maize (pre- kharif) Physiological window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress		1		1	l
3. Maize (pre- kharif) Physiological Normal sowing maturity stage window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress	2. Champhai	1. Upland rice			No water stress
3. Maize (pre- kharif) Physiological Normal sowing window 4. Maize (kharif) Tasseling to silking Normal sowing No water stress		2. Lowland rice	Nursery stage	_	No water stress
4. Maize (kharif) Tasseling to silking Normal sowing No water stress		3. Maize (pre- kharif)	, ,	Normal sowing	No water stress
stage window		4. Maize (kharif)	Tasseling to silking	Normal sowing	No water stress
		5 Chilli	Ü		No water stress
formation stage window			formation stage	window	no water stress
6. Ginger and Vegetative growth Normal sowing No water stress		_	Vegetative growth	_	No water stress
turmeric stage window		turmeric	stage	window	
7. Tomato Nursery stage Normal sowing No water stress window		7. Tomato	Nursery stage	_	No water stress
8. cucurbitaceous crop Flowering to fruiting Normal sowing No water stress		8. cucurbitaceous crop	Flowering to fruiting		No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





		stage	window	
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	J.	NULHOID	1	
3. Kolasib	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
		Science Co		
4. Lawngtlai	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid	Vegetative stage	Normal sowing	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM



AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB (Collaborating Department, KVK)

	lime		window	
	10. Passion fruit	Vegetative stage	Normal sowing	No water stress
		17	window	
5. Lunglei	1. Upland rice	Maximum Tillering	Normal sowing	No water stress
3. Lunglei	•	stage	window	
	2. Lowland rice	Nursery stage	Normal sowing window	No water stress
	3. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	5. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	6. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	7. Tomato	Nursery stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	116			
6. Mamit	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
7. Saiha	1. Upland rice	Maximum Tillering	Normal sowing	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	0 T 1 1 '	stage	window	NT .
	2. Lowland rice	Nursery stage	Normal sowing window	No water stress
	3. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	4. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	5. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	6. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	7. Tomato	Nursery stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Peach and plum	Harvesting stage	Normal sowing window	No water stress
	10. Passion fruit	Vegetative stage	Normal sowing window	No water stress
	11. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	12. Strawberry	Vegetative stage	Normal sowing window	No water stress
	100			
8. Serchhip	1. Upland rice	Maximum Tillering stage	Normal sowing window	No water stress
	2. Maize (pre- kharif)	Physiological maturity stage	Normal sowing window	No water stress
	3. Maize (kharif)	Tasseling to silking stage	Normal sowing window	No water stress
	4. Kharif rice	Nursery stage	Normal sowing window	No water stress
	4. Brinjal	Flowering to fruit formation stage	Normal sowing window	No water stress
	5. Okra	Flowering to fruit formation and harvesting stage	Normal sowing window	No water stress
	6. Chilli	Flowering to fruit formation stage	Normal sowing window	No water stress
	7. Ginger and turmeric	Vegetative growth stage	Normal sowing window	No water stress
	8. cucurbitaceous crop	Flowering to fruiting stage	Normal sowing window	No water stress
	9. Mandarin and Acid lime	Vegetative stage	Normal sowing window	No water stress
	10. Strawberry	Vegetative stage	Normal sowing window	No water stress
	11. Passion fruit	Vegetative stage	Normal sowing window	No water stress



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the		Programme Coordinator	KVK Email Id	Phone no/ Mobile
KVK		Name and Designation		no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica oj			7
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Technical Officer	samikchowdhury33@gmail.com
Chowdhury		SERU SERU	mar (
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	a la Y

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL SAIHA