

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 03rd March - 05th March, 2017

Date of issue: 02nd March, 2017

Crop Information No: - 63/2016/CIN/English

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME:	Should be sent biwe	STATE: Mizoram	DATE: 02.03.20	· ·
	Samik Chowdhury	STATE: Wilzoram	Contact number :	
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any
districts	crops	(whether sowing	is undertaken	stress
uistricts	crops	started/not	within the	condition
		started/complete	normal sowing	existing
		d)	window	CAISTING
1. Aizawl	1. Winter Maize	Vegetative stage	Normal sowing	water deficit
	1. Whiter Maize	regetative stage	window	water deficit
	2. Tomato	Fruiting stage	Normal sowing	water deficit
	2. 10111410	Training stage	window	water deficit
	3. Early Cruciferous	Harvesting stage	Normal sowing	water deficit
	vegetables	Trairesting stage	window	water deficit
	4. Radish and carrot	Harvesting stage	Normal sowing	water deficit
	i. Radion and carrot	That vestille stage	window	water deficit
	5.Onion	Vegetative stage	Normal sowing	water deficit
	0.0111011	regulative stage	window	water deficit
	6. Capsicum	Vegetative stage	Normal sowing	water deficit
	o. Capoleani	regulative stage	window	water deficit
	7. Green gram,	Pod development	Normal sowing	water deficit
	black gram and	stage	window	water deficit
	French bean	Stage	WIIIGOW	
	(After rice harvest)			
	8. Pea and lentil	Pod development	Normal sowing	water deficit
	(Low land rice fellow	stage	window	***************************************
	after rice harvest)	J		
	9. French bean	Harvesting stage	Normal sowing	water deficit
			window	
	10.Potato	Harvesting stage	Normal sowing	water deficit
			window	
	11. Cucurbitaceae	Sowing stage	Normal sowing	water deficit
	crop		window	
	12. Bhindi	Sowing stage	Normal sowing	water deficit
		5 5	window	
	13. Cowpea	Sowing stage	Normal sowing	water deficit
	•		window	
			1111111	
2. Champhai	1. Tomato	Harvesting stage	Normal sowing	water deficit
.			window	,, 4,01 0011011
	2. Early Cruciferous	Harvesting stage	Normal sowing	water deficit
	vegetables	3	window	
	3. Green gram,	Harvesting stage	Normal sowing	water deficit
	black gram and		window	
	French bean			
	(After rice harvest)			
	4. Capsicum	Vegetative stage	Normal sowing	water deficit
	-		window	
	5.Onion	Vegetative stage	Normal sowing	water deficit
		5 5	window	
<u> </u>				







6. Radish and carrot 7. Brussels sprout Vegetative stage Normal sowing window 8. French bean Harvesting stage window 9. Pea and lentil (Low land rice fellow after rice harvest) 10. Potato 11. Cucurbitaceae crop 12. Bhindi Sowing stage Normal sowing Window Normal sowing Window 12. Bhindi Sowing stage Normal sowing Window 13. Cowpea Sowing stage Normal sowing Window 14. Bhindi Sowing stage Normal sowing Window Normal sowing Window Normal sowing Window Normal sowing Window Normal sowing Window Water deficit Window Water defici					
8. French bean Harvesting stage window 9. Pea and lentil (Low land rice fellow after rice harvest) 10. Potato Harvesting stage window 11. Cucurbitaceae crop 12. Bhindi Sowing stage Window 13. Cowpea Sowing stage Normal sowing window 14. Winter Maize Vegetative stage Window 15. Green gram, black gram and French bean (After rice harvest) 6. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean Harvesting stage Normal sowing water deficit window 8. Potato Harvesting stage Normal sowing water deficit window 7. French bean Harvesting stage Normal sowing water deficit window 8. Potato Harvesting stage Normal sowing water deficit window 8. Potato Harvesting stage Normal sowing water deficit window 9. Cucurbitaceae crop 10. Bhindi Sowing stage Normal sowing water deficit window 8. Potato Harvesting stage Window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 10. Bhindi Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 12. Tomato Harvesting stage Normal sowing water deficit window 13. Early Cruciferous yet of the properties of the p			Harvesting stage		water deficit
9. Pea and lentil (Low land rice fellow after rice harvest) 10. Potato 11. Cucurbitaceae crop 12. Bhindi 3. Kolasib 1. Winter Maize 1. Winter Maize 1. Winter Maize 1. Water deficit window 13. Kolasib 1. Winter Maize 2. Tomato 3. Early Cruciferous water deficit window 4. Radish and carrot backgram and French bean (After rice harvest) 5. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean 1. Winter Maize 1. Winter Waize 1. Winter Maize 1. Winter		7. Brussels sprout	Vegetative stage		water deficit
(Low land rice fellow after rice harvest) 10. Potato 11. Cucurbitaceae crop 12. Bhindi 13. Cowpea 14. Winter Maize 15. Winter Maize 16. Pot development stage 17. Green gram, black gram and French bean (After rice harvest) 18. Pod development stage 19. Cucurbitaceae crop 19. Bhindi 10. Winter Maize 10. Winter Maize 10. Winter Maize 11. Winter Maize 12. Tomato 13. Kolasib 14. Winter Maize 15. Green gram, black gram and French bean (After rice harvest) 16. Pea and lentil (Low land rice fellow after rice harvest) 17. French bean Harvesting stage 18. Potato 19. Cucurbitaceae Sowing stage 19. Cucurbitaceae Sowing stage 10. Wormal sowing water deficit window water deficit window 10. Bhindi 10. Wormal sowing water deficit window stage 10. Wormal sowing water deficit window water deficit window 10. Bhindi 10. Wormal sowing water deficit window 10. Bhindi 10. Wormal sowing water deficit window 10. Bhindi 10. Wormal sowing water deficit window 11. Cowpea 12. Tomato 13. Kolasib 14. Winter Maize 15. Green gram, black gram and French bean water deficit window 16. Pea and lentil (Low land rice fellow after rice harvest) 17. French bean Harvesting stage Normal sowing water deficit window 18. Potato 19. Cucurbitaceae Sowing stage Normal sowing water deficit window 19. Cucurbitaceae Sowing stage Normal sowing water deficit window 10. Bhindi 11. Cowpea 12. Tomato 13. Kolasib 14. Winter Maize 15. Green gram, black gram and French bean water deficit window 16. Creptions water deficit window 17. French bean water deficit window 18. Potato 19. Cucurbitaceae Sowing stage Normal sowing water deficit window 19. Cucurbitaceae Sowing stage Normal sowing water deficit window 10. Bhindi 10. Wormal sowing water deficit window 11. Cowpea 12. Tomato 13. Kolasiba deficit window 14. Lawngtlai 15. Capsicum 16. Vegetative stage Normal sowing water deficit window 17. Capsicum 18. Vegetative stage Normal sowing water deficit window 19. Capsicum 19. Vegetative stage Normal sowing wate		8. French bean	Harvesting stage		water deficit
11. Cucurbitaceae Sowing stage Normal sowing water deficit window 12. Bhindi		(Low land rice fellow	-		water deficit
Crop 12. Bhindi Sowing stage Normal sowing water deficit window 13. Cowpea Sowing stage Normal sowing window water deficit window water defici		10. Potato	Harvesting stage		water deficit
Sowing stage Normal sowing window			Sowing stage		water deficit
3. Kolasib 1. Winter Maize Vegetative stage Normal sowing window 3. Early Cruciferous vegetables 4. Radish and carrot Briting stage Vegetables 4. Radish and carrot Harvesting stage Normal sowing window Trench bean (After rice harvest) 6. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean Harvesting stage Normal sowing window Normal sowing water deficit window 10. Bhindi Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 12. Tomato Fruiting stage Normal sowing water deficit window Normal sowing water deficit window Normal sowing water deficit window 13. Early Cruciferous Harvesting stage Normal sowing water deficit window		12. Bhindi	Sowing stage	window	water deficit
2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous vegetables 4. Radish and carrot Harvesting stage Normal sowing water deficit window 5. Green gram, black gram and French bean (After rice harvest) 6. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean 8. Potato Harvesting stage Normal sowing water deficit window 8. Potato Harvesting stage Normal sowing water deficit window 9. Cucurbitaceae crop 10. Bhindi Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 12. Tomato Fruiting stage Normal sowing water deficit window Normal sowing water deficit window Normal sowing water deficit window 12. Tomato Fruiting stage Normal sowing water deficit window 13. Early Cruciferous vegetables 4. Radish and Harvesting stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window		13. Cowpea		water deficit	
2. Tomato Fruiting stage Window Water deficit window 3. Early Cruciferous vegetables Harvesting stage Window 4. Radish and carrot Harvesting stage Window 5. Green gram, black gram and French bean (After rice harvest) 6. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean Harvesting stage Window 8. Potato Harvesting stage Window 9. Cucurbitaceae crop 10. Bhindi Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 11. Compea Sowing stage Normal sowing water deficit window 12. Tomato Fruiting stage Normal sowing water deficit window 4. Lawngtlai 1. Winter Maize Vegetative stage Normal sowing water deficit window 3. Early Cruciferous vegetables Harvesting stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 4. Radish sowing Water deficit window 4. Radish and Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window		/	· \	- (/
3. Early Cruciferous vegetables 4. Radish and carrot Harvesting stage window 5. Green gram, black gram and French bean (After rice harvest) 6. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean Harvesting stage window 8. Potato Harvesting stage Window 9. Cucurbitaceae crop 10. Bhindi Sowing stage window 11. Cowpea Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 11. Cowpea Sowing stage Normal sowing water deficit window 12. Tomato Fruiting stage Normal sowing window 13. Early Cruciferous vegetables Harvesting stage Normal sowing window 4. Radish and carrot Harvesting stage Normal sowing water deficit window 4. Radish and carrot Harvesting stage Normal sowing water deficit window 4. Radish and carrot Harvesting stage Normal sowing water deficit window 4. Radish and carrot Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 6. Onion Vegetative stage Normal sowing water deficit window	3. Kolasib	1. Winter Maize	Vegetative stage		water deficit
vegetables Window A. Radish and carrot Harvesting stage Normal sowing window		2. Tomato	Fruiting stage		water deficit
S. Green gram, black gram and French bean (After rice harvest)			Harvesting stage		water deficit
black gram and French bean (After rice harvest) 6. Pea and lentil (Low land rice fellow after rice harvest) 7. French bean Harvesting stage Normal sowing water deficit window 8. Potato Harvesting stage Normal sowing water deficit window 9. Cucurbitaceae crop 10. Bhindi Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing water deficit window 12. Tomato Fruiting stage Normal sowing water deficit window 13. Early Cruciferous vegetables 4. Radish and carrot Vegetative stage Normal sowing water deficit window 14. Lawngtlai Vegetative stage Normal sowing water deficit window 15. Capsicum Vegetative stage Normal sowing water deficit window Normal sowing water deficit window Vegetative stage Normal sowing water deficit window Normal sowing water deficit window		4. Radish and carrot	Harvesting stage		water deficit
(Low land rice fellow after rice harvest) 7. French bean Harvesting stage Normal sowing window 8. Potato Harvesting stage Sowing stage Pormal sowing window 9. Cucurbitaceae Crop 10. Bhindi Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing water deficit window 11. Winter Maize Vegetative stage Normal sowing window 1. Winter Maize Vegetative stage Normal sowing water deficit window 2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous vegetables 4. Radish and carrot 4. Radish and carrot Stage Normal sowing water deficit window Normal sowing water deficit window Normal sowing water deficit window Sowing stage Normal sowing water deficit window Normal sowing water deficit window Normal sowing water deficit window Sowing stage Normal sowing water deficit window Normal sowing window Sowing stage Normal sowing water deficit window Normal sowing window Normal sowing water deficit window Sowing water deficit window Normal sowing water deficit window Normal sowing window Normal sowing water deficit window		black gram and French bean	-		water deficit
7. French bean Harvesting stage Normal sowing window 8. Potato Harvesting stage Normal sowing window 9. Cucurbitaceae Sowing stage Normal sowing window 10. Bhindi Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing window 12. Tomato Fruiting stage Normal sowing window 2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous vegetables Harvesting stage window 4. Radish and Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 6. Onion Vegetative stage Normal sowing water deficit window 6. Onion Vegetative stage Normal sowing water deficit window 8. Potato Water deficit window 8. Potato Water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 8. Potato Water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window		(Low land rice fellow	-		water deficit
9. Cucurbitaceae Sowing stage Normal sowing water deficit window 10. Bhindi Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing window 11. Winter Maize Vegetative stage Normal sowing window 2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous vegetables Harvesting stage vegetables 4. Radish and carrot Vegetative stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 6. Onion Vegetative stage Normal sowing water deficit window 6. Onion Vegetative stage Normal sowing water deficit window 9. Cucurbitaceae Sowing stage Normal sowing water deficit window Water deficit water deficit window Water deficit water deficit window Normal sowing water deficit window Water deficit water deficit window Normal sowing water deficit window Normal sowing water deficit water deficit window Normal sowing water deficit window		7. French bean	Harvesting stage		water deficit
crop window water deficit window 10. Bhindi Sowing stage Normal sowing window 11. Cowpea Sowing stage Normal sowing window 1. Winter Maize Vegetative stage Normal sowing window 2. Tomato Fruiting stage Normal sowing window 3. Early Cruciferous Harvesting stage vegetables window 4. Radish and Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 6.Onion Vegetative stage Normal sowing water deficit window 6.Onion Vegetative stage Normal sowing water deficit		8. Potato	Harvesting stage		water deficit
### A. Lawngtlai 1. Winter Maize Vegetative stage 1. Winter Maize Vegetative stage Normal sowing water deficit window 2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous Harvesting stage window 4. Radish and carrot 4. Radish and Carrot Carpsicum Vegetative stage Vegetative stage Normal sowing water deficit window			Sowing stage		water deficit
4. Lawngtlai 1. Winter Maize Vegetative stage Normal sowing window 2. Tomato Fruiting stage Normal sowing window 3. Early Cruciferous Harvesting stage window 4. Radish and Harvesting stage window 5. Capsicum Vegetative stage Normal sowing water deficit window Normal sowing water deficit window Tomal sowing water deficit window Normal sowing window Normal sowing water deficit window Tomal sowing water deficit window Normal sowing water deficit window Normal sowing window Normal sowing water deficit window Normal sowing window Normal sowing water deficit window Normal sowing water deficit window		10. Bhindi	Sowing stage	window	water deficit
2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous regetables Harvesting stage window 4. Radish and carrot Carrot Vegetative stage Vegetative stage Normal sowing water deficit window Normal sowing water deficit window Vegetative stage Normal sowing water deficit window Normal sowing water deficit window Water deficit window Water deficit window		11. Cowpea	Sowing stage		water deficit
2. Tomato Fruiting stage Normal sowing water deficit window 3. Early Cruciferous regetables Harvesting stage window 4. Radish and carrot Carrot Vegetative stage Vegetative stage Normal sowing water deficit window Normal sowing water deficit window Vegetative stage Normal sowing water deficit window Normal sowing water deficit window Water deficit window Water deficit window					
3. Early Cruciferous Harvesting stage Normal sowing water deficit vegetables 4. Radish and Harvesting stage Normal sowing water deficit window 5. Capsicum Vegetative stage Normal sowing water deficit window 6.Onion Vegetative stage Normal sowing water deficit	4. Lawngtlai	1. Winter Maize	Vegetative stage		water deficit
vegetableswindow4. Radish and carrotHarvesting stage windowNormal sowing water deficit window5. CapsicumVegetative stage windowNormal sowing water deficit window6.OnionVegetative stage Normal sowing water deficit		2. Tomato	Fruiting stage		water deficit
carrot window 5. Capsicum Vegetative stage Normal sowing window 6. Onion Vegetative stage Normal sowing water deficit		vegetables	Harvesting stage	window	water deficit
6.Onion Vegetative stage Normal sowing water deficit			Harvesting stage	_	water deficit
		5. Capsicum	Vegetative stage		water deficit
		6.Onion	Vegetative stage	_	water deficit







	7. Green gram,	Pod development	Normal sowing	water deficit
	black gram and	stage	window	water deficit
	French bean	otage	Willdow	
	(After rice harvest)			
	8. French bean	Homzosting store	Normal carring	tan dafi ait
	8. French bean	Harvesting stage	Normal sowing window	water deficit
	9. Pea and lentil	Harvesting stage	Normal sowing	water deficit
	(Low land rice fellow		window	
	after rice harvest)			
	10. Potato	Harvesting stage	Normal sowing window	water deficit
	11. Cucurbitaceae crop	Sowing stage	Normal sowing window	water deficit
	12. Bhindi	Sowing stage	Normal sowing window	water deficit
	13. Cowpea	Sowing stage	Normal sowing window	water deficit
5. Lunglei	1. Tomato	Harvesting stage	Normal sowing window	water deficit
	2. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	water deficit
	3. Capsicum	Vegetative stage	Normal sowing window	water deficit
	4.Onion	Vegetative stage	Normal sowing window	water deficit
	5. Radish and carrot	Harvesting stage	Normal sowing window	water deficit
	6. Brussels sprout	Vegetative stage	Normal sowing window	water deficit
	7. Green gram, black gram and French bean (After rice harvest)	Harvesting stage	Normal sowing window	water deficit
	8. French bean	Harvesting stage	Normal sowing window	water deficit
	9. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	water deficit
	10. Potato	Harvesting stage	Normal sowing window	water deficit
	11. Cucurbitaceae crop	Sowing stage	Normal sowing window	water deficit
	12. Bhindi	Sowing stage	Normal sowing window	water deficit
	13. Cowpea	Sowing stage	Normal sowing window	water deficit
		7	. \	
6. Mamit	1. Winter Maize	Vegetative stage	Normal sowing window	water deficit
	2. Tomato	Fruiting stage	Normal sowing window	water deficit
	3. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	water deficit
	4.Onion	Transplanting stage	Normal sowing window	water deficit







			T.	1
	5. Radish and carrot	Harvesting stage	Normal sowing window	water deficit
	6. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	water deficit
	7. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	water deficit
	8. French bean	Harvesting stage	Normal sowing window	water deficit
	9. Potato	Harvesting stage	Normal sowing window	water deficit
	10. Cucurbitaceae crop	Sowing stage	Normal sowing window	water deficit
	11. Bhindi	Sowing stage	Normal sowing window	water deficit
	12. Cowpea	Sowing stage	Normal sowing window	water deficit
		<u> </u>		1
7. Saiha	1. Tomato	Harvesting stage	Normal sowing window	water deficit
	2. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	water deficit
	3.Onion	Vegetative stage	Normal sowing window	water deficit
	4. Radish and carrot	Harvesting stage	Normal sowing window	water deficit
	5. Brussels sprout	Vegetative stage	Normal sowing window	water deficit
	6. Green gram, black gram and French bean (After rice harvest)	Harvesting stage	Normal sowing window	water deficit
	7. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	water deficit
	8. French bean	Harvesting stage	Normal sowing window	water deficit
	9. Potato	Harvesting stage	Normal sowing window	water deficit
	10. Cucurbitaceae crop	Sowing stage	Normal sowing window	water deficit
	11. Bhindi	Sowing stage	Normal sowing window	water deficit
	12. Cowpea	Sowing stage	Normal sowing window	water deficit
8. Serchhip	1. Winter Maize	Vegetative stage	Normal sowing window	water deficit
	2. Tomato	Fruiting stage	Normal sowing window	water deficit
	3. Early Cruciferous	Harvesting stage	Normal sowing window	water deficit







vegetables			
4.Onion	Vegetative stage	Normal sowing window	water deficit
5. Radish and carrot	Harvesting stage	Normal sowing window	water deficit
6. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	water deficit
7. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	water deficit
8. French bean	Harvesting stage	Normal sowing window	water deficit
9. Potato	Harvesting stage	Normal sowing window	water deficit
10. Cucurbitaceae crop	Sowing stage	Normal sowing window	water deficit
11. Bhindi	Sowing stage	Normal sowing window	water deficit
12. Cowpea	Sowing stage	Normal sowing window	water deficit





ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica of			1
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	T <mark>echnical Offic</mark> er	samikchowdhury33@gmail.com
Chowdhury		(A SERV	mair (
Miss. J.	:	S <mark>cientist (Agril.</mark>	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL