



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Name of the AMFU- AMFU, Kolasib

Period- 07th March – 08th March, 2017

Crop Information No: - 64/2016/CIN/English

Date of issue: 06th March, 2017

Crop information/sowing status for AMFU's
(Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib		STATE: Mizoram		DATE: 06.03.2017
Name of TO : Samik Chowdhury			Contact number : 9862879062	
Name of districts	Major Post Kharif crops	Sowing status (whether sowing started/not started/complete d)	whether sowing is undertaken within the normal sowing window	Whether any stress condition existing
1. Aizawl	1. Winter Maize	Vegetative stage	Normal sowing window	Normal
	2. Tomato	Fruiting stage	Normal sowing window	Normal
	3. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	4. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	5. Onion	Vegetative stage	Normal sowing window	Normal
	6. Capsicum	Vegetative stage	Normal sowing window	Normal
	7. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	Normal
	8. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	9. French bean	Harvesting stage	Normal sowing window	Normal
	10. Potato	Harvesting stage	Normal sowing window	Normal
	11. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	12. Bhindi	Sowing stage	Normal sowing window	Normal
	13. Cowpea	Sowing stage	Normal sowing window	Normal
2. Champhai	1. Tomato	Harvesting stage	Normal sowing window	Normal
	2. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	3. Green gram, black gram and French bean (After rice harvest)	Harvesting stage	Normal sowing window	Normal
	4. Capsicum	Vegetative stage	Normal sowing window	Normal
	5. Onion	Vegetative stage	Normal sowing window	Normal



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	6. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	7. Brussels sprout	Vegetative stage	Normal sowing window	Normal
	8. French bean	Harvesting stage	Normal sowing window	Normal
	9. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	10. Potato	Harvesting stage	Normal sowing window	Normal
	11. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	12. Bhindi	Sowing stage	Normal sowing window	Normal
	13. Cowpea	Sowing stage	Normal sowing window	Normal
3. Kolasib	1. Winter Maize	Vegetative stage	Normal sowing window	Normal
	2. Tomato	Fruiting stage	Normal sowing window	Normal
	3. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	4. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	5. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	Normal
	6. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	7. French bean	Harvesting stage	Normal sowing window	Normal
	8. Potato	Harvesting stage	Normal sowing window	Normal
	9. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	10. Bhindi	Sowing stage	Normal sowing window	Normal
	11. Cowpea	Sowing stage	Normal sowing window	Normal
4. Lawngtlai	1. Winter Maize	Vegetative stage	Normal sowing window	Normal
	2. Tomato	Fruiting stage	Normal sowing window	Normal
	3. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	4. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	5. Capsicum	Vegetative stage	Normal sowing window	Normal
	6. Onion	Vegetative stage	Normal sowing window	Normal



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	7. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	Normal
	8. French bean	Harvesting stage	Normal sowing window	Normal
	9. Pea and lentil (Low land rice fellow after rice harvest)	Harvesting stage	Normal sowing window	Normal
	10. Potato	Harvesting stage	Normal sowing window	Normal
	11. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	12. Bhindi	Sowing stage	Normal sowing window	Normal
	13. Cowpea	Sowing stage	Normal sowing window	Normal
5. Lunglei	1. Tomato	Harvesting stage	Normal sowing window	Normal
	2. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	3. Capsicum	Vegetative stage	Normal sowing window	Normal
	4. Onion	Vegetative stage	Normal sowing window	Normal
	5. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	6. Brussels sprout	Vegetative stage	Normal sowing window	Normal
	7. Green gram, black gram and French bean (After rice harvest)	Harvesting stage	Normal sowing window	Normal
	8. French bean	Harvesting stage	Normal sowing window	Normal
	9. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	10. Potato	Harvesting stage	Normal sowing window	Normal
	11. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	12. Bhindi	Sowing stage	Normal sowing window	Normal
	13. Cowpea	Sowing stage	Normal sowing window	Normal
6. Mamit	1. Winter Maize	Vegetative stage	Normal sowing window	Normal
	2. Tomato	Fruiting stage	Normal sowing window	Normal
	3. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	4. Onion	Transplanting stage	Normal sowing window	Normal



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	5. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	6. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	Normal
	7. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	8. French bean	Harvesting stage	Normal sowing window	Normal
	9. Potato	Harvesting stage	Normal sowing window	Normal
	10. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	11. Bhindi	Sowing stage	Normal sowing window	Normal
	12. Cowpea	Sowing stage	Normal sowing window	Normal
7. Saiha	1. Tomato	Harvesting stage	Normal sowing window	Normal
	2. Early Cruciferous vegetables	Harvesting stage	Normal sowing window	Normal
	3. Onion	Vegetative stage	Normal sowing window	Normal
	4. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	5. Brussels sprout	Vegetative stage	Normal sowing window	Normal
	6. Green gram, black gram and French bean (After rice harvest)	Harvesting stage	Normal sowing window	Normal
	7. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	8. French bean	Harvesting stage	Normal sowing window	Normal
	9. Potato	Harvesting stage	Normal sowing window	Normal
	10. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	11. Bhindi	Sowing stage	Normal sowing window	Normal
	12. Cowpea	Sowing stage	Normal sowing window	Normal
8. Serchhip	1. Winter Maize	Vegetative stage	Normal sowing window	Normal
	2. Tomato	Fruiting stage	Normal sowing window	Normal
	3. Early Cruciferous	Harvesting stage	Normal sowing window	Normal



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	vegetables			
	4. Onion	Vegetative stage	Normal sowing window	Normal
	5. Radish and carrot	Harvesting stage	Normal sowing window	Normal
	6. Green gram, black gram and French bean (After rice harvest)	Pod development stage	Normal sowing window	Normal
	7. Pea and lentil (Low land rice fellow after rice harvest)	Pod development stage	Normal sowing window	Normal
	8. French bean	Harvesting stage	Normal sowing window	Normal
	9. Potato	Harvesting stage	Normal sowing window	Normal
	10. Cucurbitaceae crop	Sowing stage	Normal sowing window	Normal
	11. Bhindi	Sowing stage	Normal sowing window	Normal
	12. Cowpea	Sowing stage	Normal sowing window	Normal





GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	:	Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	:	Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkchawzawl@gmail.com	9436159788
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	:	Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	:	Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669

Compiled by

Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Miss. J. Vanlalhluzuali	:	Scientist (Agril. Extension)	mamijinhlong@gmail.com

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.