

# ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 03rd August - 05th August, 2018

Date of issue: 02<sup>nd</sup> August, 2018

Crop Information No: - 193/2018/CIN/English

## Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME:	AMFU, Kolasib	STATE: Mizoram	DATE: 02.08.20	18
Name of TO: S	Samik Chowdhury	-1	Contact number :	9862879062
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any
districts	crops	(whether sowing	is undertaken	stress
	_	started/not	within the	condition
		started/complete	normal sowing	existing
		d)	window	
1. Aizawl	1. Early Maize	Harvesting stage	Normal sowing	Normal
	, and the second		window	
	2. Kharif maize	Germination stage	Normal sowing	Normal
			window	
	3. Upland rice	Vegetative stage	Normal sowing	Normal
	-		window	
	4. Kharif rice	Transplanting	Normal sowing	Normal
		stage	window	
	5. Brinjal	Transplanting	Normal sowing	Normal
	J	stage	window	
	6. Cowpea	Harvesting stage	Normal sowing	Normal
	•		window	
	7. Chilli	Flowering to	Normal sowing	Normal
		fruiting stage	window	
	8. Bhindi	Fruiting to	Normal sowing	Normal
		harvesting stage	window	- 1,0
	9. Early	Harvesting stage	Normal sowing	Normal
	cucurbitaceous crop		window	1 (0111141
	10. Coffee	Berry (Fruit)	Normal sowing	Normal
		harvesting stage	window	1 (0111141
	11. Rubber	Vegetative stage	Normal sowing	Normal
			window	1 (0111141
	12. Ginger and	Vegetative stage	Normal sowing	Normal
	turmeric		window	1 (0111141
	13. Mandarin,	Nursery and gap	Normal sowing	Normal
	mango and Acid	filling stage	window	Tionnai
	lime			
	14. Passion fruit	Transplanting	Normal sowing	Normal
	1 1 (1001011 11 0110	stage	window	Tiornar
			AIHA V	
2. Champhai	1. Early Maize	Harvesting stage	Normal sowing	Normal
2. Champhai	1. Barry Waize	Trairesting stage	window	Tyorman
	2. Kharif maize	Germination stage	Normal sowing	Normal
	2. Main maize	derinination stage	window	Normai
	3. Upland rice	Vegetative stage	Normal sowing	Normal
	o. opiana nec	vegetative stage	window	Normai
	4. Kharif rice	Transplanting	Normal sowing	Normal
	., man nec	stage	window	Horman
	5. Brinjal	Transplanting	Normal sowing	Normal
	o. Dinijai	stage	window	rvormar
	6. Cowpea	Harvesting stage	Normal sowing	Normal
	o. compea	Tial vooling stage	window	Horman
	7. Chilli	Flowering to	Normal sowing	Normal
	7. Cillin	fruiting stage	window	TAOLIIIAI
		ir ururig stage	WIIIUUW	







	8. Bhindi	Fruiting to harvesting stage	Normal sowing window	Normal
	9. Early cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal
	10. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
	11. Rubber	Vegetative stage	Normal sowing window	Normal
	12. Ginger and turmeric	Vegetative stage	Normal sowing window	Normal
	13. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
	14. Passion fruit	Transplanting stage	Normal sowing window	Normal
	15. Strawberry	Transplanting stage	Normal sowing window	Normal
	OZ MAMI			
3. Kolasib	1. Early Maize	Harvesting stage	Normal sowing window	Normal
	2. Kharif maize	Germination stage	Normal sowing window	Normal
	3. Upland rice	Vegetative stage	Normal sowing window	Normal
	4. Kharif rice	Transplanting stage	Normal sowing window	Normal
	5. Brinjal	Transplanting stage	Normal sowing window	Normal
	6. Cowpea	Harvesting stage	Normal sowing window	Normal
	7. Chilli	Flowering to fruiting stage	Normal sowing window	Normal
	8. Bhindi	Fruiting to harvesting stage	Normal sowing window	Normal
	9. Early cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal
	10. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
	11. Rubber	Vegetative stage	Normal sowing window	Normal
	12. Ginger and turmeric	Vegetative stage	Normal sowing window	Normal
	13. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
	14. Passion fruit	Transplanting stage	Normal sowing window	Normal
		60 10	3.40	
4. Lawngtlai	1. Early Maize	Harvesting stage	Normal sowing window	Normal
	2. Kharif maize	Germination stage	Normal sowing window	Normal
	3. Upland rice	Vegetative stage	Normal sowing window	Normal
	4. Kharif rice	Transplanting stage	Normal sowing window	Normal
	5. Brinjal	Transplanting stage	Normal sowing window	Normal







6. Cowpea	Harvesting stage	Normal sowing window	Normal
7. Chilli	Flowering to fruiting stage	Normal sowing window	Normal
8. Bhindi	Fruiting to	Normal sowing window	Normal
9. Early	Harvesting stage	Normal sowing	Normal
10. Coffee	Berry (Fruit)	Normal sowing	Normal
11. Rubber	Vegetative stage	Normal sowing	Normal
12. Ginger and turmeric	Vegetative stage	Normal sowing	Normal
13. Mandarin, mango and Acid	Nursery and gap filling stage	Normal sowing window	Normal
14. Passion fruit	Transplanting stage	Normal sowing window	Normal
1	CHIZAVVI	CHAMPAL	1
1. Early Maize	Harvesting stage	Normal sowing window	Normal
2. Kharif maize	Germination stage	Normal sowing window	Normal
3. Upland rice	Vegetative stage	Normal sowing window	Normal
4. Kharif rice	Transplanting stage	window	Normal
5. Brinjal	Transplanting stage	Normal sowing window	Normal
6. Cowpea	Harvesting stage	Normal sowing window	Normal
7. Chilli	Flowering to fruiting stage	Normal sowing window	Normal
8. Bhindi	Fruiting to harvesting stage	Normal sowing window	Normal
9. Early cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal
10. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
11. Rubber	Vegetative stage	Normal sowing window	Normal
12. Ginger and turmeric	Vegetative stage	Normal sowing window	Normal
13. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
14. Passion fruit	Transplanting stage	Normal sowing window	Normal
15. Strawberry	Transplanting stage	Normal sowing window	Normal
1. Early Maize	Harvesting stage	Normal sowing window	Normal
2. Kharif maize	Germination stage	Normal sowing window	Normal
			Normal
	7. Chilli 8. Bhindi 9. Early cucurbitaceous crop 10. Coffee 11. Rubber 12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit  1. Early Maize 2. Kharif maize 3. Upland rice 4. Kharif rice 5. Brinjal 6. Cowpea 7. Chilli 8. Bhindi 9. Early cucurbitaceous crop 10. Coffee 11. Rubber 12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit 15. Strawberry	7. Chilli  8. Bhindi  9. Early cucurbitaceous crop 10. Coffee  11. Rubber  12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit  15. Brinjal  5. Brinjal  7. Chilli  7. Chilli  7. Chilli  7. Flowering to fruiting stage Harvesting stage Harvesting stage  12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit  15. Brinjal  75. Chilli  76. Cowpea  77. Chilli  78. Bhindi  79. Early cucurbitaceous crop 10. Coffee  10. Coffee  11. Rubber  12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit  15. Strawberry  16. Chilli  76. Cowgetative stage 17. Chilli  76. Chilli  77. Chilli  78. Berry (Fruit) harvesting stage Harvesting stage Harvesting stage 12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit  77. Chilli  78. Brinjal Transplanting stage	7. Chilli Flowering to fruiting stage 8. Bhindi Fruiting to harvesting stage 9. Early cucurbitaceous crop 10. Coffee Berry (Fruit) harvesting stage 11. Rubber Vegetative stage 12. Ginger and turmeric 13. Mandarin, mango and Acid lime 14. Passion fruit Transplanting stage  1. Early Maize Harvesting stage  1. Early Maize Flowering to window Vegetative stage Flowering to window Normal sowing window  Normal sowing window  Normal sowing window  Normal sowing window  Transplanting stage Normal sowing window  Normal sowing window







	4. Kharif rice	Transplanting stage	Normal sowing window	Normal
	5. Brinjal	Transplanting stage	Normal sowing window	Normal
	6. Cowpea	Harvesting stage	Normal sowing window	Normal
	7. Chilli	Flowering to fruiting stage	Normal sowing window	Normal
	8. Bhindi	Fruiting to harvesting stage	Normal sowing window	Normal
	9. Early cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal
	10. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
	11. Rubber	Vegetative stage	Normal sowing window	Normal
	12. Ginger and turmeric	Vegetative stage	Normal sowing window	Normal
	13. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
	14. Passion fruit	Transplanting stage	Normal sowing window	Normal
	100	- W	1	)
7. Saiha	1. Early Maize	Harvesting stage	Normal sowing window	Normal
	2. Kharif maize	Germination stage	Normal sowing window	Normal
	3. Upland rice	Vegetative stage	Normal sowing window	Normal
	4. Kharif rice	Transplanting stage	Normal sowing window	Normal
	5. Brinjal	Transplanting stage	Normal sowing window	Normal
	6. Cowpea	Harvesting stage	Normal sowing window	Normal
	7. Chilli	Flowering to fruiting stage	Normal sowing window	Normal
	8. Bhindi	Fruiting to harvesting stage	Normal sowing window	Normal
	9. Early cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal
	10. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
	11. Rubber	Vegetative stage	Normal sowing window	Normal
	12. Ginger and turmeric	Vegetative stage	Normal sowing window	Normal
	13. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
	14. Passion fruit	Transplanting stage	Normal sowing window	Normal
	15. Strawberry	Transplanting stage	Normal sowing window	Normal
0.0.111	1 D 1 17	TT	NT 1	37
8. Serchhip	1. Early Maize	Harvesting stage	Normal sowing window	Normal







2. Kharif maize	Germination stage	Normal sowing window	Normal
3. Upland rice	Vegetative stage	Normal sowing window	Normal
4. Kharif rice	Transplanting stage	Normal sowing window	Normal
5. Brinjal	Transplanting stage	Normal sowing window	Normal
6. Cowpea	Harvesting stage	Normal sowing window	Normal
7. Chilli	Flowering to fruiting stage	Normal sowing window	Normal
8. Bhindi	Fruiting to harvesting stage	Normal sowing window	Normal
9. Early cucurbitaceous crop	Harvesting stage	Normal sowing window	Normal
10. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
11. Rubber	Vegetative stage	Normal sowing window	Normal
12. Ginger and turmeric	Vegetative stage	Normal sowing window	Normal
13. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
14. Passion fruit	Transplanting stage	Normal sowing window	Normal





#### CAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





#### **Collaborating Department (KVK):**

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

#### Compiled by

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Technical Officer	samikchowdhury33@gmail.com
Chowdhury		SERC	HHIP (
Miss. J.	:	S <mark>cientist (Agri</mark> l.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	T. T.

#### Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

