

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM AGRICULTURE METEOROLOGICAL ETELD UNIT (AMEU)-KOLASI





Name of the AMFU- AMFU, Kolasib

Period- 16th February - 18th February, 2018

Crop Information No: - 152/2018/CIN/English

Date of issue: 15th February, 2018

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

(Should be sent biweekly on every Monday and Thursday) AMFU NAME: AMFU, Kolasib STATE: Mizoram DATE: 15.02.2018						
	Samik Chowdhury	STATE: MIZOTAIII	Contact number :			
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any		
districts	crops	(whether sowing	is undertaken	stress		
uistricts	crops	started/not	within the	condition		
		started/complete	normal sowing	existing		
		d)	window	Chisting		
1. Aizawl	1. Greengram,	Pod formation	Normal sowing	Water deficit		
	Blackgram and	stage	window	vv ator acrieft		
	soybean	233.65				
	2. Pea, Lentil and	Pod and siliqua	Normal sowing	Water deficit		
	Mustard	stage	window			
	3. Radish	Harvesting stage	Normal sowing	Water deficit		
			window			
	4. Brinjal	Fruiting to	Normal sowing	Water deficit		
	-	harvesting stage	window			
	5. Chilli	Fruiting to	Normal sowing	Water deficit		
		harvesting stage	window			
	6. Early crucifer	Harvesting stage	Normal sowing	Water deficit		
	vegetable		window			
	7. Tomato	Harvesting stage	Normal sowing	Water deficit		
			window			
	8. Coffee	Berry (Fruit)	Normal sowing	Water deficit		
		harvesting stage	window			
	9. Rubber	Vegetative stage Normal sowing		Water deficit		
	10.0	TT	window	XX 1 C 1		
	10. Ginger and	Harvesting stage Flushing stage Harvesting stage	Normal sowing	Water deficit		
	turmeric 11. Mandarin and		window Normal sowing	Water deficit		
	Acid lime		window	water deficit		
	12. Strawberry		Normal sowing	Water deficit		
	12. Strawberry	Traivesting stage	window	water deficit		
			WIIIGOW			
2. Champhai	1. Greengram,	Pod formation	Normal sowing	Water deficit		
2. Champhai	Blackgram and	stage	window	water deficit		
	soybean	Stage	WIIIGOW			
	2. Pea, Lentil and	Pod and siliqua	Normal sowing	Water deficit		
	Mustard	stage	window	vi ator derroit		
	3. Radish	Harvesting stage	Normal sowing	Water deficit		
			window			
	4. Brinjal	Fruiting to	Normal sowing	Water deficit		
	J	harvesting stage	window			
	5. Chilli	Fruiting to	Normal sowing	Water deficit		
		harvesting stage	window			
	6. Early crucifer	Harvesting stage	Normal sowing	Water deficit		
	vegetable		window			
	7. Tomato	Harvesting stage	Normal sowing	Water deficit		
			window			
	8. Ginger and	Vegetative stage	Normal sowing	Water deficit		
	turmeric		window			
	9. Mandarin and	Flushing stage	Normal sowing	Water deficit		



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	Acid lime		window	
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
	1. 1.	- 1	144	
3. Kolasib	Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
		Participation of the Participa	100	
4. Lawngtlai	Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing	Water deficit



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





			window	
	4.0			
5. Lunglei	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Ginger and turmeric	Vegetative stage	Normal sowing window	Water deficit
	9. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
		\~\	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	l .
6. Mamit	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
7 0.11	1 0	D- 1 C .:	NI 1	W-1 1 C
7. Saiha	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and	Pod and siliqua	Normal sowing	Water deficit



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	Mustard	stage	window	
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Ginger and turmeric	Vegetative stage	Normal sowing window	Water deficit
	9. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
		(- 6	
8. Serchhip	Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit





ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the		Programme Coordinator	KVK Email Id	Phone no/ Mobile
KVK		Name and Designation		no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica oj			7
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Technical Officer	samikchowdhury33@gmail.com
Chowdhury		SERU SERU	mair (
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	a ile Y

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLAL SAIHA