

ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Name of the AMFU- AMFU, Kolasib

Period- 23rd January - 24th January, 2018

Crop Information No: - 145/2018/CIN/English

Date of issue: 22nd January, 2018

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME:	Should be sent blwe AMFU. Kolasib	STATE: Mizoram	DATE: 22.01.20	•
	Samik Chowdhury	-/\	Contact number :	
Name of	Major Post Kharif	Sowing status	whether sowing	Whether any
districts	crops	(whether sowing	is undertaken	stress
		started/not	within the	condition
		started/complete	normal sowing	existing
		d)	window	
1. Aizawl	1. Greengram,	Pod formation	Normal sowing	Water deficit
	Blackgram and soybean	stage	window	
	2. Pea, Lentil and	Vegetative stage	Normal sowing	Water deficit
	Mustard	vegetative stage	window	water deficit
	3. Radish	Vegetative stage	Normal sowing	Water deficit
	o. radisii	rogotative stage	window	Water deficit
	4. Brinjal	Fruiting stage	Normal sowing	Water deficit
	J		window	
	5. Chilli	Fruiting stage	Normal sowing	Water deficit
			window	
	6. Early crucifer	Card formation	Normal sowing	Water deficit
	vegetable	stage	window	XX7 . 1 C' '.
	7. Tomato	Fruiting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit)	Normal sowing	Water deficit
	o. Conce	harvesting stage	window	water deficit
	9. Rubber	Vegetative stage	Normal sowing	Water deficit
			window	, ater derreit
	10. Ginger and	Harvesting stage	Normal sowing	Water deficit
	turmeric		window	
	11. Mandarin and	Fruit harvesting	Normal sowing	Water deficit
	Acid lime	stage	window	
	12. Strawberry	Fruiting stage	Normal sowing	Water deficit
			window	
O Obamahai	1 0	Dad farmation	N 1	VV-4 1-C4
2. Champhai	1. Greengram, Blackgram and	Pod formation	Normal sowing window	Water deficit
	soybean	stage	WIIIGOW	
	2. Pea, Lentil and	Vegetative stage	Normal sowing	Water deficit
	Mustard	vegetative stage	window	Water deficit
	3. Radish	Vegetative stage	Normal sowing	Water deficit
			window	
	4. Brinjal	Fruiting stage	Normal sowing	Water deficit
			window	
	5. Chilli	Fruiting stage	Normal sowing	Water deficit
	6 D 1 12	0.16	window	***
	6. Early crucifer	Card formation	Normal sowing	Water deficit
	vegetable 7. Tomata	stage	window Normal savvins	Water de Calif
	7. Tomato	Fruiting stage	Normal sowing window	Water deficit
	8. Ginger and	Vegetative stage	Normal sowing	Water deficit
	turmeric	rescialive stage	window	Water deficit
	9. Mandarin and	Harvesting stage	Normal sowing	Water deficit
				· · ditt dellett



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	Acid lime		window	
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Fruiting stage	Normal sowing window	Water deficit
	2.4	F	115%	I
3. Kolasib	Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Vegetative stage	Normal sowing window	Water deficit
	3. Radish	Vegetative stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Card formation stage	Normal sowing window	Water deficit
	7. Tomato	Fruiting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Fruit harvesting stage	Normal sowing window	Water deficit
	12. Strawberry	Fruiting stage	Normal sowing window	Water deficit
		THE RESIDENCE OF THE PARTY OF T	(6)	
4. Lawngtlai	Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Vegetative stage	Normal sowing window	Water deficit
	3. Radish	Vegetative stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Card formation stage	Normal sowing window	Water deficit
	7. Tomato	Fruiting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Fruit harvesting stage	Normal sowing window	Water deficit
	12. Strawberry	Fruiting stage	Normal sowing	Water deficit



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





			window	
5. Lunglei	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Vegetative stage	Normal sowing window	Water deficit
	3. Radish	Vegetative stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Card formation stage	Normal sowing window	Water deficit
	7. Tomato	Fruiting stage	Normal sowing window	Water deficit
	8. Ginger and turmeric	Vegetative stage	Normal sowing window	Water deficit
	9. Mandarin and Acid lime	Harvesting stage	Normal sowing window	Water deficit
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Fruiting stage	Normal sowing window	Water deficit
		1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1
6. Mamit	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Vegetative stage	Normal sowing window	Water deficit
	3. Radish	Vegetative stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Card formation stage	Normal sowing window	Water deficit
	7. Tomato	Fruiting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Fruit harvesting stage	Normal sowing window	Water deficit
	12. Strawberry	Fruiting stage	Normal sowing window	Water deficit
7 0.11	1 0	D- 1 f	NI 1	W-1 1 C
7. Saiha	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and	Vegetative stage	Normal sowing	Water deficit



ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





	Mustard		window	
	3. Radish	Vegetative stage	Normal sowing	Water deficit
			window	
	4. Brinjal	Fruiting stage	Normal sowing	Water deficit
			window	
	5. Chilli	Fruiting stage	Normal sowing	Water deficit
			window	
	6. Early crucifer	Card formation	Normal sowing	Water deficit
	vegetable	stage	window	
	7. Tomato	Fruiting stage	Normal sowing	Water deficit
			window	
	8. Ginger and	Vegetative stage	Normal sowing	Water deficit
	turmeric		window	
	9. Mandarin and	Harvesting stage	Normal sowing	Water deficit
	Acid lime		window	
	10. Coffee	Fruit harvesting	Normal sowing	Water deficit
		stage	window	
	11. Rubber	Vegetative stage	Normal sowing	Water deficit
			window	
	12. Strawberry	Fruiting stage	Normal sowing	Water deficit
			window	
		(
8. Serchhip	1. Greengram,	Pod formation	Normal sowing	Water deficit
	Blackgram and	stage	window	
	soybean			
	2. Pea, Lentil and	Vegetative stage	Normal sowing	Water deficit
	Mustard		window	
	3. Radish	Vegetative stage	Normal sowing	Water deficit
			window	
	4. Brinjal	Fruiting stage	Normal sowing	Water deficit
			window	
	5. Chilli	Fruiting stage	Normal sowing	Water deficit
			window	
	6. Early crucifer	Card formation	Normal sowing	Water deficit
	vegetable	stage	window	***
	7. Tomato	Fruiting stage	Normal sowing	Water deficit
	0.0.5	D (D :/)	window	XX 1 C 1
	8. Coffee	Berry (Fruit)	Normal sowing	Water deficit
	0 D 11	harvesting stage	window	XXX . 1 C' '.
	9. Rubber	Vegetative stage	Normal sowing	Water deficit
	10 Cingon and	Homrooting stage	window Normal savving	Water 1-C-:
	10. Ginger and	Harvesting stage	Normal sowing	Water deficit
	turmeric	Empit homeostics	window Normal savving	Water 1-C:-:
	11. Mandarin and	Fruit harvesting	Normal sowing window	Water deficit
	Acid lime 12. Strawberry	stage		Woton definit
	12. Strawberry	Fruiting stage	Normal sowing	Water deficit
		-	window	





ICAR RESEARCH COMPLEX FOR NEH REGION Mizoram Centre, Kolasib- 796081, MIZORAM





Collaborating Department (KVK):

Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

complica oj			7
Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.co
			<u>m</u>
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik	:	Technical Officer	samikchowdhury33@gmail.com
Chowdhury		SERU SERU	mair (
Miss. J.	:	Scientist (Agril.	mamijinhlong@gmail.com
Vanlalhluzuali		Extension)	a ile Y

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

LAWNGTLALS