



Name of the AMFU- AMFU, Kolasib

Period- 25th May – 27th May, 2018

Crop Information No: - 175/2018/CIN/English

Date of issue: 24th May, 2018

Crop information/sowing status for AMFU's (Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib STATE: Mizoram DATE: 24.05.2018					
Name of TO : S	9862879062				
Name of Major Post Kharif		Sowing status	whether sowing	Whether any	
districts	crops	(whether sowing	is undertaken	stress	
		started/not	within the	condition	
		started/complete	normal sowing	existing	
		d)	window	Ŭ	
1. Aizawl	1. Early Maize	Vegetative stage	Normal sowing	Normal	
	-		window		
	2. Upland rice	Sowing stage	Normal sowing	Normal	
			window		
	3. Brinjal	Nursery stage	Normal sowing	Normal	
			window		
	4. Cowpea	Vegetative stage	Normal sowing	Normal	
			window		
	5. Chilli	Nursery stage	Normal sowing	Normal	
			window		
	6. Bhindi	Fruiting stage	Normal sowing	Normal	
			window		
	7. Early	Vegetative stage	Normal sowing	Normal	
	cucurbitaceous crop		window		
	8. Coffee	Berry (Fruit)	Normal sowing	Normal	
	0.0.11	harvesting stage	window		
	9. Rubber	Vegetative stage	Normal sowing	Normal	
	11 Cingan and	Corrige a store	window Normal sowing	N	
	11. Ginger and turmeric	Sowing stage	window	Normal	
	12. Mandarin,	Nursery and gap	Normal sowing	Normal	
	mango and Acid	filling stage	window	Normai	
	lime	ming stage	window		
	mile	PV	N.		
2. Champhai	1. Early Maize	Vegetative stage	Normal sowing	Normal	
2. Champhai	1. Daily Maize	vegetative stage	window	Normai	
	2. Upland rice	Sowing stage	Normal sowing	Normal	
	2. optana nec	Sowing stage	window	rtormar	
	3. Brinjal	Nursery stage	Normal sowing	Normal	
	01 2111 jul	indicerj cuge	window	Tioninai	
	4. Cowpea	Vegetative stage	Normal sowing	Normal	
	Ĩ	0 0	window		
	5. Chilli	Nursery stage	Normal sowing	Normal	
			window		
	6. Bhindi	Fruiting stage	Normal sowing	Normal	
			window		
	7. Early	Vegetative stage	Normal sowing	Normal	
	cucurbitaceous crop		window		
	8. Coffee	Berry (Fruit)	Normal sowing	Normal	
		harvesting stage	window		
	9. Rubber	Vegetative stage	Normal sowing	Normal	
			window		
	11. Ginger and	Sowing stage	Normal sowing	Normal	
	turmeric		window		





	12. Mandarin,	Nursery and gap	Normal sowing	Normal
	mango and Acid	filling stage	window	
	lime	0 0		
		12	I	
3. Kolasib	1. Early Maize	Vegetative stage	Normal sowing	Normal
0. 11014515	1. Durly mulle	regetative stage	window	Ttormar
	2. Upland rice	Sowing stage	Normal sowing	Normal
	2. Opianu nee	Sowing stage	window	Normai
	2 Duinial	NT		NT
	3. Brinjal	Nursery stage	Normal sowing	Normal
	1.0	T T , , '	window) T 1
	4. Cowpea	Vegetative stage	Normal sowing	Normal
	7 01 111		window	
	5. Chilli	Nursery stage	Normal sowing	Normal
			window	
	6. Bhindi	Fruiting stage	Normal sowing	Normal
			window	
	7. Early	Vegetative stage	Normal sowing	Normal
	cucurbitaceous crop		window	
	8. Coffee	Berry (Fruit)	Normal sowing	Normal
		harvesting stage	window	
	9. Rubber	Vegetative stage	Normal sowing	Normal
			window	1 (0111111
	11. Ginger and	Sowing stage	Normal sowing	Normal
	turmeric	Sowing stage	window	romai
	12. Mandarin,	Nursery and gap	Normal sowing	Normal
	mango and Acid	filling stage	window	normai
	lime	ming stage	willdow	
	mie	(a.c.)		
	1 Denla Maine	Veretative stars	Norma el sorrite a	N
4. Lawngtlai	1. Early Maize	Vegetative stage	Normal sowing	Normal
			window	
	2. Upland rice	Sowing stage	Normal sowing	Normal
			window	
	3. Brinjal	Nursery stage	Normal sowing	Normal
			window	
	4. Cowpea	Vegetative stage	Normal sowing	Normal
			window	
	5. Chilli	Nursery stage	Normal sowing	Normal
			window	
	6. Bhindi	Fruiting stage	Normal sowing	Normal
		0 0	window	
	7. Early	Vegetative stage	Normal sowing	Normal
	cucurbitaceous crop		window	
	8. Coffee	Berry (Fruit)	Normal sowing	Normal
	0.001100	harvesting stage	window	Ttormar
	9. Rubber	Vegetative stage	Normal sowing	Normal
	9. Rubbei	Vegetative stage	window	normai
	11. Ginger and	Soming store	Normal sowing	Normal
	J	Sowing stage		normal
	turmeric	Name e 1	window	NT 1
	12. Mandarin,	Nursery and gap	Normal sowing	Normal
	mango and Acid	filling stage	window	
	lime			
5. Lunglei	1. Early Maize	Vegetative stage	Normal sowing	Normal
			window	
	2. Upland rice	Sowing stage	Normal sowing	Normal
		0 0	window	
	3. Brinjal	Nursery stage	Normal sowing	Normal





4. Cowpea	1 0 0		Normal
5. Chilli	Nursery stage	Normal sowing window	Normal
6. Bhindi	Fruiting stage	Normal sowing window	Normal
7. Early cucurbitaceous crop	Vegetative stage	Normal sowing window	Normal
8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
9. Rubber	Vegetative stage	Normal sowing window	Normal
11. Ginger and turmeric	Sowing stage	Normal sowing window	Normal
12. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
P MARMS	Ŧ	N	6
1. Early Maize	Vegetative stage	Normal sowing window	Normal
2. Upland rice	Sowing stage	Normal sowing window	Normal
3. Brinjal	Nursery stage	Normal sowing window	Normal
4. Cowpea	Vegetative stage	Normal sowing window	Normal
W		Normal sowing window	Normal
6. Bhindi	Fruiting stage	Normal sowing window	Normal
7. Early cucurbitaceous crop	Vegetative stage	Normal sowing window	Normal
8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
9. Rubber	Vegetative stage	Normal sowing window	Normal
11. Ginger and turmeric	Sowing stage	Normal sowing window	Normal
12. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
1. Early Maize	Vegetative stage	Normal sowing window	Normal
2. Upland rice	Sowing stage	Normal sowing window	Normal
3. Brinjal	Nursery stage	Normal sowing window	Normal
4. Cowpea	Vegetative stage	Normal sowing window	Normal
5. Chilli	Nursery stage	Normal sowing window	Normal
6. Bhindi	Fruiting stage	Normal sowing window	Normal
7. Early cucurbitaceous crop	Vegetative stage	Normal sowing window	Normal
8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
	1 5. Chilli 6. Bhindi 7. Early cucurbitaceous crop 8. Coffee 9. Rubber 11. Ginger and turmeric 12. Mandarin, mango and Acid mango and Acid 1. Early Maize 2. Upland rice 3. Brinjal 4. Cowpea 5. Chilli 6. Bhindi 7. Early Cucurbitaceous crop 8. Coffee 9. Rubber 11. Ginger and turmeric 12. Mandarin, mango and Acid 9. Rubber 11. Ginger and turmeric 12. Mandarin, mango and Acid 9. Rubber 11. Ginger and turmeric 12. Mandarin, mango and Acid 13. Brinjal 4. Cowpea 5. Chilli 3. Brinjal 4. Cowpea 3. Brinjal 4. Cowpea 5. Chilli 6. Bhindi 7. Early cucurbitaceous crop 6. Bhindi 7. Early cucurbitaceous crop 6. Bhindi 6. Bhindi 6. Bhindi	1.1.1.5. ChilliNursery stage6. BhindiFruiting stage7. Early cucurbitaceous cropVegetative stage8. CoffeeBerry (Fruit) harvesting stage9. RubberVegetative stage11. Ginger and turmericSowing stage12. Mandarin, mango and Acid limeNursery and gap filling stage11. Early MaizeVegetative stage2. Upland riceSowing stage3. BrinjalNursery stage4. CowpeaVegetative stage5. ChilliNursery stage6. BhindiFruiting stage7. Early cucurbitaceous cropBerry (Fruit) harvesting stage9. RubberVegetative stage11. Ginger and turmericSowing stage9. RubberVegetative stage11. Ginger and turmericSowing stage11. Ginger and turmericSowing stage11. Ginger and turmericSowing stage11. Ginger and turmericSowing stage11. Larly MaizeVegetative stage11. Early MaizeVegetative stage2. Upland riceSowing stage3. BrinjalNursery stage4. CowpeaVegetative stage3. BrinjalNursery stage6. BhindiFruiting stage7. Early cucurbitaceous cropVegetative stage6. BhindiFruiting stage7. Early cucurbitaceous cropVegetative stage6. BhindiFruiting stage7. Early cucurbitaceous cropVegetative stage <td>Image: start of the start of</td>	Image: start of the start of





	9. Rubber	Vegetative stage	Normal sowing window	Normal
	11. Ginger and turmeric	Sowing stage	Normal sowing window	Normal
	12. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal
	1.1	S.	5	
8. Serchhip	1. Early Maize	Vegetative stage	Normal sowing window	Normal
	2. Upland rice	Sowing stage	Normal sowing window	Normal
	3. Brinjal	Nursery stage	Normal sowing window	Normal
	4. Cowpea	Vegetative stage	Normal sowing window	Normal
	5. Chilli	Nursery stage	Normal sowing window	Normal
	6. Bhindi	Fruiting stage	Normal sowing window	Normal
	7. Early cucurbitaceous crop	Vegetative stage	Normal sowing window	Normal
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Normal
	9. Rubber	Vegetative stage	Normal sowing window	Normal
	11. Ginger and turmeric	Sowing stage	Normal sowing window	Normal
	12. Mandarin, mango and Acid lime	Nursery and gap filling stage	Normal sowing window	Normal

LUNGLEI LAWNGTLAU SAIHA





Collaborating Department (KVK):				
Name of the KVK		Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile
			1 11 1/1:10 1	no
KVK Lunglei	:	Dr. Lalmuanzovi	kvkhnahthial@gmail.com	9862803750
		Head & Sr. Scientist		9436154614
KVK, Kolasib	:	Mr. Lalrosamga Khiangte	kvkkolasib@gmail.com	9436152440
		Head & Sr. Scientist		
KVK, Serchhip	:	Mr. K. Laltlanmawia	kvkserchhip@gmail.com	9436146115
-		Head & Sr. Scientist		9615389293
KVK, Champhai	:	Mrs. Lalrinawmi	kvkkhawzawl@gmail.com	9436159788
· •		Renthlei		
		Head & Sr. Scientist		
KVK, Lawngtlai	:	Dr. Michel Lallawmkimi	kvklawntlai@gmail.com	9436155858
		Head & Sr. Scientist		
KVK, Saiha	:	Dr. Vanlalhruaia Hnampe	kvksaiha@gmail.com	8974656509
		Head & Sr. Scientist		
KVK, Mamit	:	Dr. Samuel Lalliansanga	kvkmamit@gmail.com	9436147625
		Head & Sr. Scientist		
KVK, Aizawl	:	Dr. K. P. Chaudhary	Kpchy@rediffmail.com	9436351669
		Head & Sr. Scientist	kvkaizawl@rediffmail.com	

Compiled by

Dr. S.B. Singh	: Joint Director <u>bas</u> m	antasinghsoibam@rediffmail.co
Dr. Saurav Saha		ravs.saha@gmail.com
Mr. Samik Chowdhury	: Technical Officer sam	ikchowdhury33@gmail.com
Miss. J.	: Scientist (Agril. mar	nijinhlong@gmail.com
Vanlalhluzuali	Extension)	di l

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.

