



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Champhai

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15th January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	11	11	11	11	11
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	25	22	22	28	20
Wind Speed (KmPH)	4.2	4.4	4	4.7	3.8
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 16°-18°C Minimum Tem. (°C): 04°-06°C Maximum RH (%): 68-78% Minimum RH (%): 29-38% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.74 km/hr Rainfall: 0.0 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 27°C a ni ang a. A vawh lai ber in 11°C ni tura beisei a ni. RH san lai berin 89% leh a hniam lai berin 20-28% ni tur a rin niin. Thli hi darkar khatah 3.8-4.7 km vela chakin thlanglam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm

NDVI for Mizoram		Mildly dry condition occurs in all districts of Mizoram.
------------------	--	--



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> ✚ Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. ✚ Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. ✚ Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. ✚ A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> ✚ Temperture hniat lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> ✚ Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jeggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> ✚ Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. ✚ A chi hi December – January ah hmuun zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. ✚ Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. ✚ Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. ✚ Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Harvesting Stage			
			<ul style="list-style-type: none">■ Coffe rah hmin hi thlasik laiin an seng thin a ni.■ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.
		Coffee Berry borer	<ul style="list-style-type: none">■ A hun takah leh fimkhur taka seng tur ani.■ Hmai hneih nuaih loh tur ani.■ Sneg hmai te lakkawma pah vek tur ani.■ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.■ A thlai vennan a rah tlai ho chu pah vek tur ani.■ Hmun dam lutukah dah loh tur.■ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.■ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.■ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">■ Vaimim chinna tur atan lei kan let phut darh anga.■ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.■ A chi chu kan lei leh saah chuan kan dah ang.■ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.■ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.■ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			K ₂ O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnime leh thildanga khuh tur ani.
Potato	Sowing stage		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaih vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawah dah tur ani. ✚ Zikhlem lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>awm thin a , hei hi natna tlanglawn ber ani.</p> <ul style="list-style-type: none">■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
Onion and capsicum	Nursery stage	Poly house	<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawhah dah tur ani.■ Thlai chhina hmun (nursery) hi hnime a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight	<ul style="list-style-type: none">■ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani■ Hneh taka 1% Bordeaux chawhpawlh emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none">■ Tui pek a hninhah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani.■ A than duna theih nan leh hnime to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani.■ Zikhlm lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani.■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



ANIMAL HUSBENDARY

Pig	All stages	 KOLASIB MAMIT CHAMPAIKHAN	<ul style="list-style-type: none">Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an mamawhna a sang bik ani.An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnua pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group	 SERCHHIP LUNGEI LAWNGTLAI	<ul style="list-style-type: none">Hun rei tak khua a ro avanga hnime hnah hrung peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">Black Quarter Vaccine (BQV).Vaccine hmasa ber hi thla 6 ah emaw a hnu lamah pek tur.Chumi hnuah chuan Vaccine hi kumtin pek tur ani.
Poultry	Litter management	 LAWNGTLAI SAITA	<ul style="list-style-type: none">Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thienghlim an mamawh tawk an hmu tur ani a.An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<ul style="list-style-type: none">+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a, an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Kolasib

Period: 16thJanuary–20thJanuary, 2019


Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	29	29	29	29	29
Min Temp (°C)	12	12	12	12	12
Cloud Coverage	Clear sky				
Max RH (%)	85	85	85	85	85
Min RH (%)	32	30	27	32	32
Wind Speed (KmPH)	3.5	4.8	3.6	3.5	3.4
*Wind Direction	S-E	S-E	S-E	S-E	S-E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.
Maximum Tem. (°C): 18-20°C Minimum Tem. (°C): 10-12°C Maximum RH (%): 75-82% Minimum RH (%): 24-35% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.24 km/hr Rainfall: 0.0 mm	There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 29°C and 12°C. Maximum relative humidity is expected in the range of 85% and minimum may from 27-32%. Wind direction would be southeasterly with the wind speed of 3.4-4.8 km per hour. Mainly clear sky will prevail during the next five days. Weekly cumulative rainfall: 0.0 mm



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at \leq 14% moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Tomato, crucifer, onion, brinjal and chill	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">⊕ Earthing up soil near base of the plant.⊕ Apply split dose of fertilizer.⊕ Don't irrigate any crop.⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none">⊕ Apply irrigation in every alternate day.⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none">⊕ Possibility of rain will be very less. So provide water every alternate day.⊕ Weeding should be done.⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done.⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none">⊕ Provide preventive dose of anti-coccidial drugs to poultry.⊕ Proper ventilation of shed.⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water⊕ Avoid overcrowding.⊕ Vaccination as per the schedule with proper consultation with vet.<ul style="list-style-type: none">➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



District: Kolasib

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15st January, 2019


Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	26	26	25	25	24
Min Temp (°C)	11	10	10	10	9
Cloud Coverage	Clear sky				
Max RH (%)	98	96	88	95	94
Min RH (%)	42	41	37	41	39
Wind Speed (KmpH)	3	3.1	3.2	3.1	3.3
*Wind Direction	S-E	S-E	S-E	S-E	S-E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 18°-20°C Minimum Tem. (°C): 10-12°C Maximum RH (%): 75-82% Minimum RH (%): 24-35% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.24 km/hr Rainfall: 0.0 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 29°C a ni ang a. A vawh lai berin 12°C ni tura beisei a ni. RH san lai berin 85% leh a hniam lai berin 27-32% ni tur a rin niin. Thli hi darkar khatah 3.4-4.8 km vela chakin chhaklam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm





GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> ✚ Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hrung tlai bul velah dakhawm tur ani. ✚ Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. ✚ Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. ✚ A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> ✚ Temperture hniat lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> ✚ Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jaggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> ✚ Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. ✚ A chi hi December – January ah hmuun zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. ✚ Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. ✚ Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. ✚ Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Harvesting Stage			
			<ul style="list-style-type: none">■ Coffe rah hmin hi thlasik laiin an seng thin a ni.■ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.
		Coffee Berry borer	<ul style="list-style-type: none">■ A hun takah leh fimkhur taka seng tur ani.■ Hmaih neih nuaih loh tur ani.■ Sneg hmaih te lakkawma pah vek tur ani.■ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.■ A thlai vennan a rah tlai ho chu pah vek tur ani.■ Hmun dam lutukah dah loh tur.■ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.■ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.■ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">■ Vaimim chinna tur atan lei kan let phut darh anga.■ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.■ A chi chu kan lei leh saah chuan kan dah ang.■ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.■ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.■ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			K ₂ O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnime leh thildanga khuh tur ani.
Potato	Sowing stage		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaih vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawah dah tur ani. ✚ Zikhlem lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>awm thin a , hei hi natna tlanglawn ber ani.</p> <ul style="list-style-type: none">■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
Onion and capsicum	Nursery stage	Poly house	<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Thlai bul vawn hnawn nana thlai bula hnime ring vawn khawm hi tui pek zawhah dah tur ani.■ Thlai chhina hmun (nursery) hi hnime a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight	<ul style="list-style-type: none">■ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani■ Hneh taka 1% Bordeaux chawhpawlh emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none">■ Tui pek a hninhah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani.■ A than duna theih nan leh hnime to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani.■ Zikhlm lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani.■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



ANIMAL HUSBENDARY

Pig	All stages	 KOLASIB MAMIT CHAMPAIKHAN	<ul style="list-style-type: none">Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an mamawhna a sang bik ani.An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnuah pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group	 SERCHHIP LUNGEI LAWNGTLAI	<ul style="list-style-type: none">Hun rei tak khua a ro avanga hnime hnah hrung peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">Black Quarter Vaccine (BQV).Vaccine hmasa ber hi thla 6 ah emaw a hnuah lamah pek tur.Chumi hnuah chuan Vaccine hi kumtin pek tur ani.
Poultry	Litter management	 LAWNGTLAI SAITA	<ul style="list-style-type: none">Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thienghlim an mamawh tawk an hmu tur ani a.An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<ul style="list-style-type: none">+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a, an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsobam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Lawngtlai

Period: 16thJanuary–20thJanuary, 2019


Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	9	9	9	9	9
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	26	30	29	26	28
Wind Speed (KmpH)	4.8	3.9	3.6	3.6	3.7
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.
Maximum Tem. (°C): 16°-19°C Minimum Tem. (°C): 07°-10°C Maximum RH (%): 67-75% Minimum RH (%): 28-39% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.34 km/hr Rainfall: 0.0 mm	There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 27°C and 9°C. Maximum relative humidity is expected in the range of 89% and minimum may from 26-30%. Wind direction would be easterly with the wind speed of 3.6-4.8 km per hour. Clear sky will prevail during the next five days. Weekly cumulative rainfall: 0.0 mm



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at \leq 14% moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Tomato, crucifer, onion, brinjal and chilli	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none"> ⊕ Earthing up soil near base of the plant. ⊕ Apply split dose of fertilizer. ⊕ Don't irrigate any crop. ⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none"> ⊕ Apply irrigation in every alternate day. ⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none"> ⊕ Possibility of rain will be very less. So provide water every alternate day. ⊕ Weeding should be done. ⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done. ⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none"> ⊕ Provide preventive dose of anti-coccidial drugs to poultry. ⊕ Proper ventilation of shed. ⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water ⊕ Avoid overcrowding. ⊕ Vaccination as per the schedule with proper consultation with vet. <ul style="list-style-type: none"> ➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Lawngtlai

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15th January, 2019


Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	26	24	24	24	23
Min Temp (°C)	11	10	10	10	10
Cloud Coverage	Clear sky	Clear sky	Clear sky	Mainly clear	Clear sky
Max RH (%)	81	78	84	80	72
Min RH (%)	34	34	31	33	28
Wind Speed (KmpH)	3.4	3.4	3.5	3.4	4.1
*Wind Direction	E	N-E	E	N-E	N-E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 16°-19°C Minimum Tem. (°C): 07°-10°C Maximum RH (%): 67-75% Minimum RH (%): 28-39% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.34 km/hr Rainfall: 0.0 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 27°C a ni ang a. A vawh lai ber in 90°C ni tura beisei a ni. RH san lai berin of 89% leh a hniam lai berin 26-30% ni tur a rin niin. Thli hi darkar khatah 3.6-4.8 km vela chakin chhaklam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm





GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> ✚ Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. ✚ Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. ✚ Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. ✚ A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> ✚ Temperture hniat lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> ✚ Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jeggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> ✚ Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. ✚ A chi hi December – January ah hmuin zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. ✚ Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. ✚ Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. ✚ Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Harvesting Stage			
			<ul style="list-style-type: none">■ Coffe rah hmin hi thlasik laiin an seng thin a ni.■ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.
			<ul style="list-style-type: none">■ A hun takah leh fimkhur taka seng tur ani.■ Hmaih neih nuaih loh tur ani.■ Sneg hmaih te lakkhawma pah vek tur ani.■ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.■ A thlai vennan a rah tlai ho chu pah vek tur ani.■ Hmun dam lutukah dah loh tur.■ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.■ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.■ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">■ Vaimim chinna tur atan lei kan let phut darh anga.■ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.■ A chi chu kan lei leh saah chuan kan dah ang.■ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.■ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.■ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			K ₂ O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnime leh thildanga khuh tur ani.
Potato	Sowing stage		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaih vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawah dah tur ani. ✚ Zikhlem lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>awm thin a , hei hi natna tlanglawn ber ani.</p> <ul style="list-style-type: none">■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
Onion and capsicum	Nursery stage	Poly house	<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Thlai bul vawn hnawn nana thlai bula hnime ring vawn khawm hi tui pek zawhah dah tur ani.■ Thlai chhina hmun (nursery) hi hnime a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight	<ul style="list-style-type: none">■ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani■ Hneh taka 1% Bordeaux chawhpawlh emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none">■ Tui pek a hninhah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani.■ A than duna theih nan leh hnime to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani.■ Zikhlm lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani.■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



ANIMAL HUSBENDARY

Pig	All stages	 KOLASIB MAMIT CHAMPAI	<ul style="list-style-type: none">Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an mamawhna a sang bik ani.An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnuah pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group	 SERCHHIP LUNGLEI LAWNGTLAI	<ul style="list-style-type: none">Hun rei tak khua a ro avanga hnime hnah hrung peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">Black Quarter Vaccine (BQV).Vaccine hmasa ber hi thla 6 ah emaw a hnuah lamah pek tur.Chumi hnuah chuan Vaccine hi kumtin pek tur ani.
Poultry	Litter management	 LAWNGTLAI SAITA	<ul style="list-style-type: none">Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thienglim an mamawh tawk an hmu tur ani a.An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<ul style="list-style-type: none">+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a, an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Lunglei

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	28	28	28	28	28
Min Temp (°C)	10	10	10	10	10
Cloud Coverage	Clear sky				
Max RH (%)	85	85	85	85	85
Min RH (%)	27	29	29	29	26
Wind Speed (KmpH)	4.7	3.8	3.9	4	4
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.	
Maximum Tem. (°C): 16°-17°C Minimum Tem. (°C): 06°-08°C Maximum RH (%): 64-77% Minimum RH (%): 29-41% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.24 km/hr Rainfall: 0.0 mm	<p>There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 28°C and 10°C. Maximum relative humidity is expected in the range of 85% and minimum may from 26-29%. Wind direction would be easterly with the wind speed of 4.0-4.7 km per hour. Clear sky will prevail during the next five days.</p> <p>Weekly cumulative rainfall: 0.0 mm</p>	
NDVI for Mizoram		Dry condition occurs in all districts of Mizoram.
Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases
Cereals		Agricultural / Horticultural/ animal husbandry advisories



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at $\leq 14\%$ moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			







GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Tomato, crucifer, onion, brinjal and chill	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">⊕ Earthing up soil near base of the plant.⊕ Apply split dose of fertilizer.⊕ Don't irrigate any crop.⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none">⊕ Apply irrigation in every alternate day.⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none">⊕ Possibility of rain will be very less. So provide water every alternate day.⊕ Weeding should be done.⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done.⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none">⊕ Provide preventive dose of anti-coccidial drugs to poultry.⊕ Proper ventilation of shed.⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water⊕ Avoid overcrowding.⊕ Vaccination as per the schedule with proper consultation with vet.<ul style="list-style-type: none">➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Lunglei

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15th January, 2019


Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	26	25	26	26	24
Min Temp (°C)	11	10	11	10	10
Cloud Coverage	Clear sky	Clear sky	Clear sky	Mainly clear	Clear sky
Max RH (%)	84	80	89	84	81
Min RH (%)	33	31	29	31	27
Wind Speed (KmPH)	3.6	3.5	3.6	3.6	4
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 16°-17°C Minimum Tem. (°C): 06°-08°C Maximum RH (%): 64-77% Minimum RH (%): 29-41% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.24 km/hr Rainfall: 0.0 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 28°C a ni ang a. A vawh lai ber in 10°C ni tura beisei a ni. RH san lai berin 85% leh a hniam lai berin 26-29% ni tur a rin niin. Thli hi darkar khatah 4.0-4.7 km vela chakin chhaklam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawduri deuh hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm





GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> ✚ Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. ✚ Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. ✚ Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. ✚ A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> ✚ Temperture hniat lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> ✚ Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jeggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> ✚ Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. ✚ A chi hi December – January ah hmuun zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. ✚ Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. ✚ Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. ✚ Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Harvesting Stage			
			<ul style="list-style-type: none">■ Coffe rah hmin hi thlasik laiin an seng thin a ni.■ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani. <ul style="list-style-type: none">■ A hun takah leh fimkhur taka seng tur ani.■ Hmai hneih nuaih loh tur ani.■ Sneg hmai te lakkawma pah vek tur ani.■ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.■ A thlai vennan a rah tlai ho chu pah vek tur ani.■ Hmun dam lutukah dah loh tur.■ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.■ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.■ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
		Coffee Rust	<ul style="list-style-type: none">■ Natna hrik in a khawih tawh a hnah leh a dang te pahpahai vek tur ani.■ Bordeaux mixture 0.5% in February - March (Pre-bloom) a kah phawt a, Oxycarboxin 0.03% in May - June (Pre-monsoon) ah kah chhunzawm tur ani.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">■ Vaimim chinna tur atan lei kan let phut darh anga.■ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.■ A chi chu kan lei leh saah chuan kan dah ang.■ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.■ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.■ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			K ₂ O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnime leh thildanga khuh tur ani.
Potato	Sowing stage		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaih vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawah dah tur ani. ✚ Zikhlem lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>awm thin a , hei hi natna tlanglawn ber ani.</p> <ul style="list-style-type: none">■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
Onion and capsicum	Nursery stage	Poly house	<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawhah dah tur ani.■ Thlai chhina hmun (nursery) hi hnime a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight	<ul style="list-style-type: none">■ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani■ Hneh taka 1% Bordeaux chawhpawlh emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none">■ Tui pek a hninhah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani.■ A than duna theih nan leh hnime to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani.■ Zikhlm lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani.■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



ANIMAL HUSBENDARY

Pig	All stages	 KOLASIB MAMIT CHAMPAIKHAN	<ul style="list-style-type: none">Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an mamawhna a sang bik ani.An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnuah pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group	 SERCHHIP LUNGEI LAWNGTLAI	<ul style="list-style-type: none">Hun rei tak khua a ro avanga hnime hnah hrung peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">Black Quarter Vaccine (BQV).Vaccine hmasa ber hi thla 6 ah emaw a hnuah lamah pek tur.Chumi hnuah chuan Vaccine hi kumtin pek tur ani.
Poultry	Litter management	 LAWNGTLAI SAITA	<ul style="list-style-type: none">Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thiangothlim an mamawh tawk an hmu tur ani a.An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<ul style="list-style-type: none">+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a, an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsobam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Mamit

Period: 16thJanuary–20thJanuary, 2019


Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	25	25	25	25	25
Min Temp (°C)	9	9	9	9	9
Cloud Coverage	Clear sky				
Max RH (%)	79	79	79	79	79
Min RH (%)	31	30	31	30	30
Wind Speed (KmpH)	4	4.2	3.7	3.5	3.3
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.
Maximum Tem. (°C): 21°-23°C Minimum Tem. (°C): 11°-12°C Maximum RH (%): 67-72% Minimum RH (%): 31-44% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.48 km/hr Rainfall: 0.00 mm	There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 25°C and 9°C. Maximum relative humidity is expected in the range of 79% and minimum may from 30-31%. Wind direction would be easterly with the wind speed of 3.3-4.2 km per hour. Clear sky will prevail during the next five days. Weekly cumulative rainfall: 0.0 mm



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at \leq 14% moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage.
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Tomato, crucifer, onion, brinjal and chill	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">⊕ Earthing up soil near base of the plant.⊕ Apply split dose of fertilizer.⊕ Don't irrigate any crop.⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none">⊕ Apply irrigation in every alternate day.⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none">⊕ Possibility of rain will be very less. So provide water every alternate day.⊕ Weeding should be done.⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done.⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none">⊕ Provide preventive dose of anti-coccidial drugs to poultry.⊕ Proper ventilation of shed.⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water⊕ Avoid overcrowding.⊕ Vaccination as per the schedule with proper consultation with vet.<ul style="list-style-type: none">➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Mamit

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15th January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	26	26	26	25	24
Min Temp (°C)	12	11	10	11	10
Cloud Coverage	Clear sky				
Max RH (%)	96	96	87	90	92
Min RH (%)	37	37	35	36	35
Wind Speed (KmPH)	3	2.9	3.3	3	3.5
*Wind Direction	S-E	E	E	S-E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C):21°-23°C Minimum Tem. (°C):11°-12°C Maximum RH (%):67-72% Minimum RH (%):31-44% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.48 km/hr Rainfall: 0.00 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 25°C a ni ang a. A vawh lai berin 9°C ni tura beisei a ni. RH san lai berin 79% leh a hniam lai berin 30-31% ni tur a rin niin. Thli hi darkar khatah 3.3-4.2 km vela chakin thlanglam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm

NDVI for Mizoram		Mildly dry condition occurs in all districts of Mizoram.
------------------	--	--

Main Crop/	Stage	Cultural	Agricultural / Horticultural/ animal
------------	-------	----------	--------------------------------------



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

**(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)**



Animal /Fisheries		practices/ Pest/ Diseases	husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH			
		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> Temperture hniam lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jaggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. A chi hi December – January ah hmun zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani. <p>Harvesting Stage</p> <ul style="list-style-type: none"> Coffe rah hmin hi thlasik laiin an seng



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



		 Coffee Berry borer	<p>thin a ni.</p> <ul style="list-style-type: none">✚ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.✚ A hun takah leh fimkhur taka seng tur ani.✚ Hmai hneih nuaih loh tur ani.✚ Sneg hmai te lakkawma pah vek tur ani.✚ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.✚ A thlai vennan a rah tlai ho chu pah vek tur ani.✚ Hmun dam lutukah dah loh tur.✚ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.✚ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.✚ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
		 Coffee Rust	<ul style="list-style-type: none">✚ Natna hrik in a khawih tawh a hnah leh a dang te pahpah vek tur ani.✚ Bordeaux mixture 0.5% in February - March (Pre-bloom) a kah phawt a, Oxycarboxin 0.03% in May - June (Pre-monsoon) ah kah chhunzawm tur ani.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun	 Lunglei Lawngtlai Saiha	<ul style="list-style-type: none">✚ Vaimim chinna tur atan lei kan let phut darh anga.✚ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.✚ A chi chu kan lei leh saah chuan kan dah ang.✚ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.✚ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.✚ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh K₂O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			<p>hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.</p> <ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnimeh leh thildanga khuh tur ani.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage 	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnimeh leh thildanga khuh tur ani.
Potato	Sowing stage 		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaib vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease 		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease 		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnimeh ring vawm khawm hi tui pek zawhah dah tur ani. ✚ Zikhulum lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn awm thin a , hei hi natna tlanglawn ber ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Onion and capsicum	Nursery stage	Poly house 	<ul style="list-style-type: none"> ✚ Thlai hna lam chi leh zikhluam lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnim ring vawm khawm hi tui pek zawahah dah tur ani. ✚ Thlai chhina hmun (nursery) hi hnim a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight 	<ul style="list-style-type: none"> ✚ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani ✚ Hneh taka 1% Bordeaux chawhpawlhi emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none"> ✚ Tui pek a hnihnah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani. ✚ A than duna theih nan leh hnim to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani. ✚ Zikhluam lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani. ✚ Thlai hna lam chi leh zikhluam lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
ANIMAL HUSBENDARY			
Pig	All stages		<ul style="list-style-type: none"> ✚ Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>mamawhna a sang bik ani.</p> <ul style="list-style-type: none">+ An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..+ Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	2. SF vaccines hi thla 2 hnuah pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group		<ul style="list-style-type: none">• Hun rei tak khua a ro avanga hnime hnah hring peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">• Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">• Black Quarter Vaccine (BQV).❖ Vaccinne hmasa ber hi thla 6 ah emaw a hnu lamah pek tur.❖ Chumi hnuah chuan Vaccine hi kum tin pek tur ani.
Poultry	Litter management		<ul style="list-style-type: none">+ Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thianghlim an mamawh tawk an hmu tur ani a.+ An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a,




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsobam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Saiha

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	10	10	10	10	10
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	25	28	27	23	23
Wind Speed (KmpH)	4.9	4.1	4.2	4.2	4.2
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.		
Maximum Tem. (°C): 14°-17°C Minimum Tem. (°C): 04°-07°C Maximum RH (%): 62-81% Minimum RH (%): 34-42% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.16 km/hr Rainfall: 0.0 mm	There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 27°C and 10°C. Maximum relative humidity is expected in the range of 89% and minimum may from 23-27%. Wind direction would be easterly with the wind speed of 4.1-4.9 km per hour. Clear sky will prevail during the next five days.		
	Weekly cumulative rainfall: 0.0 mm		
NDVI for Mizoram			
Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at \leq 14% moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Tomato, crucifer, onion, brinjal and chill	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none"> ⊕ Earthing up soil near base of the plant. ⊕ Apply split dose of fertilizer. ⊕ Don't irrigate any crop. ⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none"> ⊕ Apply irrigation in every alternate day. ⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none"> ⊕ Possibility of rain will be very less. So provide water every alternate day. ⊕ Weeding should be done. ⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done. ⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none"> ⊕ Provide preventive dose of anti-coccidial drugs to poultry. ⊕ Proper ventilation of shed. ⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water ⊕ Avoid overcrowding. ⊕ Vaccination as per the schedule with proper consultation with vet. <ul style="list-style-type: none"> ➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Saiha

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15st January, 2019


Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	26	25	25	25	23
Min Temp (°C)	11	10	11	10	9
Cloud Coverage	Clear sky	Clear sky	Clear sky	Mainly clear	Clear sky
Max RH (%)	73	72	83	75	69
Min RH (%)	27	28	25	26	24
Wind Speed (KmPH)	4	3.8	4	3.9	4.1
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 14°-17°C Minimum Tem. (°C): 04°-07°C Maximum RH (%): 62-81% Minimum RH (%): 34-42% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.16 km/hr Rainfall: 0.0 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 27°C a ni ang a. A vawh lai ber in 10°C ni tura beisei a ni. RH san lai berin of 89% leh a hniam lai berin 23-27% ni tur a rin niin. Thli hi darkar khatah 4.1-4.9 km vela chakin chhimlam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm



Main Crop/	Stage	Cultural	Agricultural / Horticultural/ animal
------------	-------	----------	--------------------------------------



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Animal /Fisheries		practices/ Pest/ Diseases	husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH			
		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> Temperture hniam lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jaggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. A chi hi December – January ah hmun zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani. <p>Harvesting Stage</p> <ul style="list-style-type: none"> Coffe rah hmin hi thlasik laiin an seng




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>thin a ni.</p> <ul style="list-style-type: none">⊕ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.⊕ A hun takah leh fimkhur taka seng tur ani.⊕ Hmaih neih nuaih loh tur ani.⊕ Sneg hmaih te lakkhawma pah vek tur ani.⊕ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.⊕ A thlai vennan a rah tlai ho chu pah vek tur ani.⊕ Hmun dam lutukah dah loh tur.⊕ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.⊕ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.⊕ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
			<ul style="list-style-type: none">⊕ Natna hrik in a khawih tawh a hnah leh a dang te pahpah vek tur ani.⊕ Bordeaux mixture 0.5% in February - March (Pre-bloom) a kah phawt a, Oxycarboxin 0.03% in May - June (Pre-monsoon) ah kah chhunzawm tur ani.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">⊕ Vaimim chinna tur atan lei kan let phut darh anga.⊕ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.⊕ A chi chu kan lei leh saah chuan kan dah ang.⊕ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.⊕ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.⊕ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh K₂O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			<p>hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.</p> <ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnimeh leh thildanga khuh tur ani.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage 	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnimeh leh thildanga khuh tur ani.
Potato	Sowing stage 		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaib vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease 		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease 		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnimeh ring vawm khawm hi tui pek zawhah dah tur ani. ✚ Zikhulum lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn awm thin a , hei hi natna tlanglawn ber ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Onion and capsicum	Nursery stage	Poly house 	<ul style="list-style-type: none"> ✚ Thlai hna lam chi leh zikhluam lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnim ring vawm khawm hi tui pek zawahah dah tur ani. ✚ Thlai chhina hmun (nursery) hi hnim a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelal pawlh a kah hi a tha hle ani.
		Phytophthora blight 	<ul style="list-style-type: none"> ✚ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani ✚ Hneh taka 1% Bordeaux chawhpawlhi emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none"> ✚ Tui pek a hnighnah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani. ✚ A than duna theih nan leh hnim to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani. ✚ Zikhluam lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani. ✚ Thlai hna lam chi leh zikhluam lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
ANIMAL HUSBENDARY			
Pig	All stages		<ul style="list-style-type: none"> ✚ Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an





GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>mamawhna a sang bik ani.</p> <ul style="list-style-type: none">+ An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..+ Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnuah pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group		<ul style="list-style-type: none">• Hun rei tak khua a ro avanga hnime hnah hring peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">• Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">• Black Quarter Vaccine (BQV).❖ Vaccinne hmasa ber hi thla 6 ah emaw a hnu lamah pek tur.❖ Chumi hnuah chuan Vaccine hi kum tin pek tur ani.
Poultry	Litter management		<ul style="list-style-type: none">+ Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thianghlim an mamawh tawk an hmu tur ani a.+ An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a,




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsobam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Serchhip

Period: 16thJanuary–20thJanuary, 2019


Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	11	11	11	11	11
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	28	24	27	31	25
Wind Speed (KmpH)	4.6	3.7	4.1	4.3	3.9
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.
Maximum Tem. (°C): 16°-19°C Minimum Tem. (°C): 07°-10°C Maximum RH (%): 62-76% Minimum RH (%): 31-46% Wind Direction: Southeasterly Cloud cover: Mainly clear Wind speed: 2.15 km/hr Rainfall: 0.00 mm	There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 27°C and 11°C. Maximum relative humidity is expected in the range of 89% and minimum may from 24-31%. Wind direction would be easterly with the wind speed of 3.7-4.6 km per hour. Clear sky will prevail during the next five days. Weekly cumulative rainfall: 0.0 mm



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at \leq 14% moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Tomato, crucifer, onion, brinjal and chilli	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none"> ⊕ Earthing up soil near base of the plant. ⊕ Apply split dose of fertilizer. ⊕ Don't irrigate any crop. ⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none"> ⊕ Apply irrigation in every alternate day. ⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none"> ⊕ Possibility of rain will be very less. So provide water every alternate day. ⊕ Weeding should be done. ⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done. ⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none"> ⊕ Provide preventive dose of anti-coccidial drugs to poultry. ⊕ Proper ventilation of shed. ⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water ⊕ Avoid overcrowding. ⊕ Vaccination as per the schedule with proper consultation with vet. <ul style="list-style-type: none"> ➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



District: Serchhip

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15st January, 2019


Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	26	25	26	26	24
Min Temp (°C)	11	10	10	10	9
Cloud Coverage	Clear sky	Clear sky	Clear sky	Mainly clear	Clear sky
Max RH (%)	85	82	93	85	90
Min RH (%)	31	28	26	29	25
Wind Speed (KmpH)	3.6	3.4	3.7	3.7	3.8
*Wind Direction	E	E	E	E	E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 16°-19°C Minimum Tem. (°C): 07°-10°C Maximum RH (%): 62-76% Minimum RH (%): 31-46% Wind Direction: Southeasterly Cloud cover: Mainly clear Wind speed: 2.15 km/hr Rainfall: 0.00 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 27°C a ni ang a. A vawh lai ber in 11°C ni tura beisei a ni. RH san lai berin 89% leh a hniam lai berin 24-31% ni tur a rin niin. Thli hi darkar khatah 3.7-4.6 km vela chakin chhaklam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm





GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> ✚ Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. ✚ Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. ✚ Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. ✚ A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> ✚ Temperture hniat lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> ✚ Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jeggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> ✚ Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. ✚ A chi hi December – January ah hmuin zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. ✚ Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. ✚ Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. ✚ Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Harvesting Stage			
			<ul style="list-style-type: none">■ Coffe rah hmin hi thlasik laiin an seng thin a ni.■ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.
			<ul style="list-style-type: none">■ A hun takah leh fimkhur taka seng tur ani.■ Hmai hneih nuaih loh tur ani.■ Sneg hmai te lakkawma pah vek tur ani.■ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.■ A thlai vennan a rah tlai ho chu pah vek tur ani.■ Hmun dam lutukah dah loh tur.■ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.■ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.■ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">■ Vaimim chinna tur atan lei kan let phut darh anga.■ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.■ A chi chu kan lei leh saah chuan kan dah ang.■ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.■ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.■ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			K ₂ O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnime leh thildanga khuh tur ani.
Potato	Sowing stage		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaih vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawah dah tur ani. ✚ Zikhlem lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>awm thin a , hei hi natna tlanglawn ber ani.</p> <ul style="list-style-type: none">■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
Onion and capsicum	Nursery stage	Poly house	<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawhah dah tur ani.■ Thlai chhina hmun (nursery) hi hnime a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight	<ul style="list-style-type: none">■ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani■ Hneh taka 1% Bordeaux chawhpawlh emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none">■ Tui pek a hninhah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani.■ A than duna theih nan leh hnime to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani.■ Zikhlm lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani.■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



ANIMAL HUSBENDARY

Pig	All stages	 KOLASIB MAMIT CHAMPAI SERCHHIP LUNGLEI LAWNGTLAI SAIHA	<ul style="list-style-type: none">Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an mamawhna a sang bik ani.An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnua pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group	 KOLASIB MAMIT CHAMPAI SERCHHIP LUNGLEI LAWNGTLAI SAIHA	<ul style="list-style-type: none">Hun rei tak khua a ro avanga hnime hnah hrung peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">Black Quarter Vaccine (BQV).Vaccine hmasa ber hi thla 6 ah emaw a hnu lamah pek tur.Chumi hnuah chuan Vaccine hi kumtin pek tur ani.
Poultry	Litter management	 KOLASIB MAMIT CHAMPAI SERCHHIP LUNGLEI LAWNGTLAI SAIHA	<ul style="list-style-type: none">Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thienglim an mamawh tawk an hmu tur ani a.An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<ul style="list-style-type: none">+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a, an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsobam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuaau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Aizawl

Period: 16thJanuary–20thJanuary, 2019


Bulletin No: - 847/2019/ Bulletin/English

Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	9	9	9	9	9
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	31	26	27	31	29
Wind Speed (KmpH)	4.1	4.5	4	4.1	3.7
*Wind Direction	E	S-E	S-E	S-E	S-E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.
Maximum Tem. (°C): 16-17°C Minimum Tem. (°C): 06°-09°C Maximum RH (%): 75-81% Minimum RH (%): 35-40% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.38 km/hr Rainfall: 0.0 mm	There is no chance of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 27°C and 9°C. Maximum relative humidity is expected in the range of 89% and minimum may from 26-31%. Wind direction would be easterly to southeasterly and easterly with the wind speed of 4.0-4.5 km per hour. Clear sky will prevail during the next five days. Weekly cumulative rainfall: 0.0 mm



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at $\leq 14\%$ moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Tomato, crucifer, onion, brinjal and chill	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none"> ⊕ Earthing up soil near base of the plant. ⊕ Apply split dose of fertilizer. ⊕ Don't irrigate any crop. ⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none"> ⊕ Apply irrigation in every alternate day. ⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none"> ⊕ Possibility of rain will be very less. So provide water every alternate day. ⊕ Weeding should be done. ⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done. ⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none"> ⊕ Provide preventive dose of anti-coccidial drugs to poultry. ⊕ Proper ventilation of shed. ⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water ⊕ Avoid overcrowding. ⊕ Vaccination as per the schedule with proper consultation with vet. <ul style="list-style-type: none"> ➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



District: Aizawl

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/Mizo

Date of issue: 15th January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	9	9	9	9	9
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	31	26	27	31	29
Wind Speed (KmpH)	4.1	4.5	4	4.1	3.7
*Wind Direction	E	S-E	S-E	S-E	S-E

Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.

STATUS OF MONSOON- July 1-31, 2018 (Percent of deviation from normal in parenthesis)

Aizawl- 412.50mm (341.8mm)	Champhai- 105.47mm (250.30mm)	Saiha- 307.78 mm (87.2mm)	Kolasib- 331.10mm (380.9mm)
Lawngtlai-291.28mm (285.5mm)	Lunglei-326.52mm (186.21mm)	Mamit-204.84mm (442.80mm)	Serchhip-189.57mm (25.9mm)

Weather summary of the past three days	16 th January – 20 th January, 2019 chhunga sik leh sa dinhmun tur tlangpui
Maximum Tem. (°C): 16-17°C Minimum Tem. (°C): 06°-09°C Maximum RH (%): 75-81% Minimum RH (%): 35-40% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.38 km/hr Rainfall: 0.0 mm	Tun ni 5 chhung lo awm turah hian ruahui tla miahlo tura beisei a ni. Khua a lum lai berin 27°C a ni ang a. A vawh lai berin 9°C ni tura beisei a ni. RH san lai berin 89% leh a hniam lai berin 26-31% ni tur a rin niin. Thli hi darkar khatah 4.0-4.5 km vela chakin chhaklam awi zawngin a tleh rin a ni. A tlangpuiin tun ni nga chhung hian khawthiang tak hmuh beisei a ni. Weekly cumulative rainfall: 0.0mm

NDVI for Mizoram	 Agriculture vigour is moderate over some of the part region.	Mildly dry condition occurs in all districts of Mizoram.
------------------	---	--



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
FRUITS CROPS			
KHASI MANDARIN AND ACID LIME	A kui atanga a seng hun		<ul style="list-style-type: none"> ✚ Thlasik laia thlai bul khoro lutuk tur vennan chuan hnime hnah hring tlai bul velah dakhawm tur ani. ✚ Thlai naupang deuah chuan chawlkar tin a tui pek thin tur ani. ✚ Leia tha mamawh tawk a hmuh theihna turin a hmunhma a hnime awm te thlawhfai thin tur ani. ✚ A seng hma kar 6 chhung chu tui tha taka pek hian a rah tla tur cheh nan leh a rah than that nan te leh a rah keh tur lakah t a veng thei ani.
BANANA			
STAR FRUIT			
PLUM AND PEACH		Gummosis, citrus canker, citrus greening and Dieback	<ul style="list-style-type: none"> ✚ Temperture hniat lutuk leh hnawng vang hian natna a a tam duh a . Soil bome natna laka vennan Bordeaux past hi thing zar leh a trangah te hnawih tur ani.
		Fruit fly	<ul style="list-style-type: none"> ✚ Huan zau takah chuan a par tan tirh leh a rah tan tirin chawlkar hnih chhung chu heng te hian enkawl tur ani: carbaryl 0.2 percent emaw malathion 0.15 percent suspension containing sugar or jeggery at 10 g/l.
PLANTATION CROP			
COFFEE	All stages		<p>Nursery stage</p> <ul style="list-style-type: none"> ✚ Thlai chi thlak hma in <i>Azospirillum</i> leh <i>Phosphobacterium</i> a enkawl tur ani. ✚ A chi hi December – January ah hmuun zawl/rualrem 1.5 - 2.5 cm a in hlatin tlar mumal tak siam in chin tur ani. ✚ Chuan a chi chu lei tlem te a chhilh a buhpawla khuh tur ani. ✚ Nitin tui pek tur ani a, a sat lutuka loh nan niin a chhun loh nan zar hliah tur ani. ✚ Ni 45 hnu velah a tiak thin a,chu chu bag ah an sawn chhuak leh thin ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Harvesting Stage			
			<ul style="list-style-type: none">■ Coffe rah hmin hi thlasik laiin an seng thin a ni.■ A rah hmin tha lo ho chu nuai sawm hmain an thliar hrang leh vek thin ani.
			<ul style="list-style-type: none">■ A hun takah leh fimkhur taka seng tur ani.■ Hmai hneih nuaih loh tur ani.■ Sneg hmai te lakkawma pah vek tur ani.■ Seng bang zawng zawng chu uluka taka pah fai vek tur ani.■ A thlai vennan a rah tlai ho chu pah vek tur ani.■ Hmun dam lutukah dah loh tur.■ Boruak tha taka a hmuh theih nan leh a rawn chawr no theih nan thlai chu uluk tak a hlawi tur ani.■ Chuan hei hian kah tur ani. Quinalphos 25 EC @ 340 ml/200 lit emaw lamda cyhalothrin 5 EC 120 – 160 ml / 200 lit.■ In leh loa sawngbawln a a ro dan tur tawkah chuan: Arabica / robusta parchment 10 %, Arabica cherry 10.5 % leh robusta cherry 11.0 %.
CEREALS AND PULSE CROPS			
Rabi Maize	A chin hun		<ul style="list-style-type: none">■ Vaimim chinna tur atan lei kan let phut darh anga.■ Hei hian a rawn to chhuah na tur atan a pui dawn a ni.■ A chi chu kan lei leh saah chuan kan dah ang.■ A chi chu Thiram @4 g/kg seed hian ak sawngbawl hmasa anga.■ 20-25 kg/ha vel a chi thlak hi a tawk vel viau ani.■ A chi tuh hma in lei leh FYM @5-10 t/ha leh 80:60:40 kg N, P₂O₅ leh



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

*(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)*



			K ₂ O/ha pawlh chu hman phawt tur a ni. Nitrogen dose chanve chu a chi tuh hunlaia hman tur a ni a, tichuan a bang 25% chu thla khat hnu ah ani ang a adang leh 25% chu a par hunah hman tur a ni.
Soybean, pea, lentil toria, breen gram and black gram cultivation in rice fellow	All stage	Zero tillage	<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Lei rih vur hian thlai kung te a veng ve ani. ✚ Thlasik lai a lei khoro lutuk tur ven nan a chungah hnime leh thildanga khuh tur ani.
Potato	Sowing stage		<ul style="list-style-type: none"> ✚ Muangchang loving alu chin na tur chu buatsaih vat tur ani. ✚ Hei hian a than hun laiin natna hrikin lakah a veng dawn ani. ✚ Lei leh hmain a hmun hma chu fai taka thlawh hmasak tur ani. ✚ A chi thlak hma in a chi chu en fiah hmasak tur ani. ✚ A than a that theih nan nikhat danah tui pek thin tur ani.
VEGETABLE CROP			
Tomato	Bacterial Blight disease		<ul style="list-style-type: none"> ✚ Tomato bikah chuan sik leh sa hi natna an kaina tlang lawn ber ani . ✚ Hmun hnawng leh ni hmu lo lutuk hmunah chuan natna an kai hma bik ani. ✚ Tomato hi a uai a, a thih mai loh nan Ridomil emaw Indofil emaw Mancozeb @ 2 gm hi tui liter 1 ah pawlh a kah tur ani .
Early Cole crop	Black spot disease		<ul style="list-style-type: none"> ✚ A than a that theih nan nikhat danah tui pek thin tur ani. ✚ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawah dah tur ani. ✚ Zikhlem lam chi ah chuan sik leh sa vangin a hnah ah thil dum rawn



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<p>awm thin a , hei hi natna tlanglawn ber ani.</p> <ul style="list-style-type: none">■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.
Onion and capsicum	Nursery stage	Poly house	<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Thlai bul vawn hnawn nana thlai bula hnime ring vawm khawm hi tui pek zawhah dah tur ani.■ Thlai chhina hmun (nursery) hi hnime a to loh nan Pendimethalin @ 3.5ml hi tui liter 1 zelah pawlh a kah hi a tha hle ani.
		Phytophthora blight	<ul style="list-style-type: none">■ A chi ven that nan thiram 3g/kg seed emaw Trichoderma viride 4g+ metalaxyl 4g (Apron)/ kg seed hi a tha hle ani■ Hneh taka 1% Bordeaux chawhpawlh emaw 2 g captan emaw 3 copper oxychloride a tui liter 1 hi 10-15 DAS a pek hi a tha hle ani.
French bean	Sowing stage		<ul style="list-style-type: none">■ Tui pek a hninhah hringa khuh tur ani a. than a that theih nan tui pek hma in lei rin pan hmasak tur ani.■ A than duna theih nan leh hnime to loh na turin a kung bulah lei vur chhoh zel tur ani.
Carrot and radish	Sowing stage		<ul style="list-style-type: none">■ A than a that theih nan nikhat danah tui pek thin tur ani.■ Tui pek hnuah thlai bul vawn hnawn na tur siam tur ani.■ Zikhlm lam chi ah chuan sik leh sa vangin a hnah ah thil dum a rawn awm thina, hei hi natna tlanglawn ber ani.■ Thlai hna lam chi leh zikhlm lam chi reng reng enkawl nan Mancozeb @ 2gm ah tui leter 1 pawlha kah tur ani.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



ANIMAL HUSBENDARY

Pig	All stages	 KOLASIB MAMIT CHAMPAIKHAN	<ul style="list-style-type: none">Khua a vawh hian vawk hian an mahni in tih lumna tur atan chakna an mamawhna a sang bik ani.An hriselna that leh that loh enfiah renga, a chaw ei tur tlem tlema tih tam hret hret tur ani..Sangha tel ah hian omega-3 hi atam em a vangin an chakna muangchanga a in siam chhoh zel theih nan a tha hle ani.
		Porcine Reproductive Respiratory Syndrome (PRRS).	<ol style="list-style-type: none">1. Vawknote emaw vawk lak hran.
	Adult stage	Swine fever.	<ol style="list-style-type: none">2. SF vaccines hi thla 2 hnua pek tur ani a, chumi hnuah chuan kumtin thlaruk danah pek chhunzawm tur ani.
Cattle	All age group	 SERCHHIP LUNGEI LAWNGTLAI	<ul style="list-style-type: none">Hun rei tak khua a ro avanga hnime hnah hrung peh tur a awm loh laia bawngin an chaw ei in buk tawk tur leh an taksa tana mamawh tur atan buh kung urea molasses hmanga sawngbawl pek tur ani.
	All age group	Foot and Mouth Disease (FMD)	<ul style="list-style-type: none">Kar 16 hnuah FMD vaccine pek a, chuan thla tin thla 6 chhung chhunzawm tur ani.
	Young stage	Black Quarter (BQ)	<ul style="list-style-type: none">Black Quarter Vaccine (BQV).Vaccine hmasa ber hi thla 6 ah emaw a hnu lamah pek tur.Chumi hnuah chuan Vaccine hi kumtin pek tur ani.
Poultry	Litter management	 LAWNGTLAI SAITA	<ul style="list-style-type: none">Ar te hian hmun thawl nuam tawk, chaw tha an mamawh tawk leh tui thienghlim an mamawh tawk an hmu tur ani a.An hriselna atan enkawlna tha tawk tak pek hian natna an kai mai theih tur lak atang a venna tha ber ani.




GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



			<ul style="list-style-type: none">+ Tui an in tur chhawpna tur tha /lian tha tak leh tui thianghlim tak pek tur ani.+ Chaw a hmuar/thing pek loh tur ani a, an chaw eitur thlak sak that loh tur ani.
	Preventive measures	0-3 rd week	<ul style="list-style-type: none">+ Ranikhet Disease- an pian atanga ni 1-6 ah F1 vaccine pek tur ani a, chuan a puitlingh chuan R₂B vaccine pek tur ani.+ B complex with antibodies
		4th weeks	<ul style="list-style-type: none">+ Coccidiosis- Amprolium or coccidiostat
		4-5th Weeks	<ul style="list-style-type: none">+ Calcium tonic fortified with B₁₂
FISHERY			
	Monitoring (Sangha enkawl)		<ul style="list-style-type: none">+ Sangha te hi chaw a hmuar kai lo chauh pek thin tur ani. Sangha chaw a lo hmuar anih chuan pek hma in ni sa a phoro phawt tur ani.+ Sangha chaw hi a hmuar lohna turin hmun ro leh uap lutuk lo ah dahthat tur ani a, hmuar atang a tur lo inseam thin, aflatoxin avang a sangha thi lak atangin sangha a him phah thin.+ Dil sah kang veka sangha man thin hian a kumleh a sangha khawinan a dil buatsaih a ti awlsam a, dil mawng phoro, chinai phul, leitha hman leh tul dang in dil buatsaih tur ani.+ Sangha te natna lak atangin an him em tih enfiah fo a tha a, natna hmuh anih chuan mithiam te rawn vat a, diltui enfiah vat tur ani.+ A ranglam a chinai @50kg/ha leh tuisen @1.5mg/l diltui a hman hian sangha natna avang a thi tur lak atangin a veng thei.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. S.B. Singh	:	Joint Director	basantasinghsoibam@rediffmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

**(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)**



District: Champhai

Period: 16thJanuary–20thJanuary, 2019

Bulletin No: - 847/2019/ Bulletin/English


Date of issue: 15st January, 2019

Parameters	16.01.2019	17.01.2019	18.01.2019	19.01.2019	20.01.2019
Rainfall (mm)	0	0	0	0	0
Max Temp (°C)	27	27	27	27	27
Min Temp (°C)	11	11	11	11	11
Cloud Coverage	Clear sky				
Max RH (%)	89	89	89	89	89
Min RH (%)	25	22	22	28	20
Wind Speed (KmpH)	4.2	4.4	4	4.7	3.8
*Wind Direction	E	E	E	E	E

**Northerly- N, North-Easterly- N-E, Easterly- E, South-Easterly- S-E,
Southerly- S, South-Westerly- S-W, Westerly-W, North-westerly- N-W.**

Weather summary of the past three days	Weather forecast valid from 16 th January, 2019 To 20 th January, 2019.
Maximum Tem. (°C): 16°-18°C Minimum Tem. (°C): 04°-06°C Maximum RH (%): 68-78% Minimum RH (%): 29-38% Wind Direction: Southeasterly Cloud cover: Clear sky Wind speed: 2.74 km/hr Rainfall: 0.0 mm	There is no change of rainfall during the next 5 days. The maximum and minimum temperatures for the next 5 days may range for 27°C and 11°C. Maximum relative humidity is expected in the range of 89% and minimum may from 20-28%. Wind direction would be easterly with the wind speed of 3.8-4.7 km per hour. Mainly clear sky will prevail during the next five days.

Weekly cumulative rainfall: 0.0 mm

NDVI for Mizoram		Dry condition occurs in all districts of Mizoram.
-------------------------	---	---

Main Crop/ Animal /Fisheries	Stage	Cultural practices/ Pest/ Diseases	Agricultural / Horticultural/ animal husbandry advisories
Cereals			



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Rice (Lowland)	Harvesting stage	Seed production	<p>There is possibility of less rain in upcoming 5 days and temperature will be high.</p> <ul style="list-style-type: none">▪ Birds scaring ribbon should be used for scaring the birds.▪ Harvest all mature panicle to reduce bird damage.▪ Harvesting should be done on sunny day at least 15 cm above the ground for moisture conservation and no till pea and mustard/ toria sowing.▪ After sun drying harvested paddy is 5 recommended to be stored at \leq 14% moisture.
Pulses	Harvesting stage	Blister beetle	<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">▪ Harvest all mature pods.▪ Harvesting should be done on sunny day for better sundry and storage▪ After harvesting of pod crop residue must spread in field for moisture conservation near base of the crop.▪ Moisture level should be maintain $>8\%$ for better storage .
Fruits			
Citrus	Harvesting stage	Citrus Canker	<ul style="list-style-type: none">▪ Colour changes from green to pale green or pale yellow or orange.▪ Outer rind looks shiny and one can see oil glands on the fruit.▪ Harvest all mature fruit.▪ Purn all disease infected part.
		Fruit fly	<ul style="list-style-type: none">▪ In large gardens apply carbaryl 0.2 per cent or malathion 0.15 per cent suspension containing sugar or jeggery at 10 g/l at fortnightly intervals at flowering and fruit initiation.
Vegetable			





GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Tomato, crucifer, onion, brinjal and chill	Vegetative stage		<p>There is possibility of less rain in upcoming 5 days and temperature will be low.</p> <ul style="list-style-type: none">⊕ Earthing up soil near base of the plant.⊕ Apply split dose of fertilizer.⊕ Don't irrigate any crop.⊕ Staking should be done. <p>Spray 2% any sulphur based fungicide to save vegetable plant to save from powdery mildew and white rust of mustard</p>
Radish and leafy mustard	Harvesting stage		<p>There is possibility of less rainfall and low temperature in upcoming 5 days.</p> <ul style="list-style-type: none">⊕ Apply irrigation in every alternate day.⊕ Use straw mulch to save soil moisture.
Zero tillage Greengram, blackgram, toria, pea, soybean and frenchbean	Vegetative stage		<ul style="list-style-type: none">⊕ Possibility of rain will be very less. So provide water every alternate day.⊕ Weeding should be done.⊕ Collection and destruction of damage plant or plant part and spraying of any systemic insecticide @ 2ml/lit should be done.⊕ Apply 2% urea solution to avoid stress condition.
Animal Husbandry			
Livestock	Stage	Disease	Precautionary Practices to be followed
Poultry	All age group		<ul style="list-style-type: none">⊕ Provide preventive dose of anti-coccidial drugs to poultry.⊕ Proper ventilation of shed.⊕ Provide glucose/electral along with vitamin supplements (@5- 6ml/100 birds) with adequate potable water⊕ Avoid overcrowding.⊕ Vaccination as per the schedule with proper consultation with vet.<ul style="list-style-type: none">➤ Day old chick: HVT Marek disease vaccine, 4-7 days: F/Lasota, 14-18 days: Intermediate plus/IBD vaccine, 35 days: F/Lasota, 6-7 weeks: Chicken embryo adopted fowl pox vaccine and 56-70 days: RD R-2B strain.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Pig	All stages		<ul style="list-style-type: none">⊕ Animals must keep in dry place or kept in alleviated area and dry bedding (straw) to be provided to young animals.⊕ 1st injection at 6 months of age and 2nd injection at 12 months of age followed by annual vaccination under vet supervision against FMD.⊕ Reduce concentrate diet up to 5%.⊕ Provide adequate potable water.⊕ In present weather conditions vaccinate against swine fever (Vaccines available in State Veterinary Departs)
Fishery	Monitoring of fish in pond		<ul style="list-style-type: none">⊕ Care should be taken that fish are fed with feed that are free from fungus. If the fungal growth is observed in fish feed, the feed needs to be sundried for few days prior to feeding.⊕ Fish feed should be stored in cool and dry place to avoid fungal growth that releases aflatoxin which could lead to mortality of fish.⊕ Fish harvesting may be carried out by complete dewatering of pond. After dewatering, the pond may be prepared for the next cycle by sundrying of bottom, applying lime, manure, fertilizers etc.⊕ Fish needs to be monitored regularly to observe any sign of diseases and if disease is observed, consult expert immediately and water sample needs to be analyzed.



GRAMIN KRISHI MAUSAM SEWA

ICAR RESEARCH COMPLEX FOR NEH REGION

Mizoram Centre, Kolasib- 796081, MIZORAM

(Prepared based on District wise Weather Forecast received from IMD,
Guwahati)



Expert committee members:

Dr. I. Shakuntala	:	Joint Director (I/C)	ishakuntala92@gmail.com
Dr. Saurav Saha	:	Scientist (Agril. Physics)	sauravs.saha@gmail.com
Dr. T. Boopathi	:	Scientist (Agril Entomology)	boopathiars@gmail.com
Dr. A. Ratankumar Singh	:	Scientist (Plant Pathology)	ratanplantpatho@gmail.com
Dr. Lungmuana	:	Scientist (Soil Fertility)	lmsingson@gmail.com
Mr. P.L. Lalrinsanga	:	Scientist (Aquaculture)	viensky2@gmail.com
Dr. Dr. V. Dayal	:	Scientist (Horticulture)	Vishambhai5009@gmail.com
Dr. Samuel Lalliansanga	:	Head & Sr. Scientist	samuelpachuau10@gmail.com
Mr. Samik Chowdhury	:	Technical Officer	samikchowdhury33@gmail.com
Mr. Evans Syiem	:	Meteorological Observer	evansmeteo@gmail.com

Collaborating Department:

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhraua Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669