




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Kiphire District

Bulletin No:15/2015

ICAR RESEARCH COMPLEX FOR NEH REGION
(Indian Council of Agricultural Research)
NAGALAND CENTER, JHARNAPANI, MEDZIPHEMA

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 19⁰C to 20⁰C and 1⁰C to 4⁰C, respectively. Relative humidity varied from 17% to 84%. Wind speed ranged from 1 to 2 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 21⁰C - 22⁰C and min temp is expected to be around 3⁰C to 4⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 22% to 90% The wind speed 1 - 2 kmph Wind direction will blow from southerly</p>
Main Crops	Stage	Pest/diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Kohima District

Bulletin No:12/2015

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 19⁰C to 20⁰C and 4⁰C to 6⁰C, respectively. Relative humidity varied from 22% to 89%. Wind speed ranged from 1 to 2 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 24⁰C - 25⁰C and min temp is expected to be around 4⁰C to 5⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 18% to 89% Wind speed 2- 4 kmph Wind direction will blow from easterly</p>
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Mokokchung District

Bulletin No: 12/2015

Weather summary of the preceding week

No rain occurred the past week
Maximum and minimum temperatures ranged 22⁰C to 23⁰C and 9⁰C to 10⁰C, respectively.
Relative humidity varied from 23% to 78%.
Wind speed ranged from 2 to 3 kmph.

Weather forecast valid upto 15th Feb'15

Possibility of no rain the coming week
Max temp is expected to be around 24⁰C - 25⁰C and **min temp** is expected to be around 6⁰C to 7⁰C.
Possibility of mainly clear sky the coming week
Relative Humidity will range from 24% to 70% and
Wind speed 2 – 3 kmph
Wind direction will be mostly easterly

Main Crops

Stage

Pest/ Diseases

Agro-meteorological Advisories

Field crops

Summer mung and summer urad

Land preparation

-

Sowing of summer mung and summer urad should be carried out

Toria /Mustard

Harvesting stage

-

If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.

Horticultural crops

Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.

Citrus

-

For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses

Pea

Maturing to harvesting stage

Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.

Vegetables

-

-

Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages

Cole crops

Maturing to harvesting stage

Mulching is essential to conserve moisture and timely weeding should be carried out.

Ginger

Harvesting stage

-

Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.

Banana


Vegetative/ harvesting stage

Pseudo stem weevil

Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

Poultry

In case of **poultry**, timely vaccination schedule against infectious diseases should be carried out in order to avoid


		losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin from 11th to 15th Feb'15 Mon District

Bulletin No:12/2015

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb'15
<ul style="list-style-type: none"> No rain occurred the past week Maximum and minimum temperatures ranged 21⁰C to 22⁰C and 4⁰C to 8⁰C, respectively. Relative humidity varied from 23% to 82%. Wind speed ranged from 1 to 2 kmph 			<ul style="list-style-type: none"> Possibility of no rain the coming week. The max temp is likely to be 22⁰C - 23⁰C and the min temp 3⁰C - 4⁰C. Sky is likely to be clear the coming week Relative Humidity is likely to range from 24% to 80% Wind speed may reach upto 2- 3 kmph Wind direction will be mostly southerly
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Peren District

Bulletin No:12/2015

ICAR RESEARCH COMPLEX FOR NEH REGION
(Indian Council of Agricultural Research)
NAGALAND CENTER, JHARNAPANI, MEDZIPHEMA

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperature range from 24⁰C to 25⁰C and 5⁰C to 6⁰C, respectively. Relative humidity varied from 20% to 85%. Wind speed ranged from 2 to 3 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 25⁰C - 26⁰C and min temp is expected to be around 4⁰C to 7⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 19% to 83% The wind speed may reach upto 2 - 4 kmph Wind direction will blow from easterly</p>
Main Crops	Stage	Pest/ diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	<i>Sowing of summer mung and summer urad should be carried out</i>
Toria /Mustard	Harvesting stage	-	<i>If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.</i>
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		<i>For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses</i>
Pea	Maturing to harvesting stage		<i>Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.</i>
Vegetables	-	-	<i>Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages</i>
Cole crops	Maturing to harvesting stage		<i>Mulching is essential to conserve moisture and timely weeding should be carried out.</i>
Ginger	Harvesting stage	-	<i>Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.</i>
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	<i>Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.</i>

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Phek District

Bulletin No: 12/2015

Weather summary of the preceding week

No rain occurred the past week
Maximum and **minimum temperatures** ranged from 20⁰C to 22⁰C and 5⁰C to 6⁰C, respectively.
Relative humidity varied from 19% to 82%.
Wind speed ranged from 1 to 2 kmph.

Weather forecast valid upto 15th Feb '15

Possibility of no rain the coming week
Max temp is expected to be around 22⁰C - 23⁰C and **min temp is expected to be around** 4⁰C to 5⁰C.
Possibility of mainly clear sky the coming week
Relative Humidity will range from 23% to 90%
The wind speed 1- 2 kmph
Wind direction will blow from southerly

Main Crops

Stage

Pest/ Diseases

Agro-meteorological Advisories

Field crops

Summer mung and summer urad

Land preparation

-

Sowing of summer mung and summer urad should be carried out

Toria /Mustard

Harvesting stage

-

If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.

Horticultural crops

Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.

Citrus

-

For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses

Pea

Maturing to harvesting stage

Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.

Vegetables

-

-

Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages

Cole crops


Maturing to harvesting stage

Mulching is essential to conserve moisture and timely weeding should be carried out.

CAR RESEARCH COMPLEX FOR NEH REGION

(Indian Council of Agricultural Research)

NAGALAND CENTER, JHARNAPANI, MEDZIPHEMA

	Ginger	Harvesting stage	-	<i>Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.</i>
	Banana	Vegetative/ harvesting stage	Pseudo stem weevil	<i>Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.</i>
	Poultry	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.		
	Cattles, Mithun and buffaloes	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)		
	Fishery	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.		




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Tuensang District

Bulletin No:12/2015

<i>Weather summary of the preceding week</i>			<i>Weather forecast valid upto 15th Feb'15</i>
No rain occurred the past week Maximum and minimum temperatures ranged 17 ⁰ C to 18 ⁰ C and -2 ⁰ C to 6 ⁰ C, respectively. Relative humidity varied from 17% to 87%. Wind speed ranged from 1 to 2 kmph.			Possibility of no rain the coming week Max temp is expected to be around 20 ⁰ C - 21 ⁰ C and min temp is expected to be around 4 ⁰ C to 5 ⁰ C. Possibility of mainly clear sky the coming week Relative humidity will range from 23% to 92% Wind speed 1- 2 kmph Wind direction will be mostly easterly
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/	Pseudo stem	Weather is favorable for occurrence of pseudostem weevil in banana. It is


		harvesting stage	weevil	<i>advised to remove the dried and diseased leaves and to kill the weevil.</i>
	Poultry	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.		
	Cattles, Mithun and buffaloes	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)		
	Fishery	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.		



Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15 Wokha District

Bulletin No:12/2015

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 19⁰C to 20⁰C and 5⁰C to 10⁰C, respectively. Relative humidity varied from 30% to 75%. Wind speed ranged from 2 to 4 kmph</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 24⁰C - 25⁰C and min temp is expected to be around 6⁰C to 8⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 25% to 85% The wind speed 3– 4 kmph Wind direction will blow from southeasterly</p>
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-	-	For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage	-	Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage	-	Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



--	--




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Zunheboto District

Bulletin No:15/2015

<i>Weather summary of the preceding week</i>			<i>Weather forecast valid upto 15th Feb '15</i>
No rain occurred the past week Maximum and minimum temperatures ranged from 21 ⁰ C to 22 ⁰ C and 3 ⁰ C to 7 ⁰ C, respectively. Relative humidity varied from 20% to 74%. Wind speed ranged from 1 to 2 kmph.			Possibility of no rain the coming week Max temp is expected to be around 22 ⁰ C - 23 ⁰ C and min temp is expected to be around 5 ⁰ C to 6 ⁰ C. Possibility of mainly clear sky the coming week Relative Humidity will range from 24% to 82% The wind speed 1- 2 kmph Wind direction will blow easterly
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
<i>Summer mung and summer urad</i>	Land preparation	-	<i>Sowing of summer mung and summer urad should be carried out</i>
<i>Toria /Mustard</i>	Harvesting stage	-	<i>If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.</i>
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
<i>Citrus</i>	-		<i>For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses</i>
<i>Pea</i>	Maturing to harvesting stage		<i>Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.</i>
<i>Vegetables</i>	-	-	<i>Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages</i>
<i>Cole crops</i>	Maturing to harvesting stage		<i>Mulching is essential to conserve moisture and timely weeding should be carried out.</i>
<i>Ginger</i>	Harvesting stage	-	<i>Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.</i>

	Banana	Vegetative/ harvesting stage	Pseudo stem weevil	<i>Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.</i>
	Poultry	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.		
	Cattles, Mithun and buffaloes	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)		
	Fishery	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.		




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Dimapur District

Bulletin No:12/2015

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb '15
No rain occurred the past week. Maximum and minimum temperatures ranged 25 ⁰ C to 26 ⁰ C and 8 ⁰ C to 9 ⁰ C, respectively. Relative humidity varied from 22% to 71%. Wind speed ranged from 3 to 4 kmph.			Possibility of no rain the coming week Max temp is expected to be around 27 ⁰ C - 28 ⁰ C and min temp is expected to be around 8 ⁰ C to 10 ⁰ C. Possibility of mainly clear sky the coming week Relative Humidity will range from 23% to 80% Wind speed 3– 4kmph Wind direction will be from easterly
Main Crops	Stage	Pest/ diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-	-	For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage	-	Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage	-	Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
 <p>भारत सरकार ICAR</p>	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.




Integrated Agromet Advisory Service Bulletin 11th to 15th Feb'15

Dimapur District

Bulletin No:12/2015

Weather summary of the preceding week			Weather forecast valid upto 15 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged 25⁰C to 26⁰C and 8⁰C to 9⁰C, respectively. Relative humidity varied from 22% to 71%. Wind speed ranged from 3 to 4 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 27⁰C - 28⁰C and min temp is expected to be around 8⁰C to 10⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 23% to 80% Wind speed 3– 4kmph Wind direction will be from easterly</p>
Main Crops	Stage	Pest/ diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Toria /Mustard	Harvesting stage	-	If harvesting is to be done, then it should be preferably be done in the morning hours to avoid shattering loss.
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-	-	For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage	-	Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage	-	Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Banana	Vegetative/ harvesting stage	Pseudo stem weevil	Weather is favorable for occurrence of pseudostem weevil in banana. It is advised to remove the dried and diseased leaves and to kill the weevil.

	<i>Poultry</i>	In case of poultry , timely vaccination schedule against infectious diseases should be carried out in order to avoid losses due to mortality. Proper brooding should be carried out for chicks.
	<i>Cattles, Mithun and buffaloes</i>	Deworming followed by timely vaccination should be done against FMD (foot and mouth diseases)
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.