




Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15 Kohima District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 18 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 23⁰C to 25⁰C and 3⁰C to 4⁰C, respectively. Relative humidity varied from 18% to 85%. Wind speed ranged from 2 to 3 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 16⁰C - 17⁰C and min temp is expected to be around 4⁰C to 5⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 23% to 89% Wind speed 2- 4 kmph Wind direction will blow from easterly</p>
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		
Rabbit	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress		

		by putting up incandescent light bulb.
	<i>Fishery</i>	<p>A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.</p>



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15

Longleng District

Bulletin No:14/2015

ICAR RESEARCH COMPLEX FOR NEH REGION
(Indian Council of Agricultural Research)
NAGALAND CENTER, JHARNAPANI, MEDZIPHEMA

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 23⁰C to 25⁰C and 5⁰C to 6⁰C, respectively. Relative humidity varied from 24% to 78%. Wind speed ranged from 1 to 2 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 22⁰C - 23⁰C and min temp is expected to be around 5⁰C to 6⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 22% to 80% The wind speed 1– 2 kmph Wind direction will blow from easterly</p>
Main Crops	Stage	Pest/ diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-	-	For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage	-	Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage	-	Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		
Rabbit	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.		



	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.
--	-----------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15

Mokokchung District

Bulletin No: 14/2015

Weather summary of the preceding week

No rain occurred the past week
Maximum and minimum temperatures ranged 23⁰C to 24⁰C and 6⁰C to 10⁰C, respectively.
Relative humidity varied from 23% to 75%.
Wind speed ranged from 2 to 3 kmph.

Weather forecast valid upto 22nd Feb'15

Possibility of no rain the coming week
Max temp is expected to be around 22⁰C - 23⁰C and **min temp** is expected to be around 9⁰C to 10⁰C.
Possibility of mainly clear sky the coming week
Relative Humidity will range from 24% to 85% and
Wind speed 1 – 2 kmph
Wind direction will be mostly easterly

Main Crops

Stage

Pest/ Diseases

Agro-meteorological Advisories

Field crops

Summer mung and summer urad

Land preparation

-

Sowing of summer mung and summer urad should be carried out

Horticultural crops

Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.

Citrus

-

For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses

Pea

Maturing to harvesting stage

Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.

Vegetables

-

-

Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages

Cole crops

Maturing to harvesting stage

Mulching is essential to conserve moisture and timely weeding should be carried out.

Ginger

Harvesting stage

-

Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.

Piglets

Piglets should be given iron injection on the 4th and 14th day of farrowing, deep intramuscularly to prevent piglet anemia.

Rabbit

In order to avoid poor growth of **rabbit** due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.



Fishery


A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin from 18th to 22nd Feb'15 Mon District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb'15
<ul style="list-style-type: none"> No rain occurred the past week Maximum and minimum temperatures ranged 22^oC to 23^oC and 4^oC to 8^oC, respectively. Relative humidity varied from 23% to 85%. Wind speed ranged from 1 to 2 kmph 			<ul style="list-style-type: none"> Possibility of no rain the coming week. The max temp is likely to be 21^oC - 23^oC and the min temp 2^oC - 3^oC. Sky is likely to be clear the coming week Relative Humidity is likely to range from 22% to 80% Wind speed may reach upto 1- 2 kmph Wind direction will be mostly easterly
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		

	<i>Rabbit</i>	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15

Peren District

Bulletin No:14/2015

ICAR RESEARCH COMPLEX FOR NEH REGION

(Indian Council of Agricultural Research)

NAGALAND CENTER, JHARNAPANI, MEDZIPHEMA

Weather summary of the preceding week

No rain occurred the past week.
Maximum and minimum temperature range from 24⁰C to 25⁰C and 5⁰C to 6⁰C, respectively.
Relative humidity varied from 20% to 80%.
Wind speed ranged from 2 to 3 kmph.

Weather forecast valid upto 22nd Feb '15

Possibility of no rain the coming week
Max temp is expected to be around 23⁰C - 25⁰C and min temp is expected to be around 9⁰C to 10⁰C.
Possibility of mainly clear sky the coming week
Relative Humidity will range from 26% to 89%
The wind speed may reach upto 2 - 4 kmph
Wind direction will blow from easterly

Main Crops

Stage

Pest/
diseases

Agro-meteorological Advisories

Field crops

Summer mung
and summer
urad

Land
preparation

-

Sowing of summer mung and summer urad should be carried out

Horticultural crops

Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.

Citrus

-

For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses

Pea

Maturing to
harvesting stage

Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.

Vegetables

-

-

Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages

Cole crops

Maturing to
harvesting stage

Mulching is essential to conserve moisture and timely weeding should be carried out.

Ginger

Harvesting
stage

-

Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.

Piglets

Piglets should be given iron injection on the 4th and 14th day of farrowing, deep intramuscularly to prevent piglet anemia.

Rabbit

In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress



	by putting up incandescent light bulb.
<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.




Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15

Phek District

Bulletin No: 14/2015

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb '15
No rain occurred the past week Maximum and minimum temperatures ranged from 22 ^o C to 23 ^o C and 4 ^o C to 5 ^o C, respectively. Relative humidity varied from 19% to 90%. Wind speed ranged from 1 to 2 kmph.			Possibility of no rain the coming week Max temp is expected to be around 20 ^o C - 21 ^o C and min temp is expected to be around 7 ^o C to 8 ^o C. Possibility of mainly clear sky the coming week Relative Humidity will range from 26% to 90% The wind speed 1- 2 kmph Wind direction will blow from southerly
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		


	<i>Rabbit</i>	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15 Tuensang District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb'15
<p>No rain occurred the past week Maximum and minimum temperatures ranged 19⁰C to 20⁰C and 4⁰C to 7⁰C, respectively. Relative humidity varied from 17% to 94%. Wind speed ranged from 1 to 2 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 22⁰C - 23⁰C and min temp is expected to be around 9⁰C to 10⁰C. Possibility of mainly clear sky the coming week Relative humidity will range from 26% to 92% Wind speed 1- 2 kmph Wind direction will be mostly easterly</p>
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		

	<i>Rabbit</i>	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15 Wokha District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 18 th Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 24⁰C to 25⁰C and 7⁰C to 8⁰C, respectively. Relative humidity varied from 22% to 70%. Wind speed ranged from 3 to 4 kmph</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 23⁰C - 24⁰C and min temp is expected to be around 6⁰C to 7⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 26% to 94% The wind speed 3– 4 kmph Wind direction will blow from easterly</p>
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		
Rabbit	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage,		

	broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.
<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.




--	--



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15 Zunheboto District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb '15
<p>No rain occurred the past week Maximum and minimum temperatures ranged from 22⁰C to 23⁰C and 5⁰C to 7⁰C, respectively. Relative humidity varied from 20% to 80%. Wind speed ranged from 1 to 2 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 20⁰C - 21⁰C and min temp is expected to be around 2⁰C to 3⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 25% to 94% The wind speed 1- 2 kmph Wind direction will blow easterly</p>
Main Crops	Stage	Pest/ Diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-	-	For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage	-	Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage	-	Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		


	<i>Rabbit</i>	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15 Dimapur District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged 26⁰C to 27⁰C and 8⁰C to 10⁰C, respectively. Relative humidity varied from 23% to 65%. Wind speed ranged from 3 to 4 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 25⁰C - 26⁰C and min temp is expected to be around 9⁰C to 10⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 26% to 90% Wind speed 3– 4kmph Wind direction will be from easterly</p>
Main Crops	Stage	Pest/ diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		
Rabbit	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by		

		putting up incandescent light bulb.
	<i>Fishery</i>	A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.



Integrated Agromet Advisory Service Bulletin 18th to 22nd Feb'15

Kiphire District

Bulletin No:14/2015

Weather summary of the preceding week			Weather forecast valid upto 22 nd Feb '15
<p>No rain occurred the past week. Maximum and minimum temperatures ranged from 20⁰C to 21⁰C and 3⁰C to 4⁰C, respectively. Relative humidity varied from 17% to 70%. Wind speed ranged from 1 to 2 kmph.</p>			<p>Possibility of no rain the coming week Max temp is expected to be around 18⁰C - 20⁰C and min temp is expected to be around 5⁰C to 6⁰C. Possibility of mainly clear sky the coming week Relative Humidity will range from 26% to 90% The wind speed 1 - 2 kmph Wind direction will blow from southerly</p>
Main Crops	Stage	Pest/diseases	Agro-meteorological Advisories
Field crops			
Summer mung and summer urad	Land preparation	-	Sowing of summer mung and summer urad should be carried out
Horticultural crops			
Probability no rain will occur the coming 3 or 4 days too, therefore the farmers are advised to irrigate the crops daily or at an interval depending on the availability of water.			
Citrus	-		For citrus orchard, diseases and dried or dead twigs should be removed and cut end should be pasted with bordeaux paste. Make tree basin for placement of manure and fertilizers as well as to reduce nutrient losses
Pea	Maturing to harvesting stage		Sufficient moisture is essential during flowering stage too; hence care should be taken to provide irrigation during these periods too.
Vegetables	-	-	Forecast suggests mainly dry weather conditions. Wherever possible, a protective irrigation may be applied to reduce moisture stress during critical stages
Cole crops	Maturing to harvesting stage		Mulching is essential to conserve moisture and timely weeding should be carried out.
Ginger	Harvesting stage	-	Harvesting of the rhizomes should be carried out and proper cleaning and washing should be done.
Piglets	Piglets should be given iron injection on the 4 th and 14 th day of farrowing, deep intramuscularly to prevent piglet anemia.		
Rabbit	In order to avoid poor growth of rabbit due to inability of quality fodder; left overs or residues of cabbage, broccoli, carrot and knol khol should be provided. Provide heat to prevent mortality of kids due to cold stress by putting up incandescent light bulb.		



Fishery

A muddy pond does not provide good habitat for fish, it adversely affect fish reproduction. If your pond is muddy much of the time, look for the cause of the problem and try to correct it.