

Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of TUENSANG(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	7	52	23	4.8	154	0
2020-01-25	0	20	6	82	30	3.8	110	0
2020-01-26	0	22	5	57	8	3.9	112	0
2020-01-27	0	22	6	60	11	3.6	112	0
2020-01-28	0	21	7	67	29	3.5	124	1

Weather Summary/Alert:

Probability of no rainfall the coming days
Pani etia ahiboleh din dhe tho nikiriboh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh.

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory			
RICE	STORAGE: Do not allow the insects to proliferate inside storage area			
Dhan rakha jagah tae puka bishi hobo nidibi				
FIELD PEA	STORAGE: Store the seed in dry bins or in bags kept on wooden racks under cool and dry conditions			
	STORAGE: Bijon guti khan sukha daba aru bags tae jusaighenah khuri lagah racks khan tae rakhibi aru rakha jagah tho dhanda sukha hobo lageh			

Crop(Varieties)	Crop Specific Advisory
	HARVESTING STAGE: When 75 percent pods turn golden yellow harvest the crop
	HARVESTING STAGE: Guti khan bishibhak (75%) nishinah golden yellow huileh, harvest kurilobi

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
CABBAGE	HARVESTING STAGE: Cabbage should be harvested promptly when the heads are firm and mature
	HARVESTING STAGE: Kobi lagah matha dangor huighenah taan hua somoi tae harvest kurilobi
ONION	HARVESTING STAGE: Kobi lagah matha dangor huighenah taan hua somoi tae harvest kurilobi
	REPRODUCTIVE STAGE: Piyas khiti kurah pichetae etu jagah tae cereal aru green manuring sobji lagahbi

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory
	CSF (Classical Swine Fever) may occur in pig at all stages. It is a viral flu and highly contagious. Clinical signs include high fever, skin lesions, convulsions, constipation followed by diarrhoea and vomiting, less appetite. Once the symptoms is noticed, immediately informed the nearby veterinary doctor
	Chutu dangor gahori sob keh CSF (Classical Swine Fever) lagibo pareh. Etu tho viral flu aru ekta parah ekta keh laghijah bimari ase. Bukhar bishi hua, chamra tae khujuli, dana bhal para nakha, peth jah aru vomiting khan hoi. Etu khan dikhileh, joldi parah osor tae thaka veterinary doctor lagah modot lobi.

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory				
COMMON FISH	Discourage entry of birds and other animals into the pond				
COMMON FISH	Chirya aru janwar khan pukhuri tae gushiboleh nidibi				
COMMON FISH	Egg laying is reduced in winter, therefore to increase the production the temperature is to be increased				
	Thanda tae anda dia komti hoi. Etu karoneh anda bishi dibo karoneh murgi ghor lagah temperature bishi kuribo lageh				



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of WOKHO(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	6	72	29	5.6	115	1
2020-01-25	0	21	6	80	35	4.6	112	0
2020-01-26	0	21	5	83	27	5.1	112	0
2020-01-27	0	21	6	62	24	5.0	115	0
2020-01-28	0	21	7	69	32	4.9	112	2

Weather Summary/Alert:

Probability of no rainfall the coming days
Etia ahiboleh din tho pani nikiriboh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karone

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory			
	STORAGE: If there are cracks or holes in the storage room then sealed it, to avoid entry of water by seepage from ground or walls			
	Pani khan ghor bitor tae nahibo karoneh chenda khan bon kuribi			
	HARVESTING STAGE: The crop is liable to shattering, hence should be harvested just before the pods open in order to avoid losses			

Crop(Varieties)	Crop Specific Advisory			
	HARVESTING STAGE: Bhangighenah guti khan gigijabo, etu nuhua agotae harvest kurilobi			
FIELD PEA	STORAGE: Grain should be properly dried before storage			
FIELDFEA	STORAGE: Guti khan narakha agotae bhal parah sukailobi			

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory			
	HARVESTING STAGE: For pulse, after attaining full maturity, threshing should be done after sun drying for 3-4 days			
BEAN	HARVESTING STAGE: Guti harvest kura pichetae 3-4 din dhup tae bhal parah sukabi			
CABBAGE	HARVESTING STAGE: Harvesting immature heads, reduces yield, and the heads are too soft to resist handling damage			
	HARVESTING STAGE: Bhal parah dangor huighenah hi harvest kuribi. Joldi harvest kurileh kobi tho norom thakeh aru chua somoi tae biyah huijai			

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory					
	As a routine measure all young pigs at the time of weaning should be inoculated against swine fever					
	Gahori bacha khan ama parah alag kurah somoi tae swine fever karoneh vaccination kurilobi					

Fisheries Specific Advisory:

Fisheries(Varieties)	s) Fisheries Specific Advisory				
COMMON FISH	Partial harvesting should be done taking due care not to injure the fish.				
COMMON FISH	Mass ulop dhurilobi aru dhura somoi tae mass jokhom nukurighenah dhuribi				

Poultry(Varieties)	Poultry Specific Advisory					
CHICKEN	Provide warmth to poultry birds during cold by using electric bulb in the shed					
CHICKEN	Murgi khan gorom pabo karoneh ghor tae electric bulb cholabi					



Gramin Krishi Mausam Sewa

District Level Agromet Advisory Bulletin ICAR Complex Branch Umiam, Meghalaya



(Project Sponsored by IMD, Ministry of Earth Sciences, Govt. of India)

Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of ZUNHEBOTO(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	6	79	27	3.8	109	0
2020-01-25	0	20	6	85	32	3.7	108	0
2020-01-26	0	22	4	79	20	4.1	116	0
2020-01-27	0	22	6	64	19	3.4	112	1
2020-01-28	0	20	6	78	32	3.4	297	1

Weather Summary/Alert:

Probability of no rainfall the coming days
Etia ahiboleh din tho pani nikiriboh

General Advisory:

A Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory					
RICE	STORAGE: If there are cracks or holes in the storage room then sealed it, to avoid entry of water by seepage from ground or walls					
RICE	STORAGE: If there are cracks or holes in the storage room then sealed it, to avoid entry of water by seepage from ground or walls					
RAPESEED	HARVESTING STAGE: The crop is liable to shattering, hence should be harvested just before the pods open in order to avoid losses					
	HARVESTING STAGE: Bhangighenah guti khan gigijabo, etu nuhua agotae harvest kurilobi					
FIELD PEA	STORAGE: Grain should be properly dried before storage					
FIELD FEA	STORAGE: Guti khan narakha agotae bhal parah sukailobi					

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
	HARVESTING STAGE: For pulse, after attaining full maturity, threshing should be done after sun drying for 3-4 day
DEAN	HARVESTING STAGE: Guti harvest kura pichetae 3-4 din dhup tae bhal parah sukabi
	HARVESTING STAGE: Harvesting immature heads, reduces yield, and the heads are too soft to resist handling damage
	HARVESTING STAGE: Bhal parah dangor huighenah hi harvest kuribi. Joldi harvest kurileh kobi tho norom thakeh aru chua somoi tae biyah huijai

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory						
PIG	As a routine measure all young pigs at the time of weaning should be inoculated against swine fever						
	Gahori bacha khan ama parah alag kurah somoi tae swine fever karoneh vaccination kurilobi						

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory					
ICOMMON FISH	Partial harvesting should be done taking due care not to injure the fish.					
	Mass ulop dhurilobi aru dhura somoi tae mass jokhom nukurighenah dhuribi					

Poultry(Varieties)	Poultry Specific Advisory					
ICHICKEN	Provide warmth to poultry birds during cold by using electric bulb in the shed					
	Murgi khan gorom pabo karoneh ghor tae electric bulb cholabi					



Gramin Krishi Mausam Sewa

India Meteorological Department
ICAR Complex Branch
Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of DIMAPUR(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	23	7	60	26	5.9	109	0
2020-01-25	0	22	8	57	29	5.1	112	0
2020-01-26	0	21	7	74	36	6.1	112	0
2020-01-27	0	22	8	56	27	6.2	110	0
2020-01-28	0	22	8	60	29	5.9	110	0

Weather Summary/Alert:

Probability of no rainfall the coming days
Etia ahiboleh din tho pani nikiriboh pareh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory					
RICE	STORAGE: Grain should be regularly inspected for development of any pest and efficient remedial measures must be employed immediately to keep them under control					
	Storage: Somoi tae rakhithaka dhan khan tae puka bimar karoneh sai thakibo lageh aru lagighenah thakileh upai kurilobi					
GREEN GRAM	HARVESTING STAGE: Timely harvest the ripened pods					
GREEN GRAM	HARVESTING STAGE: Pakijah khan somoi somoi tae shingi thakibi					
RAPESEED	HARVESTING STAGE: As soon as the pods turn yellowish-brown, harvest the crop					
	HARVESTING STAGE: Guti kitia yellow-brown huijabo etu somoi tae shingilobi					
MAIZE	HARVESTING STAGE: In the present weather, harvesting should be carried out					
	HARVESTING STAGE: Etia somoi tae shingi lobi					

Crop(Varieties)	Crop Specific Advisory					
	STORAGE : Before storing, Clean and dry the harvested seeds in sun for about 7 days					
	STORAGE : Shingilua guti khan narakha agotae sapha kurighenah dhup tae 7 din nishinah sukhabi					

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
FRENCH BEAN	HARVESTING STAGE: 2 TO 3 pickings should be done at 4-5 days interval
	HARVESTING STAGE: 2 bar parah 3 bar nishinah shingilobi aru shinga majotae 4-5 din charighenah hi shingibi

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory				
COW Septicaemia, Enterotoxemia, Black Quarter etc FMD, PPR, Haemorrhagic Septicaemia, Entero	If the animals have not yet been vaccinated against FMD, PPR, Haemorrhagic Septicaemia, Enterotoxemia, Black Quarter etc, ensure that this is done now				
	FMD, PPR, Haemorrhagic Septicaemia, Enterotoxemia, Black Quarter nishinah karoneh vaccinated nukurighenah thakileh etia kurilobi				
PIG	High energy feed should be given to compensate energy loss due to cold. Protect from draft				
	Thanda parah gahori lagah energy komti hua tho bishi hobo karoneh energy bishi diyah dana khelabi				

Fisheries Specific Advisory:

Fisheries (Varieties) Fisheries Specific Advisory	
COMMON FISH	Final harvesting should be done by 3rd or 4th week of this month
COMMON FISH	Etu mohinah lagah 3-4 hopta thok tae mass sob dhulilobi

Poultry(Varieties)	Poultry Specific Advisory					
	You can improve the amount of meat and eggs by providing better housing for birds and good feed and water					
	Murgi karoneh ghor bhal aru bhal dana pani khela parah murgi gao dangor hoi aru anda bishi dae.					



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of KIPHIRE(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	7	52	17	4.3	225	0
2020-01-25	0	20	6	59	19	3.5	112	0
2020-01-26	0	23	5	43	12	3.3	101	0
2020-01-27	0	22	7	47	12	3.4	112	1
2020-01-28	0	21	7	65	24	3.5	248	1

Weather Summary/Alert:

Probability of no rainfall the coming days
Pani etia ahiboleh din dhe tho nikiriboh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory					
RICE	STORAGE: Do not allow the insects to proliferate inside storage area					
RICE	STORAGE: Do not allow the insects to proliferate inside storage area					
FIELD PEA	STORAGE: Store the seed in dry bins or in bags kept on wooden racks under cool and dry conditions					
	STORAGE: Bijon guti khan sukha daba aru bags tae jusaighenah khuri lagah racks khan tae rakhibi aru rakha jagah tho dhanda sukha hobo lageh					

Crop(Varieties)	Crop Specific Advisory
	HARVESTING STAGE: When 75 percent pods turn golden yellow harvest the crop
	HARVESTING STAGE: Guti khan bishibhak (75%) nishinah golden yellow huileh, harvest kurilobi

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
CABBAGE	HARVESTING STAGE: Cabbage should be harvested promptly when the heads are firm and mature
	HARVESTING STAGE: Kobi lagah matha dangor huighenah taan hua somoi tae harvest kurilobi
ONION	REPRODUCTIVE STAGE: Crop rotation should be followed with cereal and green manuring crops
	REPRODUCTIVE STAGE: Piyas khiti kurah pichetae etu jagah tae cereal aru green manuring sobji lagahbi

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory					
	CSF (Classical Swine Fever) may occur in pig at all stages. It is a viral flu and highly contagious. Clinical signs include high fever, skin lesions, convulsions, constipation followed by diarrhoea and vomiting, less appetite. Once the symptoms is noticed, immediately informed the nearby veterinary docto					
	Chutu dangor gahori sob keh CSF (Classical Swine Fever) lagibo pareh. Etu tho viral flu aru ekta parah ekta keh laghijah bimari ase. Bukhar bishi hua, chamra tae khujuli, dana bhal para nakha, peth jah aru vomiting khan hoi. Etu khan dikhileh, joldi parah osor tae thaka veterinary doctor lagah modot lobi.					

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory				
COMMON FISH	Discourage entry of birds and other animals into the pond				
COMMON FISH	Chirya aru janwar khan pukhuri tae gushiboleh nidibi				

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Egg laying is reduced in winter, therefore to increase the production the temperature is to be increased
orrerze, v	Thanda tae anda dia komti hoi. Etu karoneh anda bishi dibo karoneh murgi ghor lagah temperature bishi kuribo lageh



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of KOHIMA(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	23	5	75	29	6.0	160	0
2020-01-25	0	21	6	75	31	5.2	155	0
2020-01-26	0	21	6	87	38	5.4	158	0
2020-01-27	0	21	6	71	31	5.7	160	0
2020-01-28	0	20	6	80	36	5.9	160	0

Weather Summary/Alert:

Probability of no rainfall the coming days
Pani etu hapta tho nikiriboh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh.

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory				
	STORAGE: The godown where the grains has been kept should be clean, dry and properly aerated				
	Dhan rakha ghor sukha aru sapha hobo lageh aru hawah aha jah thakibo lageh				
	HARVESTING STAGE: The crop is liable to shattering, hence it should be harvested just before the pods open in order to avoid losses.				

Crop(Varieties)	Crop Specific Advisory
	HARVESTING STAGE: Bhangighenah guti khan gigijabo, etu nuhua agotae harvest kurilobi
FIELD PEA	STORAGE: Grain should be properly dried before storage
FIELD FEA	STORAGE: Grain should be properly dried before storage
	STORAGE: Fully dried rhizomes can be stored in airtight containers instead of gunny bags
	STORAGE: Adhuwa bijon karoneh rakha khan muna bosta aru bags khan tae nuhuighenah hawa najah daba khan tae hi rakhibi

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
	Propping should be done to prevent plant from lodging and also for uniform development of bunch
	Kol ghas tera huighenah najabo karoneh, lathi parah support dibi
	HARVESTING STAGE: Harvesting should not be delayed as even a few days beyond maturity can result in split heads and increased incidence of field disease.
	HARVESTING STAGE: Kobi thik somoi tae harvest kurilobi. Diri kurileh pata khan khuli jabo aru bimar bi lagijobo pare

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory					
	All pigs should be vaccinated against swine fever at the age of 2-4 weeks.					
	Gahori sob 2-4 weeks dangor hua somoi tae swine fever karoneh vaccination kurilobi					

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory
	If the water level declines drastically, complete harvesting should be done. Or else, if there is sufficient water, continue feeding @ 16 kg/day/ha
	Pani bishi komti huijaileh mass sob dhurilobi. Pani thik thakileh, danah dithakibi (Ek din, ekta hectar tae 16 kg nishinah danah khelabi)

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Good management and sanitation are the best ways to avoid infectious disease in poultry. Provide ample quantity of clean drinking water. Avoid dampness, litter should be periodically changed Avoid feeding of mouldy feed. Don't make sudden changes in feed. Vaccination of birds as per the recommended age
	Bimar parah bachibo karoneh sapha aru bhal nium parah palia tho hae sob para bhal ase. Sapha pani thik thak khelabi. Ghor bijah narakhibi aru somoi tae paikhenah sapha kuribi. Dana biyah nekhelabi aru achanak parah danah bodli nukuribi. Umor hisap tae vaccination kurithakibi.



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of LONGLENG(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	8	60	28	6.0	154	1
2020-01-25	0	20	7	87	34	4.9	158	0
2020-01-26	0	21	6	63	21	5.5	154	0
2020-01-27	0	21	7	60	22	5.3	154	0
2020-01-28	0	20	7	66	29	4.9	146	1

Weather Summary/Alert:

Probability of no rainfall the coming days
Etia ahiboleh din tho pani nikiriboh pareh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh.

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	STORAGE: If there are cracks or holes in the storage room then sealed it, to avoid entry of water by seepage from ground or walls
	Pani khan ghor bitor tae nahibo karoneh chenda khan bon kuribi
RAPESEED	HARVESTING STAGE: The crop is liable to shattering, hence should be harvested just before the pods open in order to avoid losses
	HARVESTING STAGE: Bhangighenah guti khan gigijabo, etu nuhua agotae harvest kurilobi
FIELD PEA	STORAGE: Grain should be properly dried before storage
	STORAGE: Guti khan narakha agotae bhal parah sukailobi

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory			
	HARVESTING STAGE: For pulse, after attaining full maturity, threshing should be done after sun drying for 3-4 days			
BEAN	HARVESTING STAGE: Guti harvest kura pichetae 3-4 din dhup tae bhal parah sukabi			
CABBAGE	HARVESTING STAGE: Harvesting immature heads, reduces yield, and the heads are too soft to resist handling damage			
	HARVESTING STAGE: Bhal parah dangor huighenah hi harvest kuribi. Joldi harvest kurileh kobi tho norom thakeh aru chua somoi tae biyah huijai			

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory				
	As a routine measure all young pigs at the time of weaning should be inoculated against swine fever				
	Gahori bacha khan ama parah alag kurah somoi tae swine fever karoneh vaccination kurilobi				

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory
COMMON FISH	Partial harvesting should be done taking due care not to injure the fish
COMMON FISH	Mass ulop dhurilobi aru dhura somoi tae mass jokhom nukurighenah dhuribi

Poultry(Varieties)	Poultry Specific Advisory			
CHICKEN	Provide warmth to poultry birds during cold by using electric bulb in the shed			
CHICKEN	Murgi khan gorom pabo karoneh ghor tae electric bulb cholabi			



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of MOKOKCHUNG(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	7	68	30	5.7	154	1
2020-01-25	0	21	7	89	40	4.4	146	1
2020-01-26	0	21	5	74	19	4.9	155	0
2020-01-27	0	22	7	63	22	4.8	158	0
2020-01-28	0	21	8	67	33	4.5	158	2

Weather Summary/Alert:

Probability of no rainfall the coming days
Etia ahiboleh din tho pani nikiriboh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh.

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory
	STORAGE: If there are cracks or holes in the storage room then sealed it, to avoid entry of water by seepage from ground or walls
	Pani khan ghor bitor tae nahibo karoneh chenda khan bon kuribi
	HARVESTING STAGE: The crop is liable to shattering, hence should be harvested just before the pods open in order to avoid losses

Crop(Varieties)	Crop Specific Advisory				
	HARVESTING STAGE: Bhangighenah guti khan gigijabo, etu nuhua agotae harvest kurilobi				
IFIELD PEA	STORAGE: Grain should be properly dried before storage				
	STORAGE: Guti khan narakha agotae bhal parah sukailobi				

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
	HARVESTING STAGE: For pulse, after attaining full maturity, threshing should be done after sun drying for 3-4 days
BEAN	HARVESTING STAGE: Guti harvest kura pichetae 3-4 din dhup tae bhal parah sukabi
CABBAGE	HARVESTING STAGE: Harvesting immature heads, reduces yield, and the heads are too soft to resist handling damage
	HARVESTING STAGE: Bhal parah dangor huighenah hi harvest kuribi. Joldi harvest kurileh kobi tho norom thakeh aru chua somoi tae biyah huijai

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory				
	As a routine measure all young pigs at the time of weaning should be inoculated against swine fever				
	Gahori bacha khan ama parah alag kurah somoi tae swine fever karoneh vaccination kurilobi				

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory
COMMON FISH	Partial harvesting should be done taking due care not to injure the fish
COMMON FISH	Mass ulop dhurilobi aru dhura somoi tae mass jokhom nukurighenah dhuribi

Poultry(Varieties)	Poultry Specific Advisory						
ICHICKEN	Provide warmth to poultry birds during cold by using electric bulb in the shed						
	Murgi khan gorom pabo karoneh ghor tae electric bulb cholabi						



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of MON(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	21	8	70	39	5.1	158	1
2020-01-25	0	19	7	74	40	5.1	163	1
2020-01-26	0	21	6	60	24	5.5	162	0
2020-01-27	0	21	7	59	26	4.9	158	0
2020-01-28	0	20	7	69	33	4.6	158	1

Weather Summary/Alert:

Probability of no rainfall the coming days too
Etia ahiboleh din tho pani nikiriboh

General Advisory:

Short duration pulse crops green gram or green manuring crops like dhaincha, sunhemp etc should be planted as pre-kharif crop in fallow paddy lowland/ Terrace Rice field to enhance the soil fertility and increase farm income

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory
RICE	STORAGE: Use rodent traps and other means to control rodent, insect and pests
RICE	STORAGE: Chuha aru puka komti kuriboleh chuha phang aru alag opai cholabi
	STORAGE: Store the seed in dry bins or in bags kept on wooden racks under cool and dry conditions.

Crop(Varieties)	Crop Specific Advisory							
	STORAGE: Bijon guti khan sukha daba aru bags tae jusaighenah khuri lagah racks khan tae rakhibi aru rakha jagah tho dhanda sukha hobo lage							
RAPESEED	HARVESTING STAGE: It should be harvested when the pods turn yellowish.							
KAPESEED	HARVESTING STAGE: Yellow huija somoi tae harvest kurilobi							
GARLIC	STORAGE: Garlic with dried leaves can be stored by hanging in well-ventilated rooms.							
	STORAGE: Losoon pata bhal para sukijah khan hawa aha jah kurah room tae hang kurighenah rakhibi							

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
РОТАТО	MATURITY STAGE: Main crop is ready for harvest when majority of the leaves turn yellow-brown.
POTATO	MATURITY STAGE: Pata khan bishibhak yellow brown hua somoi tae harvest kuribi
ONION	STORAGE: Onions should be stored in a well-ventilated place with lot of aeration and sunlight
	STORAGE: Hawa aha jah aru dhup aha room tae piyas rakhibi

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory						
PIG	Animals purchased for the farm should be purchased from disease free herds						
rio	Farm karoneh gahori kina khan bimar nathaka jagah para hae kinibi						

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory							
COMMON FISH	If the water level declines drastically, complete harvesting should be done. Or else, if there is sufficient water, continue feeding @ 16 kg/day/ha							
	Pani bishi komti huijaileh mass sob dhurilobi. Pani thik thakileh, danah dithakibi (Ek din, ekta hectar tae 16 kg nishinah danah khelabi)							

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Artificial heating should be provided during the night time to protect the birds from fall of night temperature and reduce the incidence of mortality
	Rati tae thanda hua aru moriboloeh para bachiboleh, rati tae gorom hoboleh electric bulb cholabi



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of PEREN(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	23	7	62	24	4.4	154	0
2020-01-25	0	21	7	61	26	4.3	115	0
2020-01-26	0	21	8	80	34	4.3	112	0
2020-01-27	0	22	8	74	30	4.3	158	0
2020-01-28	0	21	8	73	35	4.4	146	1

Weather Summary/Alert:

Probability of no rainfall the coming days
Etia ahiboleh din tho pani nikiriboh pareh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory
RICE	STORAGE: Use rodent traps and other means to control rodent, insect and pests
RICE	STORAGE: Chuha aru puka komti kuriboleh chuha phang aru alag opai cholabi
FIELD PEA	STORAGE: Store the seed in dry bins or in bags kept on wooden racks under cool and dry conditions.
	STORAGE: Bijon guti khan sukha daba aru bags tae jusaighenah khuri lagah racks khan tae rakhibi aru rakha jagah tho dhanda sukha hobo lage

Crop(Varieties)	Crop Specific Advisory					
RAPESEED	HARVESTING STAGE: It should be harvested when the pods turn yellowish.					
KAFESEED	HARVESTING STAGE: Yellow huija somoi tae harvest kurilobi					
GARLIC	STORAGE: Garlic with dried leaves can be stored by hanging in well-ventilated rooms.					
	STORAGE: Losoon pata bhal para sukijah khan hawa aha jah kurah room tae hang kurighenah rakhibi					

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory				
	MATURITY STAGE: Main crop is ready for harvest when majority of the leaves turn yellow-brown				
FOIAIO	MATURITY STAGE: Pata khan bishibhak yellow brown hua somoi tae harvest kuribi				
	STORAGE: Onions should be stored in a well-ventilated place with lot of aeration and sunlight				
	STORAGE: Hawa aha jah aru dhup aha room tae piyas rakhibi				

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory
PIG	Animals purchased for the farm should be purchased from disease free herds
rio	Farm karoneh gahori kina khan bimar nathaka jagah para hae kinibi

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory				
COMMON FISH	If the water level declines drastically, complete harvesting should be done. Or else, if there is sufficient water, continue feeding @ 16 kg/day/ha				
	Pani bishi komti huijaileh mass sob dhurilobi. Pani thik thakileh, danah dithakibi (Ek din, ekta hectar tae 16 kg nishinah danah khelabi)				

Poultry(Varieties)	Poultry Specific Advisory					
	Artificial heating should be provided during the night time to protect the birds from fall of night temperature and reduce the incidence of mortality					
	Rati tae thanda hua aru moriboloeh para bachiboleh, rati tae gorom hoboleh electric bulb cholabi					



Gramin Krishi Mausam Sewa

India Meteorological Department ICAR Complex Branch Umiam, Meghalaya



Agromet Advisory Bulletin

Date: 23-01-2020

Weather Forecast of PHEK(Nagaland) Issued On: 2020-01-23(Valid Till 08:30 IST of the next 5 days)

Date (y-m-d)	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH I (%)	RH II (%)	Wind Speed (kmph)	Wind Direction (Degree)	cloud cover (Octa)
2020-01-24	0	22	6	76	22	4.1	287	0
2020-01-25	0	20	6	74	24	2.9	338	0
2020-01-26	0	22	5	66	21	2.8	156	0
2020-01-27	0	22	6	68	24	3.1	261	1
2020-01-28	0	20	7	78	30	3.6	283	1

Weather Summary/Alert:

Probability of no rainfall the coming days
Etu hapta dho pani nikiriboh

General Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Kata mohinah dhe bakija pulses khan nahoileh green manuring crops khan dhaincha, sunhemp etc khan pre kharif nishenah dhan kheti dhe lakhabi, mati laga mol bishi hobo karoneh

SMS Advisory:

Good housekeeping practices such as removing manure, washing down pens, disinfecting and generally cleaning up the facility are essential to maintaining a healthy herd

Janwar gao bhal thakibo karoneh ghor aru ghor kinar khan sapha rakhibi aru paikhenah somoi dhe sapha kuribi

Crop(Varieties)	Crop Specific Advisory
	STORAGE: The godown where the grains has been kept should be clean, dry and properly aerated
	Dhan rakha ghor sukha aru sapha hobo lageh aru hawah aha jah thakibo lageh
	HARVESTING STAGE: The crop is liable to shattering, hence it should be harvested just before the pods open in order to avoid losses.

Crop(Varieties)	Crop Specific Advisory					
	HARVESTING STAGE: Bhangighenah guti khan gigijabo, etu nuhua agotae harvest kurilobi					
FIELD PEA	STORAGE: Grain should be properly dried before storage					
FIELD FEA	STORAGE: Guti khan narakha agotae bhal parah sukailobi					
GINGER	STORAGE: Fully dried rhizomes can be stored in airtight containers instead of gunny bags					
	STORAGE: Adhuwa bijon karoneh rakha khan muna bosta aru bags khan tae nuhuighenah hawa najah daba khan tae hi rakhibi					

Horticulture Specific Advisory:

Horticulture (Varieties)	Horticulture Specific Advisory
	Propping should be done to prevent plant from lodging and also for uniform development of bunch
	Kol ghas tera huighenah najabo karoneh, lathi parah support dibi
CABBAGE	HARVESTING STAGE: Harvesting should not be delayed as even a few days beyond maturity can result in split heads and increased incidence of field disease.
	HARVESTING STAGE: Kobi thik somoi tae harvest kurilobi. Diri kurileh pata khan khuli jabo aru bimar bi lagijobo pareh

Livestock Specific Advisory:

Livestock(Varieties)	Livestock Specific Advisory			
	All pigs should be vaccinated against swine fever at the age of 2-4 weeks			
	Gahori sob 2-4 weeks dangor hua somoi tae swine fever karoneh vaccination kurilobi			

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory
COMMON FISH	If the water level declines drastically, complete harvesting should be done. Or else, if there is sufficient water, continue feeding @ 16 kg/day/ha
	Pani bishi komti huijaileh mass sob dhurilobi. Pani thik thakileh, danah dithakibi (Ek din, ekta hectar tae 16 kg nishinah danah khelabi)

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Good management and sanitation are the best ways to avoid infectious disease in poultry. Provide ample quantity of clean drinking water. Avoid dampness, litter should be periodically changed Avoid feeding of mouldy feed. Don't make sudden changes in feed. Vaccination of birds as per the recommended age
	Bimar parah bachibo karoneh sapha aru bhal nium parah palia tho hae sob para bhal ase. Sapha pani thik thak khelabi. Ghor bijah narakhibi aru somoi tae paikhenah sapha kuribi. Dana biyah nekhelabi aru achanak parah danah bodli nukuribi. Umor hisap tae vaccination kurithakibi